

Bibliografía

- [1] J.A.B. Gibson, J.M.G. Thompson, y F.W. Spiers. A guide to the measurement of environmental gamma radiation. Technical report, British Committee on Radiation Units and Measurements, 1993.
- [2] Harvey E. White. *Modern College Physics*, volume 2. D. Van Nostrand Company, Inc., 1972.
- [3] Ronald L. Kathren. *Radioactivity in the environment sources, distribution and surveillance*. New York[etc.] Harwood Academic Publisher, 1986.
- [4] Merryll Eisenbud. *Environmental Radioactivity*. Academic Press Inc, 1987.
- [5] Edgardo Browne y Richard B. Firestone. *Table of Radioactive Isotopes*. John Wiley and Sons, 1986.
- [6] Richard B. Firestone. *Table of Isotopes*, volume 1. John Wiley and Sons, eighth edition, 1996.
- [7] Education U.S. Department of Health and Welfare. *Radiological Health Book*, revised edition, 1970. Rockville, Mariland.
- [8] *Fifth International Symposium on the Natural Radiation Environment*, number EUR 14411 in Radiation protection. Commission of the European Communities, 1993. Tutorial Sessions.
- [9] A. B. Tanner. Radon migration in the ground, a supplementary review. In T.F. Gesell and W.M. Lowder, editors, *Proceedings natural radiation environment III*, volume 1 of *Radiation protection*, pages 5–56, 1980. Tutorial Sessions.
- [10] X. Ortega y G. Cortés. Influencia de las condiciones meteorológicas sobre variables radiológicas ambientales en el entorno de la estación de vigilancia de la UPC. In *Revista de la Sociedad Española de Protección Radiológica*, number No. Extraordinario, pages 485–487, March 1998. VII Congreso de la SEPR.
- [11] Comité Científico de las Naciones Unidas. Fuentes y efectos de la radiación ionizante. Technical report, Naciones Unidas, 1979. Informe de la Asamblea General.
- [12] Comité Científico de las Naciones Unidas. La radiación ionizante: Fuentes y efectos biológicos. Technical report, Naciones Unidas, 1982. Informe de la Asamblea General.

- [13] M.B. Sears, R.E. Blanco, y R.C. Dahlman et al. Correlation of radioactive waste treatment costs and the environmental impact of waste effluents in the nuclear fuel cycle for use in establishing 'as low as practicable' guides- milling of uranium ores. Technical report, Oak Ridge Laboratory, 1975. Report ORNL-TM-4903/1.
- [14] *El funcionamiento de las centrales nucleares españolas en el primer semestre de 2000*, number UNESA CEN-1SEM-00. Asociación Española de la Industria Eléctrica y Comité de Energía Nuclear, Septiembre-2000.
- [15] ICRU. Determination of dose equivalents resulting from external radiation sources. Technical report, International Commission on Radiation Units and Measurements, 1985. ICRU Report 39.
- [16] NRPB. A compilation of early papers by members of NRPB staff about the reactor accident at Chernobyl on 26 april 1986. Technical report, National Radiological Protection Board, 1986. Report M-139.
- [17] British Committee on Radiation Units. New quantities in radiation protection and conversion coefficients. *Br. J. Radiol.*, (59):946–950, 1986.
- [18] British Committee on Radiation Units. Quantities for environmental monitoring. *Br. J. Radiol.*, (62):482–483, 1989.
- [19] R.C. Smetsers y A.P. van Lunenburg. Evaluation of the dutch radioactivity monitoring network for nuclear emergencies over the period 1990-1993. *Radiation Protection Dosimetry*, 55(3):165–172, 1994.
- [20] Susumu Minato. Some observations of the variations in natural gamma radiation due to rainfall. In T.F. Gesell y W.M. Lowder, editor, *The natural radiation environment III*, volume 1 of *Radiation protection*, pages 370–382, 1980. Tutorial Sessions.
- [21] G.Cortés, J.Sempau, y X.Ortega. Medidas de la concentración de descendientes del radón en el agua de lluvia en la ciudad de Barcelona. In *Revista de la Sociedad Española de Protección Radiológica*, pages 68–70, Septiembre 2000. VIII Congreso de la SEPR.
- [22] R.C. Smetsers y R.O. Blaauwboer. Time-resolved monitoring of outdoor radiation levels in the Netherlands. *Radiation Protection Dosimetry*, 55(3):173–181, 1994.
- [23] R.C. Smetsers y R.O. Blaauwboer. A dynamic compensation method for natural ambient dose rate based on 6 years data from the dutch radioactivity monitoring network. *Radiation Protection Dosimetry*, 69(1):19–31, 1997.
- [24] United Nations Scientific Committee on the Effects of Atomic Radiation. Sources, effects and risks of ionizing radiation. Technical report, United Nations, 1988. Report to the General Assembly.
- [25] H.L. Beck y K.M. Miller. Temporal variations of the natural radiation field. In et al. K.G. Vohra, U.C. Mishra, editor, *Natural Radiation Environment*, pages 163–172, 1981. Second Special Symposium on Natural Radiation Environment.
- [26] X. Ortega, J.R. Rosell, y X. Dies. Validation of a model for calculating environmental doses caused by gamma emitters in the soil. *Radiation Protection Dosimetry*, 35(3):187–192, 1991.

- [27] J.R. Rosell, X. Ortega, y X. Dies. Natural and artificial radionuclides on the northeast coast of Spain. *Health Physics*, 60(5):709–712, 1991.
- [28] L.S. Quindos, P.L. Fernández, et al. Estimate of external gamma exposure outdoors in Spain. *Radiation Protection Dosimetry*, 45(1):527–529, 1992.
- [29] K. Saito y P. Jacob. Gamma ray fields in the air due to sources in the ground. *Radiation Protection Dosimetry*, 58(1):29–45, 1995.
- [30] K. O'Brien y J. McLaughlin. The radiation dose to man from galactic cosmic rays. *Health Physics*, 22:225–232, 1972.
- [31] A. Bouville y W.M. Lowder. Human population exposure to cosmic radiation. *Radiation Protection Dosimetry*, 24(1):293–299, 1988.
- [32] Y.Nakashima y S. Fujisaka. On the annual variation of photons originating from secondary cosmic ray components at sea level at nagoya, japan. *Radiation Protection Dosimetry*, 45(1):387–390, 1992.
- [33] W. Jacobi y K. André. The vertical distribution of Rn-222, Rn-220 , y their decay products in the atmosphere. *J. Geophys. Res.*, (68):3799, 1963.
- [34] H. Kraner, G. Schroeder, y R. Evans. Measurements of the effects of atmospheric variables on Rn-222 flux and soil gas concentrations. In W.M. Lowder J.A.S. Adams, editor, *The Natural Radiation Environment*, page 191, 1964.
- [35] L.B. Jr. Lockhart. Radioactivity of the Rn-222 and Rn-220 series in the air at ground level. In W.M. Lowder J.A.S. Adams, editor, *The Natural Radiation Environment*, page 331, 1964.
- [36] H.A. Moses, F. Stehney, y H.F. Lucas. The effect of meteorological variables upon the vertical and temporal distribution of atmospheric radon. *J. Geophys. Res.*, (65):1223, 1960.
- [37] R.O. Blaabober y R.C. Smetsers. Outdoor concentrations of the equilibrium-equivalent decay products of Rn-222 in the Netherlands and the effect of meteorological variables. *Radiation Protection Dosimetry*, 69(1):7–18, 1997.
- [38] J. Porstendorfer, G. Butterweck, y A. Reineking. Diurnal variation of the concentrations of radon and its short-lived daughters in the atmosphere near the ground. *Atmospheric Environment*, 25A(3):7009–713, 1991.
- [39] T. Kataoka, O. Tsukamoto et al. Variation of Rn-222 concentration in outdoor air due to variation of the atmospheric boundary layer. *Radiation Protection Dosimetry*, 45(1):403–406, 1992.
- [40] H.L. Beck. Gamma radiation from radon daughters in the atmosphere. *Journal of Geophysical Research*, 79(15):2215–2221, 1974.
- [41] Sven Israelsson. Meteorological influences on atmospheric radioactivity and its effects on the electrical environment. In T.F. Gesell and W.M. Lowder, editors, *The natural radiation environment III*, volume 1 of *Radiation protection*, pages 210–223, 1980. Tutorial Sessions.

- [42] N. Fujinami y S. Esaka. Influence of solar radiation and heat emission on Rn-222 daughter concentrations in surface air. *Journal of Geophysical Research*, 93(D10):12627–12629, 1988.
- [43] C.T.R. Wilson. On radioactive rain. *Proceedings of Camb. Phil. Soc.*, 11:428, 1902.
- [44] C.T.R. Wilson. Further experiments on radioactivity from rain. *Proceedings of Camb. Phil. Soc.*, 12:17, 1902.
- [45] P.E. Damon y P.K. Kuroda. On the natural radioactivity of rainfall. *Transactions, American Geophysical Union*, 35(2):209–216, 1954.
- [46] T.Nishikawa, M. Aoki, y S. Okabe. Automatic measuring instrument for radon daughters concentration of precipitation. *Journal of Nuclear Science and Technology*, 23(11):1001–1007, November 1986.
- [47] T.Nishikawa, S. Okabe, y M. Aoki. Seasonal variation of radon daughters concentrations in the atmosphere and in precipitation at the japanese coast of the sea of japan. *Radiation Protection Dosimetry*, 24(1/4):93–95, 1988.
- [48] T.Nishikawa, S.Okabe, y M.Aoki. Atmospheric radon daughters concentration inside and outside of cloud. *Memoirs of the Faculty of Engineering. Fukui University*, 35(1):151–161, 1987.
- [49] J. Paatero. Wet deposition of Rn-222 progeny in northern finland measured with an automatic precipitation gamma analyser. *Radiation Protection Dosimetry*, 87(4):273–280, 2000.
- [50] N. Fujinami. Scavenging of radon daughters by precipitation from the atmosphere. In NRE-VI Commitee, editor, *Sixth International Symposium on the Natural Radiation Environment*, 1995.
- [51] K. Yoshioka. The seasonal variation of rainout activity of short-lived radon daughters. *Radiation Protection Dosimetry*, 45(1):395–398, 1992.
- [52] I. Thompson, L. Botter-Jensen et al. The assesment of external photon dose rate in the vicinity of nuclear power stations: an intercomparison of different monitoring systems. *Radiation Protection Dosimetry*, 48(4):325–332, 1993.
- [53] F.W. Spiers, M.J. McHugh, y D.B. Appleby. *Environmental γ ray dose to populations: surveys made with a portable meter*. The natural radiation environment. University of Chicago Press, 1964.
- [54] M.L. Maiello, J.F. Gulbin et al. International mini-intercomparison investigating an under-responseof tlds calibrated with ^{137}Cs . *Radiation Protection Dosimetry*, 34:175–178, 1990.
- [55] X. Ortega, J. Sempau, y M. Zähringer. Estudio de las correlaciones radiometeorológicas en las estaciones de vigilancia ambiental. In *Revista de la Sociedad Nuclear Española*, Octubre 1994. XX Reunión Anual de la SNE.
- [56] N. Fujinami, S. Esaka, y S. Minato. Estimation of cloud parameters from short-lived rn daughter activities of rainwater. *Nucl. Geophys.*, 7(2):359–366, 1993.

- [57] S. Minato. Estimate of Rn-222 concentrations in rainclouds from radioactivity of rainwater observed at ground level. *Journal of Radioanalytical Chemistry*, 78(1):199–207, 1983.
- [58] F. Salvat, J.M. Fernández-Varea, y J. Baró. PENELOPE, an algorithm and computer code for Monte Carlo simulation of electron-photon showers. Technical Report 766, CIEMAT, junio 1996. Informes Técnicos CIEMAT.
- [59] J. K. Shultz y R.E. Faw. *Radiation Shielding*. Prentice Hall, Upper Sadle River, 1996.
- [60] J. Baró, M. Roteta, J.M. Fernández-varea, y F. Salvat. Analytical cross sections for Monte Carlo simulation of photon transport. *Radiation in physics and chemistry*, 44:531–552, 1994.
- [61] R.R. Rogers y M.K. Yau. *A short course in cloud physics*, volume 113 of *International series in natural philosophy*. Butterworth-Heinemann, 1996.
- [62] M. Zahringer y J. Sempau. The assesment of the representativeness of data from dose rate monitoring stations. *Radiation Protection Dosimetry*, 64(4):275–282, 1996.
- [63] J.H. Hubell. Dose due to distributed gamma-ray sources. Technical report, US National Bureau of Standards, 1956. Report 4928.
- [64] G. de Planck H. Beck. *The radiation field in the air due to distributed gamma-ray sources in the ground*, 1968. HASL-195.
- [65] N. Takeuchi y A. Katase. Rainout-washout model for variation of environmental gamma-ray intensity by precipitation. *Journal of Nuclear Science and Technology*, 19(5):393–409, May 1982.
- [66] K. J. Shiager. Analysis of radiation exposures on or near uranium milltailing piles. *Radiation data reports*, (15):411, 1974.
- [67] M. Wilkening y E. McNamee. Rn-222 and its short-lived decay products in attached and free-ion forms in the atmosphere. *Radiation Protection Dosimetry*, 24(1):221–224, 1988.
- [68] S.C. Liu y J.R. McAfee. Rn-222 and tropospheric vertical transport. *Journal of Geophysical Research*, 89(D5):7291–7297, 1984.
- [69] B.E. Leonard. High Rn-222 levels, enhanced surface deposition, increased diffusion coefficient, humidity, and air change effects. *Health Physics*, 70(3):372–387, 1996.
- [70] Ching-Jiang Chen, Pao-Shan Weng, y Tieh-Chi Chu. Radon exhalation rate from various building materials. *Health Physics*, 64(6):613–619, 1993.
- [71] T.Nishikawa, M. Aoki, y S. Okabe. Time variation of radon daughters cocentration in snowfall. *Radioisotopes*, 33(5):257–261, May 1984.
- [72] T.Nishikawa, M. Aoki, y S. Okabe. Time variation of Rn-222 progeny concentration in rainwater. *Health Physics*, 49(6):1284–1289, 1985.
- [73] M. Takeyasu, K. Yamasaki, y T. Tsujimoto. Rn-222 progeny in precipitation. *Proceedings of Asia Congress on Radiation Protection*, (1):618–621, 1993.

- [74] R.R. Finck y B. R.R. Person. In situ ge(li)-spectrometric measurements of gamma radiation from radon daughters under different weather conditions. *Natural Radiation Environment III. Conf 780422*, 1(DOE Symposium Series 51):357–369, 1980.
- [75] J. Sempau. *Development and applications of a computer code for Monte Carlo simulation of electron-photon showers*. PhD thesis, Universitat Politècnica de Catalunya, octubre 1995.
- [76] M. H. Kalos. On the estimation of flux at a point by Monte Carlo. *Nuclear Science and Engineering*, 16:111–117, 1963.
- [77] Richard B. Firestone. *Table of Isotopes*, volume 2. John Wiley and Sons, eighth edition, 1996.
- [78] A.B. Chilton. A note on the fluence concept. *Health Physics*, 34:715–716, 1978.
- [79] A.B. Chilton. Further comments on an alternative definition of fluence. *Health Physics*, 35:637–638, 1979.
- [80] ICRU. Radiation quantities and units. Technical report, National Radiological Protection Board, 1971. International Commision on Radiation Units and Measurements, Washington, DC.