

Universitat de Barcelona
Departament de Filologia Romànica
Secció de Lingüística



Tesis Doctoral

Representación de las entradas verbales en una
Base de Conocimiento Léxico:
Diátesis y Semántica Léxica

Octubre, 1995

Mariona Taulé Delor

Directora: Maria Antònia Martí Antonín

Apéndice 5: Entradas Léxicas verbales**5.1. Cocción**

asar X_L_1

STRICT-TRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("asar")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("1")
- < cat : result : result : m-feats : vform > = base
- < cat : result : result : m-feats : comp-form > = no-comp
- < cat : result : result : m-feats : diatheses : prt-alt > = no-info
- < cat : result : result : m-feats : diatheses : prnl-alt > = prnl
- < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl indef-obj pass)
- < sem : arg1 : arg1 > = qua-eve
- < sem : arg2 : arg1 : pred > = p-agt-cause
- < sem : arg2 : arg1 : arg2 > = e-human
- < sem : arg2 : arg2 : pred > = p-pat-affected
- < sem : arg2 : arg2 : arg2 > = e-solid
- < rqs > = cook v
- < rqs : patient : understood-pat > = e-solid.

cocinar X_L_1

STRICT-TRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("cocinar")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("1")
- < cat : result : result : m-feats : vform > = base
- < cat : result : result : m-feats : comp-form > = no-comp
- < cat : result : result : m-feats : diatheses : prt-alt > = no-info
- < cat : result : result : m-feats : diatheses : prnl-alt > = prnl
- < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl indef-obj pass)
- < sem : arg1 : arg1 > = qua-eve
- < sem : arg2 : arg1 : pred > = p-agt-cause
- < sem : arg2 : arg1 : arg2 > = e-human
- < sem : arg2 : arg2 : pred > = p-pat-affected
- < sem : arg2 : arg2 : arg2 > = e-solid
- < rqs > = cook-v.

freír X_L_1

STRICT-TRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("freír")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("1")
- < cat : result : result : m-feats : vform > = base
- < cat : result : result : m-feats : comp-form > = no-comp

< cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs > = cook-v
 < rqs : patient : understood-pat > = e-solid.

hervir X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("hervir")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (caus-inch
 indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-liquid
 < rqs > = cook-v
 < rqs : patient : understood-pat > = e-liquid.

tostar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("tostar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs > = cook-v
 < rqs : patient : understood-pat > = e-solid.

salar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("salar")
 < lex-sign sense-id : sense-id homonym-no > = ("I")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = (e-solid e-liquid)
 < rqs > = cook-v.

achicharrar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("achicharrar")
 < lex-sign sense-id : sense-id homonym-no > = ("I")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs > = cook-manner
 < rqs : cook-manner > = too-much
 < rqs : patient : understood-pat > = e-solid.

dorar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("dorar")
 < lex-sign sense-id : sense-id homonym-no > = ("I")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause

< sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs > = cook-manner
 < rqs : cook-manner > = slightly.

rehogar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("rehogar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = (e-liquid e-solid)
 < rqs > = cook-manner
 < rqs : cook-manner > = slowly.

saltear X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("saltear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs > = cook-manner
 < rqs : cook-manner > = slightly
 < rqs : patient : understood-pat > = e-solid.

sofreír X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("sofreír")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base

< cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = (e-liquid e-solid)
 < rqs > = cook-manner
 < rqs : cook-manner > = slightly
 < rqs : patient : understood-pat > = e-solid.

adobar X_1_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("adobar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs > = cook-means
 < rqs : cook-means > = syron
 < rqs : patient : understood-pat > = e-solid.

brasear X_1_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("brasear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs > = cook-means
 < rqs : cook-means > = burning-coals

< rqs : patient : understood-pat > = e-solid.

hornear X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("hornear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs > = cook-means
 < rqs : cook-means > = oven.

emparrillar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("emparrillar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-refl
 pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs > = cook-means
 < rqs : cook-means > = grill
 < rqs : patient : understood-pat > = e-solid.

5.2. Ingestión

beber X_II_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("beber")
 < lex-sign sense-id : sense-id homonym-no > = ("II")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = (e-human e-animal)
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = e-liquid
 < rqs > = ingest-basic
 < rqs : patient : understood-pat > = e-liquid.

comer X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("comer")
 < lex-sign sense-id : sense-id homonym-no > = ("I")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = (e-human e-animal)
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = (e-solid e-liquid)
 < rqs > = ingest-basic
 < rqs : patient : understood-pat > = e-solid.

ingerir X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("ingerir")
 < lex-sign sense-id : sense-id homonym-no > = ("I")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve

< sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = (e-human e-animal)
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = (e-solid e-liquid)
 < rqs > = ingest-basic.

almorzar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("almorzar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = (e-solid e-liquid)
 < rqs > = ingest-temp
 < rqs : ingest-temp > = morning.

cenar X_I_2

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("cenar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("2")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = (e-solid e-liquid)
 < rqs > = ingest-temp
 < rqs : ingest-temp > = evening.

comer X_I_2

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("almorzar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("2")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = prml

< cat : result : result : m-feats : diatheses : trans-alt > = (indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = (e-solid e-liquid)
 < rqs > = ingest-temp
 < rqs : ingest-temp > = noon.

devorar X_1_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("devorar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs : ingest-manner > = quickly
 < rqs : patient : understood-pat > = e-solid.

engullir X_1_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("engullir")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs > = ingest-manner.

masticar X_1_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("masticar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp

< cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-solid
 < rqs > = ingest-manner
 < rqs : patient : understood-pat > = e-solid.

sorber X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("sorber")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = e-liquid
 < rqs > = ingest-manner
 < rqs : patient : understood-pat > = e-liquid.

tragar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("tragar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (indef-obj pass)
 < sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = (e-solid e-liquid)
 < rqs > = ingest-manner.

adaguar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("adaguar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")

< cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = cognate
 < cat : result : m-feats : diatheses : prnl-alt > = no-prnl
 < sem : arg1 : arg1 > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animal
 < rqs > = ingest-cognate
 < rqs : patient : morph-sat-pat > = "agua".

bellotear X_L_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("bellotear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = cognate
 < cat : result : m-feats : diatheses : prnl-alt > = no-prnl
 < sem : arg1 : arg1 > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animal
 < rqs > = ingest-cognate
 < rqs : patient : morph-sat-pat > = "bellota".

herbajar X_L_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("herbajar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = cognate
 < cat : result : m-feats : diatheses : prnl-alt > = no-prnl
 < sem : arg1 : arg1 > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animal
 < rqs > = ingest-cognate
 < rqs : patient : morph-sat-pat > = "hierba".

cuscurrear X_L_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("cuscurrear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = cognate
 < cat : result : m-feats : diatheses : prnl-alt > = no-prnl
 < sem : arg1 : arg1 > = proc
 < sem : arg2 : pred > = p-agt-affected

< sem : arg2 : arg2 > = e-human
 < rqs > = ingest-cognate
 < rqs : patient : morph-sat-pat > = "cuscurros".

pacar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("pacar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = cognate
 < cat : result : m-feats : diatheses : prnl-alt > = no-prnl
 < sem : arg1 : arg1 > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animai
 < rqs > = ingest-cognate
 < rqs : patient : morph-sat-pat > = "pastos".

pastar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("pastar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = cognate
 < cat : result : m-feats : diatheses : prnl-alt > = no-prnl
 < sem : arg1 : arg1 > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animal
 < rqs > = ingest-cognate
 < rqs : patient : morph-sat-pat > = "pastos".

emborrachar X_I_5

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("emborrachar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("5")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass reflex)
 < sem : arg1 : arg1 > = proc
 < sem : arg2 : arg1 : pre! > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = (e-human e-liquid)
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-animate
 < rqs > = change-of-state-v
 < rqs : agent : understood-ag > = (e-human e-liquid)

< rqs : patient : argumental-pat > = e-animate.

empachar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("empachar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass reflex)
 < sem : arg1 : arg1 > = proc
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = (e-human e-solid)
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-animate
 < rqs > = change-of-state-v
 < rqs : agent : understood-ag > = (e-human e-solid)
 < rqs : patient : argumental-pat > = e-animate

5.3. Movimiento

acercarse X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("acercarse")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = pronominal
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure qua path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-info
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = path-inherent-motion
 < rqs : path : understood-pth > = (goal directional route distance)

acercar X_I_2

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("acercar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("2")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass qua-path cum-path)

< sem : arg1 : arg1 > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = (e-animate e-vehicle)
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-concrete
 < rqs > = change-of position
 < rqs : path : understood-pth > = (goal directional route distance).

acompañar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("acompañar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass qua-path cum-path)
 < sem : arg1 : arg1 > = dyn-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-animate
 < rqs > = path-motion
 < rqs : path : understood-pth > = (goal directional route distance).

aletear X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("aletear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (cognate qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animal
 < rqs > = internal-body-motion-cognate
 < rqs : agent : understood-ag > = e-animal
 < rqs : patient : morph-sat-pat > = "ala".

andar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("andar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-info

< sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = manner-motion
 < rqs : path : understood-pth > = ('1 source directional route distance).

atajar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("atajar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = cum-path
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = route-motion
 < rqs : path : morph-sat-pth > = "atajo".

atravesar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("atravesar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : pred > = p-agt
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = path-inherent-motion
 < rqs : path : understood-pth > = (directional route distance).

atrochar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("atrochar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = cum-path
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = route-motion
 < rqs : path : morph-sat-pth > = "trocha".

bailar X_I_1

STRICT-TRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("bailar")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("1")
- < cat : result : result : m-feats : vform > = base
- < cat : result : result : m-feats : comp-form > = no-comp
- < cat : result : result : m-feats : diatheses : prt-alt > = no-info
- < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
- < cat : result : result : m-feats : diatheses : trans-alt > = (pass obj-indef qua-path cum-path)
- < sem : arg1 : ind > = qua-eve
- < sem : arg2 : arg1 : pred > = p-agt-affected
- < sem : arg2 : arg1 : arg2 > = e-animate
- < sem : arg2 : arg2 : pred > = p-pat
- < sem : arg2 : arg2 : arg2 > = e-concrete
- < rqs > = dance-motion.

bajar X_I_1

STRICT-INTRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("bajar")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("1")
- < cat : result : m-feats : vform > = base
- < cat : result : m-feats : comp-form > = no-comp
- < cat : result : m-feats : diatheses : prt-alt > = (measure qua-path cum-path)
- < cat : result : m-feats : diatheses : prml-alt > = prml
- < sem : arg1 : ind > = dyn-eve
- < sem : arg2 : pred > = p-agt-affected
- < sem : arg2 : arg2 > = (e-animate e-vehicle)
- < rqs > = path-inherent-motion
- < rqs : path : understood-pth > = (goal source directional route distance).

bajar X_I_2

STRICT-TRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("bajar")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("2")
- < cat : result : result : m-feats : vform > = base
- < cat : result : result : m-feats : comp-form > = no-comp
- < cat : result : result : m-feats : diatheses : prt-alt > = no-info
- < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
- < cat : result : result : m-feats : diatheses : trans-alt > = (pass qua-path cum-path)
- < sem : arg1 : ind > = qua-eve
- < sem : arg2 : arg1 : pred > = p-agt-cause
- < sem : arg2 : arg1 : arg2 > = (e-animate e-vehicle)
- < sem : arg2 : arg2 : pred > = p-pat-affected
- < sem : arg2 : arg2 : arg2 > = e-concrete
- < rqs > = change-of-position
- < rqs : path : understood-pth > = (goal source directional route distance).

borderar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("borderar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass qua-path)
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-concrete
 < sem : arg2 : arg2 : pred > = p-pat-path
 < sem : arg2 : arg2 : arg2 > = e-concrete
 < rqs > = route-motion-t
 < rqs : path : morph-sat-ptn > = "borde".

cabecear X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("cabecear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = cognate
 < cat : result : m-feats : diatheses : prnl-alt > = no-prnl
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animate
 < rqs > = internal-body-motion-cognate
 < rqs : patient : morph-sat-pat > = "cabeza".

caer X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("caer")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (qua-path cum-path)
 < cat : result : m-feats : diatheses : prnl-alt > = prnl
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = path-inherent-motion
 < rqs : path : understood-ptn > = (goal source directional route).

caminar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")

< lex-sign sense-id : sense-id word > = ("caminar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-info
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animate
 < rqs > = manner-motion
 < rqs : agent : understood-ag > = e-animate
 < rqs : path : understood-pth > = (goal source directional route distance).

cojear X_1_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("cojear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-info
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animate
 < rqs > = manner-motion
 < rqs : agent : understood-ag > = e-animate
 < rqs : path : understood-pth > = (goal source directional route distance).

colear X_1_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("colear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (cognate qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animal
 < rqs > = internal-body-motion-cognate
 < rqs : agent : understood-ag > = e-animal
 < rqs : patient : morph-sat-pat > = "cola".

conducir X_1_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("conducir")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")

< cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass qua-path cura-path)
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-animate
 < rqs > = path-motion
 < rqs : path : understood-pth > = (goal directional route distance).

conducir X_I_2

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("conducir")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("2")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass obj-undef qua-path cum-path)
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = e-vehicle
 < rqs > = vehicle-motion
 < rqs : path : understood-pth > = (goal source directional route distance)
 < rqs : motion-means > = (boat bus car motor-bike).

correr X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("correr")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-info
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = manner-motion
 < rqs : motion-manner > = quickly
 < rqs : path : understood-pth > = (goal source directional route distance).

costear X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")

< lex-sign sense-id : sense-id word > = ("costear")
 < lex-sign sense-id : sense-id homonym-no > = ("I")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass qua-path)
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-concrete
 < sem : arg2 : arg2 : pred > = p-pat-path
 < sem : arg2 : arg2 : arg2 > = e-concrete
 < rqs > = route-motion-t
 < rqs : path : morph-sat-ptn > = "costa".

cruzar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("cruzar")
 < lex-sign sense-id : sense-id homonym-no > = ("I")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : pred > = p-agt
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = path-inherent-motion
 < rqs : path : understood-ptn > = (directional route distance).

danzar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("danzar")
 < lex-sign sense-id : sense-id homonym-no > = ("I")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass obj-indef qua-path cum-path)
 < sem : arg1 : ind > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = e-concrete
 < rqs > = dance-motion.

dirigirse X_I_1

OBL-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")

< lex-sign sense-id : sense-id word > = ("dirigirse")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = pronominal
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : prt > = ("a" "hacia" "para")
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : obl-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-info
 < sem : arg1 : ind > = dyn-eye
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = (e-animate e-vehicle)
 < sem : arg2 : arg2 : pred > = ("a" "hacia" "para")
 < sem : arg2 : arg2 : arg2 > = e-concrete
 < rqs > = path-inherent-motion-arg
 < rqs : path : argumental-pth > = (goal-directional).

dirigir X_1_2

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("dirigir")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("2")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass-qua-path-cum-path)
 < sem : arg1 : ind > = dyn-eye
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-animate
 < rqs > = path-motion
 < rqs : path : understood-pth > = (goal-directional-route).

entrar X_1_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("entrar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure-qua-path-cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = dyn-eye
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = path-inherent-motion
 < rqs : path : understood-pth > = (goal-directional-route-distance).

entrar X_1_2

STRICT-TRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("entrar")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("2")
- < cat : result : m-feats : vform > = base
- < cat : result : result : m-feats : comp-form > = no-comp
- < cat : result : result : m-feats : diatheses : prt-alt > = no-info
- < cat : result : result : m-feats : diatheses : prml-alt > = no-prri
- < cat : result : result : m-feats : diatheses : trans-alt > = (pass qua-path cum-path)
- < sem : arg1 : ind > = qua-eve
- < sem : arg2 : arg1 : pred > = p-agt-cause
- < sem : arg2 : arg1 : arg2 > = (e-animate e-vehicle)
- < sem : arg2 : arg2 : pred > = p-pat-affected
- < sem : arg2 : arg2 : arg2 > = e-concrete
- < rqs > = change-of-position
- < rqs : path : understood-pth > = (goal source directional route distance).

escapar X_1_1

STRICT-INTRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("escapar")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("1")
- < cat : result : m-feats : vform > = base
- < cat : result : m-feats : comp-form > = no-comp
- < cat : result : m-feats : diatheses : prt-alt > = (qua-path cum-path)
- < cat : result : m-feats : diatheses : prml-alt > = prml
- < sem : arg1 : ind > = dyn-eve
- < sem : arg2 : pred > = p-agt-affected
- < sem : arg2 : arg2 > = e-animate
- < rqs > = path-inherent-motion
- < rqs : path : understood-pth > = (goal source directional route).

esquiar X_1_1

STRICT-INTRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("esquiar")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("1")
- < cat : result : m-feats : vform > = base
- < cat : result : m-feats : comp-form > = no-comp
- < cat : result : m-feats : diatheses : prt-alt > = (qua-path cum path)
- < cat : result : m-feats : diatheses : prml-alt > = no-prml
- < sem : arg1 : ind > = dyn-eve
- < sem : arg2 : pred > = p-agt-affected
- < sem : arg2 : arg2 > = e-human
- < rqs > = vehicle-motion-cognate
- < rqs : agent : understood-ag > = e-human
- < rqs : path : understood-pth > = (goal directional route distance)
- < rqs : motion-means > = ski.

faldear X_1_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("faldear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = qua-path
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = route-motion
 < rqs : path : morph-sat-ptn > = "falda".

fugarse X_1_1

STRICT INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("fugarse")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = pronominal
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-info
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animate
 < rqs > = path-inherent-motion
 < rqs : path : understood-ptn > = (goal source directional route).

gatear X_1_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("gatear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-info
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animate
 < rqs > = manner-motion
 < rqs : agent : understood-ag > = e-animate
 < rqs : path : understood-ptn > = (goal source directional route distance).

guiar X_1_2

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("guiar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")

< lex-sign sense-id : sense-id sense-no > = ("2")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass obj-indef qua-path cum-path)
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = e-human
 < sem : arg2 : arg2 : pred > = p-pat
 < sem : arg2 : arg2 : arg2 > = e-vehicle
 < rqs > = vehicle-motion
 < rqs : path : understood : pth > = (goal source directional route distance)
 < rqs : motion-means > = (boat bus car motor-bike ptane).

incorporar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("incorporar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass reflex qua-path cum-path)
 < sem : arg1 : ind > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-part-of-body
 < rqs > = internal-body-motion.

levantar X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("levantar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass reflex qua-path cum-path)
 < sem : arg1 : ind > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-part-of-body
 < rqs > = internal-body-motion.

lomear X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("lomear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (cognate qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animal
 < rqs > = internal-body-motion-cognate
 < rqs : agent : understood-ag > = e-animal
 < rqs : patient : morph-sat-pat > = "lomo".

llegar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("llegar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = dyn-eye
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = path-inherent-motion
 < rqs : path : understood-pth > = (goal source route).

menear X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("menear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass reflex qua-path cum-path)
 < sem : arg1 : ind > = qua-eye
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-part-of-body
 < rqs > = internal-body-motion.

mover X_I_1

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("mover")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass reflex qua-path cum-path)
 < sem : arg1 : ind > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-affected
 < sem : arg2 : arg1 : arg2 > = e-animate
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-part-of-body
 < rqs > = internal-body-motion.

mover X_I_2

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("mover")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("2")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass qua-path cum-path)
 < sem : arg1 : ind > = qua-eve
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = (e-animate e-vehicle)
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-concrete
 < rqs > = change-of-position
 < rqs : path : understood-pth > = (goal source directional route distance).

nadar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("nadar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-info
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animate
 < rqs > = manner-motion
 < rqs : agent : understood-ag > = e-animate
 < rqs : path : understood-pth > = (goal source directional route distance).

partir X_I_1

STRICT-INTRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("partir")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("1")
- < cat : result : m-feats : vform > = base
- < cat : result : m-feats : comp-form > = no-comp
- < cat : result : m-feats : diatheses : prt-alt > = (qua-path cum-path)
- < cat : result : m-feats : diatheses : prml-alt > = no-prml
- < sem : arg1 : ind > = dyn-eve
- < sem : arg2 : pred > = p-agt-affected
- < sem : arg2 : arg2 > = (e-animate e-vehicle)
- < rqs > = path-inherent-motion
- < rqs : path : understood-pth > = (goal source directional route).

patinar X_I_1

STRICT-INTRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("patinar")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("1")
- < cat : result : m-feats : vform > = base
- < cat : result : m-feats : comp-form > = no-comp
- < cat : result : m-feats : diatheses : prt-alt > = (qua-path cum-path)
- < cat : result : m-feats : diatheses : prml-alt > = no-prml
- < sem : arg1 : ind > = dyn-eve
- < sem : arg2 : pred > = p-agt-affected
- < sem : arg2 : arg2 > = e-human
- < rqs > = vehicle-motion-cognate
- < rqs : agent : understood-ag > = e-human
- < rqs : path : understood-pth > = (goal directional route distance)
- < rqs : motion-means > = skate.

perseguir X_I_1

STRICT-TRANS-SIGN

- < lex-sign sense-id : sense-id dictionary > = ("VOX")
- < lex-sign sense-id : sense-id word > = ("perseguir")
- < lex-sign sense-id : sense-id homonym-no > = ("1")
- < lex-sign sense-id : sense-id sense-no > = ("1")
- < cat : result : result : m-feats : vform > = base
- < cat : result : result : m-feats : comp-form > = no-comp
- < cat : result : result : m-feats : diatheses : prt-alt > = no-in/c
- < cat : result : result : m-feats : diatheses : prml-alt > = no-prml
- < cat : result : result : m-feats : diatheses : trans-alt > = (pass qua-path cum-path)
- < sem : arg1 : ind > = dyn-eve
- < sem : arg2 : arg1 : pred > = p-agt-affected
- < sem : arg2 : arg1 : arg2 > = (e-animate e-vehicle)
- < sem : arg2 : arg2 : pred > = p-pat-affected
- < sem : arg2 : arg2 : arg2 > = (e-animate e-vehicle)
- < rqs > = path-motion
- < rqs : path : understood-pth > = (goal source directional route distance).

pestañear X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("pestañear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = cognate
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-animate
 < rqs > = internal-body-motion-cognate
 < rqs : patient : morph : at-pat > = "pestaña".

regresar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("regresar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = dyn-eye
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = path-inherent-motion
 < rqs : path : understood-1-pth > = (goal source directional route).

rumbear X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("rumbear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-human
 < rqs > = dance-cognate
 < rqs : agent : understood-ag > = e-human
 < rqs : patient : morph : sat-pat > = "rumba".

salir X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("salir")
 < lex-sign sense-id : sense-id homonym-no > = ("1")

< lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure qua-path cum-path)
 < cat : result : m-feats : diatheses : prnl-alt > = no-prnl
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = path-inherent-motion
 < rqs : path : understood-pth > = (goal source directional route).

retroceder X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("retroceder")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure qua-path cum-path)
 < cat : result : m-feats : diatheses : prnl-alt > = no-prnl
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = path-inherent-motion
 < rqs : path : understood-pth > = (goal directional route distance)

subir X_I_10

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("subir")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("10")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure qua-path cum-path)
 < cat : result : m-feats : diatheses : prnl-alt > = prnl
 < sem : arg1 : ind > = dyn-eve
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = path-inherent-motion
 < rqs : path : understood-pth > = (goal directional route distance).

subir X_I_2

STRICT-TRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("subir")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("2")
 < cat : result : result : m-feats : vform > = base
 < cat : result : result : m-feats : comp-form > = no-comp
 < cat : result : result : m-feats : diatheses : prt-alt > = no-info
 < cat : result : result : m-feats : diatheses : prnl-alt > = no-prnl
 < cat : result : result : m-feats : diatheses : trans-alt > = (pass qua-path cum-path)

< sem : arg1 : ind > = qua-eye
 < sem : arg2 : arg1 : pred > = p-agt-cause
 < sem : arg2 : arg1 : arg2 > = (e-animate e-vehicle)
 < sem : arg2 : arg2 : pred > = p-pat-affected
 < sem : arg2 : arg2 : arg2 > = e-concrete
 < rqs > = change-of-position
 < rqs : path : understood-pth > = (goal source directional route distance).

valsear X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("valsear")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-prml
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = e-human
 < rqs > = dance-cognate
 < rqs : agent : understood-ag > = e-human
 < rqs : parent : morph-sat-pat > = "vals".

venir X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("venir")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = prml
 < sem : arg1 : ind > = dyn-eye
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)
 < rqs > = path-inherent-motion
 < rqs : path : understood-pth > = (goal source directional route).

volar X_I_1

STRICT-INTRANS-SIGN

< lex-sign sense-id : sense-id dictionary > = ("VOX")
 < lex-sign sense-id : sense-id word > = ("volar")
 < lex-sign sense-id : sense-id homonym-no > = ("1")
 < lex-sign sense-id : sense-id sense-no > = ("1")
 < cat : result : m-feats : vform > = base
 < cat : result : m-feats : comp-form > = no-comp
 < cat : result : m-feats : diatheses : prt-alt > = (measure qua-path cum-path)
 < cat : result : m-feats : diatheses : prml-alt > = no-info
 < sem : arg1 : ind > = proc
 < sem : arg2 : pred > = p-agt-affected
 < sem : arg2 : arg2 > = (e-animate e-vehicle)

< rqs > = manner-motion

< rqs : path : understood-ptn > = (goal source directional route distance).