

REFERÈNCIES



5. Referències

- AFFRE L, THOMPSON JD & DEBUSSCHE M. 1997. Genetic structure of continental and island populations of the Mediterranean endemic *Cyclamen balearicum* (Primulaceae). *American Journal of Botany*, 84: 437-451.
- AGÚNDEZ D, DEGEN B, VON WUEHLISCH G & ALÍA A. 1999. Multilocus analysis of *Pinus halepensis* Mill. from Spain: genetic diversity and clinal variation. *Silvae Genetica*, 48: 173-178.
- AIZPURA I, BALLESTER G, BAÑARES A, BÁSCONES JC, BENITO JL, BLANCA G, ET AL. 2000. Lista Roja de Flora Vascular Española (valoración según categorías UICN). *Conservación Vegetal*, 6: 11-38.
- AKERODY J. 1999. Conserving the Mediterranean flora: A way forward. *Plant Talk*, 18: 23-28.
- ALBERT MJ. 2003. *Biología de la conservación de Erodium paularense Fern. Gonz. & Izco* (Geraniaceae). Tesis Doctoral (inédita). Escuela Técnica Superior de Ingenieros Agrónomos, Universidad Politécnica de Madrid.
- ALBERT MJ, IRIONDO JM & PÉREZ-GARCÍA F. 2002. Effects of temperature and pretreatments on seed germination of nine semiarid species from NE Spain. *Israel Journal of Plant Sciences*, 50: 103-112.
- ALLARD RW, BABBEL GR, CLEGG MT & KAHLER AL. 1972. Evidence for coadaptation in *Avena barbata*. *Proceedings of the National Academy of Sciences of the United States of America*, 69: 3043-3048.
- ALLENDORF FW & LEARY RF. 1986. Heterozygosity and fitness in natural populations of animals. A: *Conservation Biology: the science of scarcity and diversity* (Soulé ME, ed.), pp. 57-76. Sinauer, New York.
- ÁLVAREZ N. 2003. *Biología de la conservació d'Erodium rupestre (Pourr. ex Cav.) Guittonneau* (Geraniaceae). Màster Experimental en Ciències Farmacèutiques, Facultat de Farmàcia, Universitat de Barcelona.
- ÁLVAREZ N, BOSCH M, SIMON J & BLANCHÉ C. 2004. Studies on pollination and reproduction of *Erodium rupestre* (Geraniaceae): implications for conservation (comunicació en forma de póster). IXth IOPB Meeting 2004 – Plant Evolution in Mediterranean Climate Zones. València, 16/05/04-19/05/04.
- ALZIAR G. 1995. Généralités sur la flore de l'île de Chypre. Quelques données quantitatives. *Ecologia Mediterranea*, 21: 47-52.
- ANÒNIM. 1999. Extinction rates: alarming new estimates. *Plant Talk*, 19: 14.
- ANÒNIM. 2004. *Plant conservation in European countries*. Plant Talk website. Disponible a: <http://www.plant-talk.org/country/>

- ANTONOVICS J. 1971. The effects of a heterogeneous environment on the genetics of natural populations. *American Scientist*, 59: 593-599.
- APARICIO A, ALBADALEJO RG, PORRAS M & CEBALLOS G. 2000. Isozyme evidence for natural hybridization in *Phlomis* (Lamiaceae): Hybrid origin of the rare *P. x margaritae*. *Annals of Botany*, 85: 7-12.
- ARIAS FJ, ROJO MA, FERRERAS JM, IGLESIAS R, MUÑOZ R, SORIANO F, MÉNDEZ E, BARBIERI L & GIRBÉS T. 1994. Isolation and characterization of two new N-glycosidase type-1 ribosome-inactivating proteins, unrelated in amino-acid sequence, from *Petrocoptis* species. *Planta*, 194: 487-491.
- ARNOLD N, GEHU JM, ARNOLD H- &, GEHU J. 1991. Short note on endemics of Cyprus. *Botanika Chronika*, 10: 521-526.
- AYDIN A. 1978. Reports. A: *IOPB Chromosome numbers reports LXI* (Löve A, ed.). *Taxon*, 27: 375-376.
- AYMERICH P. 2003. Efectes de la depredació dels ungulats salvatges en la conservació de plantes rares: dos casos dels Pirineus orientals. *Acta Botanica Barcinonensis*, 49: 147-164.
- AYMERICH P & SÁEZ L. 2001. Dades sobre l'estatus d'algunes plantes endèmiques, amenaçades o rares a Catalunya (NE de la península Ibèrica). *Orsis*, 16: 47-70.
- BACHMANN K. 2001. Evolution and the genetic analysis of populations: 1950-2000. *Taxon*, 50: 7-45.
- BAILLIE JEM, HILTON-TAYLOR C & STUART SN (EDS.). 2004. *A global species assessment*. IUCN-The World Conservation Union, Gland and Cambridge.
- BALTISBERGER M. 1991. Chromosomenzahlen einiger Labiaten aus Albanien. *Berichte des Geobotanischen Institutes der Eidgenössische Technische Hochschule Stiftung Rübel*, 57: 165-181.
- BAÑARES A, BLANCA G, GÜEMES J, MORENO JC & ORTIZ S (EDS.). 2003. *Atlas y Libro Rojo de la Flora Vascular Amenazada de España. Táxones Prioritarios*. Dirección General de Conservación de la Naturaleza, Madrid, 1072 pp.
- BAÑARES A, MARRERO M, CARQUÉ E & SOSA P. 2001. Biología de la conservación de la flora amenazada en los parques nacionales canarios. A: *Conservación de especies vegetales amenazadas en la región Mediterránea occidental* (Gómez-Campo C, coord.), pp. 35-62. Fundación Ramón Areces, Madrid.
- BARBERO M, BONIN G, LOISEL R & QUÉZEL P. 1990. Changes and disturbances of forest ecosystems caused by human activities in the western part of the mediterranean bassin. *Vegetatio*, 87: 151-173.
- BARCELÓ F. 1879-1881. *Flora de las Islas Baleares*. Palma de Mallorca.

BARRENO E, BRAMWELL D, CABEZUDO B, CARDONA MA, COSTA M, FERNÁNDEZ-CASAS FJ, FERNÁNDEZ-GALIANO E, FERNÁNDEZ-PRIETO JA, GÓMEZ-CAMPO C, HERNÁNDEZ-BERMEJO E, HEYWOOD VH, IZCO J, LLORENS L, MOLERO-MESA J, MONTSERRAT P, RIVAS-MARTÍNEZ S, SÁENZ-LAÍN S, SANTOS C, VALDÉS B, & WILDPRET W. 1984. Listado de plantas endémicas, raras o amenazadas de España. *Información Ambiental*, 3: 49-72.

BARRETT SCH & KOHN JR. 1991. Genetic and evolutionary consequences of small population size in plants: implications for conservation. A: *Genetics and Conservation of Rare Plants* (Falk DA & Holsinger KE, eds.), pp. 3-30. Oxford University Press, New York.

BARRIOCANAL C & BLANCHÉ C. 2002. Estat de conservació i propostes de gestió per a *Stachys maritima* Gouan (*Labiatae*) a la Península Ibèrica. *Orsis*, 17: 7-20.

BARRIOCANAL C & BLANCHÉ C. 2003. Situació de *Stachys maritima* a l'Empordà: una espècie críticament amenaçada a protegir. Resultats de les recerques en curs, amenaces i mesures de conservació (comunicació oral). Jornades Científiques "Bases científiques per a la gestió d'espais naturals recuperats". L'Estartit, 8-10/10/2003.

BATISTA F, BAÑARES A, CAUJAPÉ-CASTELLS J, CARQUÉ E, MARRERO-GÓMEZ M & SOSA P. 2001. Allozyme diversity in three endemic species of *Cistus* (Cistaceae) from the Canary Islands: Intraspecific and interspecific comparisons and implications for genetic conservation. *American Journal of Botany*, 88: 1582- 1592

BAUERT MR, KÄLIN M, BALTISBERGER M & EDWARDS PJ. 1998. No genetic variation detected within isolated relict populations of *Saxifraga cernua* in the Alps using RAPD markers. *Molecular Ecology*, 7: 1519-1527.

BELTRÁN E, WILDPRET W, LEÓN MC, GARCÍA A & REYES J. 1999. *Libro Rojo de la Flora Canaria contenida en la Directiva-Hábitats Europea*. Organismo Autónomo de Parques Naturales, Ministerio de Medio Ambiente, La Laguna, Tenerife.

BENGSSON BO, WEIBULL P & GHATNEKAR L. 1995. The loss of alleles by sampling: a study of the common outbreeding grass *Festuca ovina* over three geographic scales. *Hereditas*, 122: 221-238.

BENNET KD. 1995. Post-glacial dynamics of pine (*Pinus sylvestris* L.) and pinewoods in Scotland. A: *Our pinewood heritage: Proceedings of a conference at Culloden Academy, Inverness, 20th-22nd October, 1994* (Aldhouse JR, ed.), pp. 23-39. Forestry Commission, Royal Society for the Protection of Birds, Scottish Natural Heritage, Inverness.

BERG EE & HAMRICK JL. 1997 Quantification of genetic diversity at allozyme loci. *Canadian Journal of Forest Research*, 27: 415-424.

BEVER JD & FELBER F. 1992. The theoretical population genetics of autoploid. A: *Oxford Surveys in Evolutionary Biology* (Antonovics J & Futuyma D, eds.), pp. 185-217. Oxford University Press, Oxford.

- BIRKS HJB. 1989. Holocene isochrone maps and patterns of tree-spreading in the British Isles. *Journal of Biogeography*, 18: 103-115.
- BLANCA G, CUETO M, MARTÍNEZ-LIROLA MJ & MOLERO-MESA J. 1998. Threatened vascular flora of Sierra Nevada (Southern Spain). *Biological Conservation*, 85: 269-285.
- BLANCHÉ C. 1991. *Revisió biosistemàtica del gènere Delphinium L. a la Península Ibèrica i a les Illes Balears*. Institut d'Estudis Catalans, Barcelona.
- BLANCHÉ C, MOLERO J, ROVIRA A, SIMON J & BOSCH M. 1997. *Delphinium L. subgen. Delphinium* in the Iberian Peninsula and North Africa. A new taxonomic approach. *Lagascalia*, 19: 59-82.
- BLANCHÉ C, MOLERO J, ROVIRA A, SIMON J, BOSCH M & LÓPEZ-PUJOL J. 2000. *Estudi de l'estrucció y dinàmica de les poblacions de l'espècie de la flora vascular: Thymus loscosii*. Memòria del projecte 2 (inèdit). Conveni entre el Departament de Medi Ambient de la Generalitat de Catalunya i la Fundació Bosch Gimpera, Barcelona.
- BLANCHÉ C, MOLERO J, ROVIRA A, SIMON J, BOSCH M & LÓPEZ-PUJOL J. 2001. *Bases per al programa de conservació ex situ i in situ de l'espècie de flora Thymus loscosii*. Memòria del projecte 2 (inèdit). Conveni entre el Departament de Medi Ambient de la Generalitat de Catalunya i la Fundació Bosch Gimpera, Barcelona.
- BLANCHÉ C, MOLERO J, ROVIRA A, SIMON J, BOSCH M, LÓPEZ-PUJOL J & ORELLANA MR. 2002. *Establiment del Pla de Recuperació ex situ i in situ de Thymus loscosii*. Memòria del projecte 2 (inèdit). Conveni entre el Departament de Medi Ambient de la Generalitat de Catalunya i la Fundació Bosch Gimpera, Barcelona.
- BOA (Boletín Oficial de Aragón). 1995. Decreto 49/1995 de 28 de marzo, de la Diputación General de Aragón, por el que se regula el Catálogo de Especies Amenazadas de Aragón. *BOA (Boletín Oficial de Aragón)*, 42: (07/4/1995).
- BOCAIB (Butlletí Oficial de la Comunitat Autònoma de les Illes Balears). 1992. Decret 24/1992. Catálogo Balear de especies vegetales amenazadas. 2 abril 1992, num. 40/1992.
- BOCCHIERI E. 1995. La connaissance et l'état de conservation de la flore en Sardaigne. *Ecologia Mediterranea*, 21: 71-81.
- BOCQUET G, WILDER B & KIEFER H. 1978. The messinian model – A new outlook for the floristics and systematics of the Mediterranean area. *Candollea*, 38: 269-287.
- BOE (Boletín Oficial del Estado). 1990. Real Decreto 439/1990 por el que se establece el Catálogo Nacional de Especies Amenazadas. *Boletín Oficial del Estado*, 82: 9468-9471. Disponible a: [http://www.mma.es/Naturalia/naturalia_hispanica/catalogo_especies_2000/incluser>ListadoFlora.html](http://www.mma.es/Naturalia/naturalia_hispanica/catalogo_especies_2000/incluser/ListadoFlora.html).
- BOLÒS O & VIGO J. 1984-2001. *Flora dels Països Catalans*. 4 vols . Ed. Barcino. Barcelona.

- BOLÒS O & VIGO J. 1997. La flore des Pays Catalans. *Lagascalia*, 19: 381-392.
- BON (Boletín Oficial de Navarra). 1997. Decreto foral 94/1997, de 7 de abril, por el que se crea el Catálogo de la Flora Amenazada de Navarra y se adoptan medidas para la conservación de la flora silvestre catalogada. Disponible a: <http://www.cfnavarra.es/BON/974/97418004.htm>.
- BOND P & GOLDBLATT P. 1984. Plants of the Cape Flora. *Journal of South African Botany, Supplementary Volume*, 13: 1-455.
- BOOY G, HENDRIKS RJJ, SMULDERS MJM, VAN GROENENDAEL JM & AND VOSMAN B. 2000. Genetic diversity and the survival of populations. *Plant Biology*, 2: 379-395.
- BORGES L. 1979. Karyology of the Canarian flora. A: *Plants and islands* (Bramwell D, ed.), pp. 329-346. London.
- BOSCH M. 1996. *Estudis sobre biologia de la reproducció de la tribu Delphineae Warming (Ranunculaceae) a la Mediterrània Occidental*. Tesi Doctoral (inèdita). Facultat de Farmàcia, Universitat de Barcelona.
- BOSCH M. 1999. *Biologia de la reproducció de la tribu Delphinieae a la Mediterrània occidental*. Institut d'Estudis Catalans, Barcelona.
- BOSCH M, SIMON J, MOLERO J & BLANCHÉ C. 1998. Reproductive biology, genetic variation and conservation of the rare endemic dysploid *Delphinium bolosii* (Ranunculaceae). *Biological Conservation*, 86: 57-66.
- BOSCH M, SIMON J, MOLERO J & BLANCHÉ C. 2001. Biologie reproductive d'une espèce endémique pyrénéenne: *Delphinium montanum* (comunicació en forma de pòster). VI Col.loqui Internacional de botànica pirenaico-cantàbrica. Barruera - Vall de Boí, 4-7/07/2001.
- BOSCH M, SIMON J, ROVIRA AM, MOLERO J & BLANCHÉ C. 2002. Pollination ecology of the pre-Pyrenean endemic *Petrocoptis montsiciana* (Caryophyllaceae). *Biological Journal of the Linnean Society*, 76: 79-90.
- BOULOS L. 1995. *Flora of Egypt. Checklist*. Al Hadara Publ., Cairo.
- BRAMWELL D. 2002. How many plant species are there? *Plant Talk*, 28: 32-34.
- BROOKS TM, MITTERMEIER RA, MITTERMEIER CG, DA FONSECA GAB, RYLANDS AB, KONSTANT WR, FLICK P, PILGRIM J, OLDFIELD S, MAGIN G & HILTON-TAYLOR C. 2002. Habitat loss and extinction in the hotspots of biodiversity. *Conservation Biology*, 16: 909-923.
- BROWN AHD & BRIGGS JD. 1991. Sampling strategies for Genetic Variation in Ex Situ Collections of Endangered Plant species. A: *Genetics and conservation of rare plants* (Falk DA, Holsinger KE, eds.), pp. 99-119. Oxford University Press, New York.

- BROWN AHD & WEIR BS. 1983. Measuring genetic variability in plant populations. A: *Isozymes in Plant Genetics and Breeding* (Tanksley SD, Orton TJ, eds.), pp. 219-239. Elsevier Science Publishers, Amsterdam.
- BUIST ML, COATES DJ & YATES CJ. 2002. Rarity and threat in relation to the conservation of *Acacia* in Western Australia. *Conservation Science Western Australia*, 4: 36-53.
- BUZA L, YOUNG A & THRALL P. 2000. Genetic erosion, inbreeding and reduced fitness in fragmented populations of the endangered tetraploid pea *Swainsona recta*. *Biological Conservation*, 93: 177-186.
- CAUJAPÉ J. 1995. *Aplicació del concepte d'ubiqüitat i raresa al·lèlica a 6 espècies del gènere Androcymbium* (Colchicaceae). Tesi doctoral (inèdita). Facultat de Biologia, Universitat de Barcelona.
- CAUJAPÉ-CASTELLS J. 2001. *Transformer 1.0: un programa de formateado de datos genotípicos individuales para implementación en programas de análisis molecular en genética de poblaciones*. Distribuït per l'autor.
- CAUJAPÉ-CASTELLS J & PEDROLA-MONFORT J. 2004. Designing *ex-situ* conservation strategies through the assessment of neutral genetic markers: Application to the endangered *Androcymbium gramineum*. *Conservation genetics*, 5: 131-144.
- CAUJAPÉ-CASTELLS J, JANSEN RK, PEDROLA-MONFORT J, MEMBRIVES N. 2002. Space-time diversification of *Androcymbium* Willd. (Colchicaceae) in western South Africa. *Plant Systematics and Evolution*, 232: 73-88
- CAUJAPÉ-CASTELLS J, PEDROLA-MONFORT J & MEMBRIVES N. 1999. Contrasting patterns of genetic structure in the South African species *Androcymbium bellum*, *A. guttatum* and *A. pulchrum* (Colchicaceae). *Biochemical Systematics and Ecology*, 27: 591-605.
- ČEŘOVSKÝ J. 2001. Serbia. *Plant Talk*, 24: 41.
- CERRILLO N. 2002. *Estudis sobre germinació d'espècies vegetals endèmiques, rares o amenaçades*. Treball Pràctic de Botànica I, Facultat de Farmàcia, Universitat de Barcelona.
- CESKA JF, AFFOLTER JM & HAMRICK JL. 1997. Developing a sampling strategy for *Baptisia arachnifera* based on allozyme diversity. *Conservation Biology*, 11: 1131-1139.
- CHARLESWORTH D & CHARLESWORTH B. 1987. Inbreeding depression and its evolutionary consequences. *Annual Review of Ecology and Systematics*, 18: 237-268.
- CHELIAK WM & PITEL JA. 1984. *Techniques for Starch Gel Electrophoresis of Enzymes from Forest Tree Species*. Petawawa National Forestry Institute, Information Report P1-X-42. Canadian Forestry Service, Agriculture, Chalk River.

- CHRITCHFIELD WB. 1984. Impact of the Pleistocene on the genetic structure of North American conifers. A: *Proceedings of the Eighth North American Forest Biology Workshop* (Lanner RM, ed.), pp. 70-118. Utah State University, Logan.
- CHYTRÝ M, TICHÝ L & ROLEČEK J. 2003. Local and regional patterns of species richness in central European vegetation types along the pH/calcium gradient. *Folia Geobotanica*, 38: 429-442.
- COATES DJ. 2000. Defining conservation units in a rich and fragmented flora: implications for the management of genetic resources and evolutionary processes in south-west Australian plants. *Australian Journal of Botany*, 48: 329-339.
- COLE CT. 2003. Genetic variation in rare and common plants. *Annual Review of Ecology, Evolution and Systematics*, 34: 213-237.
- COMES HP. 2004. The Mediterranean region – a hotspot for plant biogeographic research. *New Phytologist*, 164: 11-14.
- CONSELL D'EUROPA. 1987. *Carte de la végétation naturelle des états membres des Communautés européennes et du Conseil de l'Europe*. Publ. No. Eur. 10970, Commission des Communautés Européennes, Luxembourg.
- CONSELL D'EUROPA. 1998. *Convention on the conservation of European wildlife and natural habitats. Appendix I: Strictly protected flora species*. Disponible a: <http://www.ecnc.nl/doc/europe/legislat/bernapp1.html>.
- CONTANDRIOPoulos J & CARDONA MA. 1984. Caractère original de la flore endémique des Baléares. *Botanica Helvetica*, 94 : 101-131.
- CONTI F, MANZI A & PEDROTTI F. 1997. *Liste Rosse Regionali delle Piante d'Italia*. WWF, Associazione Italiana per il World Wildlife Fund, en col·laboració amb la Società Botanica Italiana. Camerino.
- COOPER SJB, IBRAHIM KM & HEWITT GM. 1995. Post-glacial expansion and genome subdivision in the European grasshopper *Chorthippus parallelus*. *Molecular Ecology*, 4 : 49-60.
- COSTA AC. 1864. *Introducción a la Flora de Cataluña. Catálogo razonado de las plantas observadas en esta región*. Barcelona.
- COSTA AC. 1877. *Suplemento al catálogo razonado de las plantas vasculares de Cataluña*. Barcelona.
- CPC (CENTER FOR PLANT CONSERVATION). 1991. Genetic sampling guidelines for conservation collections of endangered plants. A: *Genetics and Conservation of Rare Plants* (Falk DA & Holsinger KE, eds.), pp. 225-238. Oxford University Press, New York.
- CRAWFORD DJ. 2000. Plant macromolecular systematics in the past 50 years: one view. *Taxon*, 49: 479-501.

- CRAWFORD DJ, LANDOLT E, LES D & KIMBALL RT. 2001. Allozyme studies in Lemnaceae: variation and relationships in *Lemna* sections *Alatae* and *Biformes*. *Taxon*, 50: 987-999.
- CRAWFORD DJ, RUIZ E, STUESSY TF, TEPE E, AQEVEQUE P, GONZALEZ F, JENSEN RJ, ANDERSON GJ, BERNARDELLO G, BAEZA CM, SWENSON U & SILVA O M. 2001. Allozyme diversity in the endemic flowering plant species of the Juan Fernandez Archipelago, Chile: ecological and historical factors with implications for conservation. *American Journal of Botany*, 88: 2195-2203.
- CROW JF & AOKI K. 1984. Group selection for a polygenic behavioral trait: Estimating the degree of population subdivision. *Proceedings of the National Academy of Sciences of the United States of America*, 81: 6073-6077.
- CWYNAR LC & MACDONALD GM. 1987. Geographical variation of lodgepole pine in relation to population history. *The American Naturalist*, 129: 463-469.
- DALGAARD V. 1994. Checklist of chromosome numbers counted in Madeiran flowering plants, with notes on polyploidy, life form, endemism and evolution. *Nordic Journal of Botany*, 14: 241-255.
- DARRIN T & STEVENS B. 2002. *Report of the Malta Threatened Species*, 2002. Disponible a: <http://home.um.edu.mt/islands/98m.pdf>
- DAVIS MB. 1976. Pleistocene biogeography of temperate deciduous forests. *Geoscience and Man*, 13: 13-26.
- DAVIS MB. 1981. Quaternary history and the stability of forest communities. A: *Forest succession: concepts and application* (West DC, Shugart HH & Botkin DB, eds.), pp. 132-153. Springer-Verlag, New York.
- DAVIS SD, HEYWOOD VH, HERRERA-MCBRYDE O, VILLA-LOBOS J & HAMILTON AC (EDS.). 1997. *Centres of plant diversity: a guide and strategy for their conservation*. WWF, Oxford.
- DEBUSSCHE M & THOMPSON JD. 2003. Habitat differentiation between two closely related Mediterranean plant species, the endemic *Cyclamen balearicum* and the widespread *C. repandum*. *Acta Oecologica*, 24: 35-45.
- DEJOODE DR & WENDEL JF. 1992. Genetic diversity and origin of the Hawaiian island cotton, *Gossypium tomentosum*. *American Journal of Botany*, 79: 1311-1319
- DEMAURO MM. 1993. Relationship of breeding system to rarity in the Lakeside Daisy (*Hymenoxys acaulis* var. *glabra*). *Conservation Biology*, 7: 542-550.
- DEMESURE B, COMPS B & PETIT RJ. 1996. Chloroplast DNA phylogeography of the common beech (*Fagus sylvatica* L.) in Europe. *Evolution*, 50: 2515-2520.

DOCE (DIARIO OFICIAL DE LAS COMUNIDADES EUROPEAS). 1992. Directiva 92/43/CEE del Consejo, de 21 de mayo de 1992, relativa a la conservación de los hábitats naturales y de la fauna y flora silvestres. DOCE número L 206, de 22 de julio de 1992.

DODD SC & HELENURM K. 2002. Genetic diversity in *Delphinium variegatum* (Ranunculaceae): a comparison of two insular endemic subspecies and their widespread mainland relative. *American Journal of Botany*, 89: 613-622.

DOGC (DIARI OFICIAL DE LA GENERALITAT DE CATALUNYA). 1993. Decret 328/1992, de 14 de desembre, pel qual s'aprova el Pla d'espais d'interès natural. *Diari Oficial de la Generalitat de Catalunya*, 1714: 1544-1551.

DOGC (DIARI OFICIAL DE LA GENERALITAT DE CATALUNYA). 2003. ORDRE MAB/196/2003, de 28 d'abril, per la qual s'aproven les bases reguladores dels ajuts destinats a fomentar les actuacions de conservació i recuperació de la fauna i la flora amenaçades, i es convoquen els corresponents a l'any 2003 (codi de la convocatòria 04.12.03). *Diari Oficial de la Generalitat de Catalunya*, 3879: 9316.

DOGV (DIARI OFICIAL DE LA GENERALITAT VALENCIANA). 1986. Orden de 20 de diciembre de 1985, de la Conselleria de Agricultura y Pesca, sobre protección de especies endémicas o amenazadas. *Diari Oficial de la Generalitat Valenciana*, 336: 317.

DOGV (DIARI OFICIAL DE LA GENERALITAT VALENCIANA). 1994. Decret 218/1994, de 17 d'octubre, del Govern Valencià, pel qual es crea la figura de protecció d'espècies silvestres anomenada microreserva vegetal. *Diari Oficial de la Generalitat Valenciana*, 2379: 12948-12951.

DUMOLIN-LAPÈGUE S, DEMESURE B, FINESCHI S, LE CORRE V & PETIT RJ. 1997. Phylogeographic structure of white oaks throughout the European continent. *Genetics*, 146: 1475-1487.

EEA (EUROPEAN ENVIRONMENT AGENCY). 2004. *Impacts of Europe's changing climate*. EEA Report No 2/2004. Disponible a: http://reports.eea.eu.int/climate_report_2_2004/en/

EKIM T, KOYUNCU M, VURAL M, DUMAN H, AYTAÇ Z & ADIGÜZEL N. 2000. *Türkiye Bitkileri Kırmızı Kitabı (Egrelti ve Tohumlu Bitkiler)*. Türkiye Tabiatini Koruma Derneği, Ankara, pp. 246.

ELENA-ROSSELLÓ JA & CABRERA E. 1996. Isozyme variation in natural populations of cork-oak (*Quercus suber* L.). *Silvae Genetica*: 45, 229-235.

ELLSTRAND NC & ELAM DR. 1993. Population genetic consequences of small population size: Implications for plant conservation. *Annual Review of Ecology and Systematics*, 24: 217-242.

ENRÍQUEZ-BARROSO A & GÓMEZ-CAMPO C. 1991. Les plantes endémiques de l'Afrique du Nord-Ouest: Algérie, Maroc et Tunisie. *Botanika Chronika*, 10: 517-520.

- ESTRADA M. 1997. *Estudis sobre Biologia de la Conservació de quatre tàxons vegetals potencialment amenaçats en les Muntanyes Catalanídiques Centrals.* Tesina de Llicenciatura (inèdita). Facultat de Farmàcia, Universitat de Barcelona.
- FALK DA. 1991. Joining biological and economic models for conserving plant genetic diversity. A: *Genetics and conservation of rare plants* (Falk DA & Holsinger KE, eds.), pp. 209-224. Oxford University Press, New York.
- FALK DA & HOLSINGER KE. 1991. *Genetics and conservation of rare plants.* Oxford University Press, New York.
- FAVARGER C. 1972. Endemism in the montane floras of Europe. A: *Taxonomy, Phytogeography and Evolution* (Valentine DH, ed.), pp. 191-204. Academic Press, London & New York.
- FAVARGER C & CONTANDRIOPoulos J. 1961. Essai sur l'endémisme. *Bulletin de la Société Botanique Suisse*, 71: 384-408.
- FELSENSTEIN J. 1985. Phylogenies and the comparative method. *The American Naturalist*, 125: 1-15.
- FENNANE M & IBN TATOU M. 1999. Observations sur la flore vasculaire endémique, rare ou menacée du Maroc. *Flora Mediterranea*, 9: 113-124.
- FERNÁNDEZ-BENITO R. 1999. *Estudis citogenètics en Petrocoptis montsicciana. Aportació a la base de dades CROMOCAT.* Treball Pràctic de Botànica I. Facultat de Farmàcia, Universitat de Barcelona.
- FERNÁNDEZ-CASAS J, MOLERO J & PUJADAS J. 1979. Números cromosomáticos de plantas occidentales. *Anales del Jardín Botánico de Madrid*, 36: 391-393.
- FERRIS C, KING RA, VAINOLA R & HEWITT GM. 1998. Chloroplast DNA recognises three refugial sources of European oaks and shows independent eastern and western immigrations to Finland. *Heredity*, 80: 584-593.
- FIELDLER PL. 2001. *Rarity in vascular plants.* CNPS (California Native Plant Society) Inventory, 6th Edition, Sacramento. Disponible a : http://www.cnps.org/programs/Rare_Plant/inventory/rarity.htm
- FINKELEY O & MURILLO O. 1999. Contributions of subpopulations to total gene diversity. *Theoretical and Applied Genetics*, 98: 664-668.
- FOLCH R (COORD.). 1988. *Natura, ús o abús? Llibre Blanc de la Gestió de la Natura als Països Catalans.* Memòria núm. 9 de la Institució Catalana d'Història Natural Fundació Jaume I i Editorial Barcino, 2ona edició, Barcelona.
- FONT M. 1996. *Caracterització isoenzimàtica de diferents seccions del gènere Centaurea L.* Tesi Doctoral (inèdita). Universitat Autònoma de Barcelona, Bellaterra.

- FONT J & GESTI J. 2002. Precisiones corológicas y comportamiento fitosociológico del endemismo *Silene sennenii* Pau (comunicació en forma de pòster). I Congreso de Biología de la Conservación de Plantas. Jardí Botànic de la Universitat de València, 2-5/10/2002.
- FORÉ SA & GUTTMAN SI. 1999. Genetic structure of *Helianthus occidentalis* (Asteraceae) in a preserve with fragmented habitat. *American Journal of Botany*, 86: 988-995.
- FRAGA P, ESTAÚN I & JUANEDA J. 2004. Selection criteria for a future network of plant microreserves areas in Minorca (comunicació en forma de pòster). 4th European Conference on the Conservation of Wild Plants. València, 17/09/04-20/09/04.
- FRANCISCO-ORTEGA J, SANTOS-GUERRA A, SEUNG-CHUL K & CRAWFORD DJ. 2000. Plant genetic diversity in the Canary Islands: a conservation perspective. *American Journal of Botany*, 87: 909-919
- FRANKEL OH & SOULÉ ME. 1981. *Conservation and Evolution*. Cambridge University Press, Cambridge.
- FRANKHAM R. 1995. Conservation genetics. *Annual Review of Genetics*, 29: 305-327.
- FRANKHAM R. 1996. Relationships of genetic variation to population size in wildlife. *Conservation Biology*, 10: 1500-1508.
- FRANKHAM R. 1997. Do island populations have lower genetic variation than mainland populations?. *Heredity*, 78: 311-327.
- FRANKHAM R. 1998. Inbreeding and extinction: island populations. *Conservation Biology*, 12: 665-675.
- FRANKHAM R, BALLOU JD & BRISCOE DA. 2002. *Introduction to conservation genetics*. Cambridge University Press, Cambridge-New York.
- FRANKLIN IR. 1980. Evolutionary change in small populations. A: *Conservation Biology: an evolutionary-ecological perspective* (Soulé ME & Wilcox BA, eds.), pp. 135-150. Sunderland, Sinauer.
- FREVILLE H, COLAS B, RONFORT J, RIBA M & OLIVIERI I. 1998. Predicting endemism from population structure of a widespread species: case study in *Centaurea maculosa* Lam. (Asteraceae). *Conservation Biology*, 12: 1269-1278.
- FURNIER GR, STINE M, MOHN CA & CLYDE MA. 1991. Geographic patterns of variation in allozymes and height growth in white spruce. *Canadian Journal of Forest Research*, 21: 707-712.
- GALLAND N. 1988. Recherches sur l'origine de la flore orophile du Maroc (étude caryologique et cytogeographique). *Travaux de l'Institut Scientifique, Université Mohammed V. Série Botanique*, 35: 1-168.

- GARCÍA-SERRANO H, ESCARRÉ J & SANS FX. 2004. Factors that limit the emergence and establishment of the related aliens *Senecio inaequidens* and *Senecio pterophorus* and the native *Senecio malacitanus* in Mediterranean climate. *Canadian Journal of Botany*, 82: 1346-1355.
- GARNATJE T. 1995. *Relació entre el polimorfisme enzimàtic i alguns aspectes de l'especiació i de l'evolució en el gènere Cheirolophus Cass.* Tesi Doctoral (inèdita). Universitat Autònoma de Barcelona, Bellaterra.
- GARNATJE T, SUSANNA A & MESSEGUE R. 1998. Isozyme studies in the genus *Cheirolophus* (Asteraceae: *Cardueae-Centaureinae*) in the Iberian Peninsula, North Africa and the Canary Islands. *Plant Systematics and Evolution*, 213: 57-70.
- GASTON KJ. 1994. *Rarity*. Chapman & Hall, London.
- GAVILÁN R. 2003. Does global warming pose a true threat to Mediterranean biodiversity? *Bocconeia*, 16: 379-395.
- GEIRINGER H. 1949. Chromatid segregation of tetraploids and hexaploids. *Genetics*, 34: 665-684.
- GENERALITAT DE CATALUNYA. 2005. *Parcs de Catalunya. Pàgina web del Departament de Medi Ambient.* Disponible a: http://mediambient.gencat.net/cat/el_medi/parcs_de_catalunya/
- GILLMAN M. 1997. Plant population ecology. A: *Plant genetic conservation. The in situ approach* (Maxted N, Ford-Lloyd BV & Hawkes JG, eds.), pp. 114-131. Chapman & Hall, London.
- GILPIN ME & SOULÉ ME. 1986. Minimum viable populations: processes of extinction. A: *Conservation Biology: the science of the scarcity and diversity* (Soulé ME, ed.), pp. 19-34. Sinauer, Sunderland.
- GITZENDANNER MA & SOLTIS PM. 2000. Patterns of genetic variation in rare and widespread plant congeners. *American Journal of Botany*, 87: 783-792.
- GLOWKA L, BURHENNE-GUILMIN F & SYNGE H. 1994. *A Guide to the Convention on Biological Diversity*. IUCN, Gland and Cambridge. 161 pp.
- GÓMEZ-CAMPO C, BERMÚDEZ-DE-CASTRO L, CAGIGA M & SÁNCHEZ-YÉLAMO MD. 1984. Endemism in the Iberian Peninsula and Balearic Islands. *Webbia*, 38: 709-714.
- GONZÁLEZ-CANDELAS F & MONTOLÍO A. 2000. Genetic differentiation and structure of *Hippocratea valentina* (Leguminosae) populations. *The Journal of Heredity*, 91: 131-141.
- GOTTLIEB L. 1977. Electrophoretic evidence and plant systematics. *Annals of the Missouri Botanical Garden*, 64: 161-180.
- GOTTLIEB LD. 1982. Conservation and duplication of isozymes in plants. *Science*, 216: 373-380.

- GOUDET J. 1995. Fstat version 1.2: a computer program to calculate F-statistics. *The Journal of Heredity*, 86: 485-486.
- GOMAERTS R. 2001. How many species of seed plants are there? *Taxon*, 50: 1085-1090.
- GOVERN BALEAR. 2005. *Natura Viva*. Pàgina web del Govern Balear. Disponible a: http://www.illesbalears.es/visbal/web/cat/coesperfer/nat_ibi.jsp
- GRADAILLE JL. 2001. Integración de métodos in situ y ex situ en la conservación de la flora balear. A: *Conservación de especies vegetales amenazadas en la región Mediterránea Occidental* (Gómez-Campo C, coord.), pp. 175-197. Fundación Ramón Areces, Madrid.
- GRAUR D & LI W-H. 1999. *Fundamentals of molecular evolution*. Sinauer, Sunderland.
- GRAY A. 1996. Genetic diversity and its conservation in natural populations of plants. *Biodiversity Letters*, 3: 71-80.
- GREUTER W. 1991. Botanical diversity, endemism, rarity, and extinction in the Mediterranean area: an analysis based on the published volumes of Med-Checklist. *Botanika Chronika*, 10: 63-79.
- GREUTER W. 1994. Extinction in Mediterranean areas. *Philosophical Transactions of the Royal Society of London Series B*, 344: 41-46.
- GREUTER W. 1995. Origin and peculiarities of Mediterranean Island floras. *Ecologia Mediterranea*, 21: 1-10.
- GRIME JP. 1985. The C-S-R model of primary plant strategies – origins, implications and tests. A: *Plant Evolutionary Biology* (Gottlieb LD & Jain SK, eds.), pp. 371-393. Chapman & Hall, London & New York.
- GUITTONNEAU CG. 1965. Contribution à l'étude caryosistématique du genre *Erodium* L'Hér. II. *Bulletin de la Société Botanique de France*, 112: 25-32.
- GÜNER A, ÖZHATAY N, EKIM T, BASER KHC & HEDGE I (EDS.). 2001. *Flora of Turkey and the East Aegean Islands*, 11 (Supplement 2). Edinburgh University Press, pp. 680.
- GUTIÉRREZ B, FUERTES J & NIETO G. 2002. Glacial-induced altitudinal migrations in *Armeria* (Plumbaginaceae) inferred from patterns of chloroplast DNA haplotype sharing. *Molecular Ecology*, 11: 1965-1974.
- HADIDI MN EL, GHANI MM ABD EL & FAHMY AG. 1992. *The plant red data book of Egypt. 1. Woody perennials*. Palm Press & Cairo University Herbarium, Cairo.
- HALL AV & VELDHUIS HA. 1985. *South African red data book: plants – fynbos and karoo biomes*. South African National Scientific Programmes Report 117. Foundation for Research and Development, Pretoria.

- HAMRICK JL. 1989. Isozymes and the analysis of genetic structure in plant populations. A: *Isozymes in Plant Biology* (Soltis DE & Soltis PS, eds.), pp. 87-105. Dioscorides Press, Portland.
- HAMRICK JL & ALLARD RW. 1972. Microgeographical variation in allozyme frequencies in *Avena barbata*. *Proceedings of the National Academy of Sciences of the United States of America*, 69: 2100-2104.
- HAMRICK JL & GODT MJW. 1990. Allozyme diversity in plant species. A: *Plant population genetics, breeding and genetic resources* (Brown AHD, Clegg MT, Kahler AL & Weir BS, eds.), pp. 43-63. Sinauer Associates, Sunderland.
- HAMRICK JL & GODT MJW. 1996a. Conservation genetics of endemic plant species. A: *Conservation genetics* (Avise JC & Hamrick JL, eds.), pp. 281-304. Chapman and Hall, New York.
- HAMRICK JL & GODT MJW. 1996b. Effects of life history traits on genetic diversity in plant species. *Philosophical Transactions of the Royal Society of London Series B*, 351: 1291-1298.
- HAMRICK JL, GODT MJW, MURAWSKI DA & LOVELESS MD. 1991. Correlation between species traits and allozyme diversity: implications for conservation biology. A: *Genetics and conservation of rare plants* (Falk DA & Holsinger KE, eds.), pp. 75-86. Oxford University Press, New York.
- HAMRICK JL, LINHART YB & MITTON JB. 1979. Relationships between life history characteristics and electrophoretically detectable genetic variation in plants. *Annual Review of Ecology and Systematics*, 10: 173-200.
- HANSSON B & WESTERBERG L. 2002. On the correlation between heterozygosity and fitness in natural populations. *Molecular Ecology*, 11: 2467-2474.
- HARRIS H. 1966. Enzyme polymorphism in man. *Proceedings of the Royal Society, Series B*, 164: 298-310.
- HARTL DL & CLARK AG. 1989. *Principles of Population Genetics*. Sinauer, Sunderland.
- HARTLEY S & KUNIN WE. 2003. Scale dependency of rarity, extinction risk, and conservation priority. *Conservation Biology*, 17: 1559-1570.
- HEDRÉN M. 2001. Systematics of the *Dactylorhiza euxina/incipitata/maculata* polyploid complex (Orchidaceae) in Turkey: evidence from allozyme data. *Plant Systematics and Evolution*, 229: 23-44.
- HEDRICK PW. 1994. Purgling inbreeding depression and the probability of extinction: full sib-mating. *Heredity*, 73: 363-372.
- HERNÁNDEZ M, LEÓN J & MARRERO JM. 2003. *Plantas curativas*. Disponible a: www.plantascurativas.com

- HEWITT GM. 1996. Some genetic consequences of ice ages, and their role in divergence and speciation. *Biological Journal of the Linnean Society*, 58: 247-276.
- HEWITT GM. 1999. Post-glacial re-colonization of European biota. *Biological Journal of the Linnean Society*, 68: 87-112.
- HEWITT GM. 2000. The genetic legacy of the Quaternary ice ages. *Nature*, 405: 907-913.
- HEWITT GM. 2004. Genetic consequences of climatic oscillations in the Quaternary. *Philosophical Transactions of the Royal Society of London Series B*, 359: 183-195.
- HEYWOOD JS. 1991. Spatial analysis of genetic variation in plant populations. *Annual Review of Ecology and Systematics*, 22: 335-355.
- HICKMAN JC (ED). 1993. *The Jepson Manual. Higher plants of California*. Berkeley: University of California Press.
- HILTON-TAYLOR C. (COORD.) 2000. *2000 IUCN Red List of Threatened Species*. IUCN/SSC, Gland and Cambridge.
- HOBBS RJ & YATES CJ. 2003. Impacts of ecosystem fragmentation on plant populations: generalising the idiosyncratic. *Australian Journal of Botany*, 51: 471-488.
- HOGBIN PM, PEAKALL R & SYDES MA. 2000. Achieving practical outcomes from genetic studies of rare Australian plants. *Australian Journal of Botany*, 48: 375-382.
- HOLSINGER KE & GOTTLIEB LD. 1991. Conservation of rare and endangered plants: principles and prospects. A: *Genetics and conservation of rare plants* (Falk DA & Holsinger KE, eds.), pp. 195-208. Oxford University Press, New York.
- HUENNEKE LF. 1991. Ecological implications of genetic variation in plant populations. A: *Genetics and conservation of rare plants* (Falk DA & Holsinger KE, eds.), pp. 31-44. Oxford University Press, New York.
- HUNTER RL & MARKERT CL. 1957. Histochemical demonstration of isozymes separated by zone electrophoresis in starch gels. *Science*, 125: 1294-1295.
- IATROU G. 1986. *Endemism study of the Peloponissos Flora*. Tesi Doctoral (inèdita). Patrás.
- IBÁÑEZ O, CALERO C, MAYOL M & ROSELLÓ JA. 1999. Isozyme uniformity in a wild extinct insular plant, *Lysimachia minoricensis* J.J. Rodr. (Primulaceae). *Molecular Ecology*, 8: 813-817.
- IBÁÑEZ M, MAYOL M & ROSELLÓ JA. 1992. *Bases para la conservación de P. pardoí*. Conselleria de Medi Ambient, Generalitat Valenciana, València.

- IRIONDO JM. 1996. The survey and modelling of small plant populations as a basis for developing conservation strategies. *Bocconeia*, 5: 151-157.
- IRIONDO JM. 2001. Biología de poblaciones: una perspectiva integradora en la conservación de especies amenazadas. A: *Conservación de especies vegetales amenazadas en la región Mediterránea Occidental*. (Gómez-Campo C, coord.), pp. 243-253. Fundación Ramón Areces, Madrid.
- IUB (INTERNATIONAL UNION OF BIOCHEMISTRY NOMENCLATURE COMMITTEE). 1984. *Enzyme Nomenclature*. Academic Press, New York.
- JEANMONOD D, GUYOT I & ABOUCAYA A. 2001. Conservation de la diversité végétale en Corse. *Bocconeia*, 13: 65-79.
- JENCZEWSKI E, PROSPERI J-M & RONFORT J. 1999. Evidence for gene flow between wild and cultivated *Medicago sativa* (Leguminosae) based on allozyme markers and quantitative traits. *American Journal of Botany*, 86: 677-687.
- JIMÉNEZ P, AGÚNDEZ D, ALÍA R & GILL L. 1999. Genetic variation in central and marginal populations of *Quercus suber* L. *Silvae Genetica*, 48: 278-284.
- KAHLER AL, ALLARD RW. 1970. Genetics of enzyme variants in barley. I. Esterases. *Crop Science*, 10: 444-448.
- KARP A, KRESOVICH S, BHAT KV, AYAD WG & HODGKIN T. 1997. *Molecular tools in plant genetic resources conservation: a guide to the technologies*. IPGRI Technical Bulletin No. 2. IPGRI, Roma.
- KARRON JD. 1987. A comparison of levels of genetic polymorphism and self-compatibility in geographically restricted and widespread plant congeners. *Evolutionary Ecology*, 1: 47-58.
- KEIDING N. 1975. Extinction and exponential growth in random environments. *Theoretical Population Biology*, 8: 49-63.
- KEPHART SR. 1990. Starch gel electrophoresis of plant isozymes: a comparative analysis of techniques. *American Journal of Botany*, 77: 693-712.
- KÉRY MMM. 2000. Ecology of small populations. Tesi Doctoral (inèdita). University of Zürich.
- KIMURA M. 1983. *The Neutral Theory of Molecular Evolution*. Cambridge University Press, Cambridge.
- KING RA & FERRIS C. 1998. Chloroplast DNA phylogeography of *Alnus glutinosa* (L.) Gaertn. *Molecular Ecology*, 7: 1157-1161.

- KINLOCH BB, WESTFALL RD & FORREST GI. 1986. Caledonian Scots pine: origins, and genetic structure. *New Phytologist*, 104: 703-729.
- KOEVA-TODOROVSKA JT. 1988. Kariologichno i polenomorfologicno izsledvane na vidovete ot rod *Stachys* L. v Balgarija. *Centenary of Acad. N. J. Stojanov*: 138-151.
- KONNERT M & BERGMANN F. 1995. The geographical distribution of genetic variation of silver fir (*Abies alba*, Pinaceae) in relation to its migration history. *Plant Systematics and Evolution*, 196: 19-30.
- KRUCKEBERG AR & RABINOWITZ D. 1985. Biological aspects of endemism in higher plants. *Annual Review of Ecology and Systematics*, 16: 447-479.
- KÜPFER P. 1974. Recherches sur les liens de parenté entre la flore orophile des Alpes et celle des Pyrénées. *Boissiera*, 23: 1-322.
- LAGUNA E. 2003. *Flora amenazada valenciana. Plantas de la Directiva Hábitats y del Catálogo Nacional de Especies Amenazadas*. Fullotó informatiu. Conselleria de Medi Ambient, Generalitat Valenciana, València.
- LAGUNA E, CRESPO MB, MATEO G, LÓPEZ S, FABREGAT C, SERRA L, HERRERO-BORGOÑÓN JJ, CARRETERO JL, AGUILERA A & FIGUEROLA R. 1998. *Flora endémica, rara o amenazada de la Comunidad Valenciana*. Conselleria de Medi Ambient, Generalitat Valenciana, València.
- LAGUNA E, DELTORO V, FOS S, PÉREZ P, BALLESTER G, OLIVARES A, SERRA L & PÉREZ J. 2003. *Hábitats prioritarios de la Comunidad Valenciana*. Conselleria de Medi Ambient, Generalitat Valenciana, València.
- LAGUNA E, DELTORO VI, PÉREZ-BOTELLA J, PÉREZ-ROVIRA P, SERRA L, OLIVARES A & FABREGAT C. 2004. The role of small reserves in plant conservation in a region of high diversity in eastern Spain. *Biological Conservation*, 119: 421-426.
- LANDE R. 1988. Genetics and demography in biological conservation. *Science*, 241: 1455-1460.
- LANDE R. 1995. Mutation and conservation. *Conservation Biology*, 9: 782-791.
- LANDE R. 1998. Anthropogenic, ecological and genetic factors in extinction and conservation. *Researches on Population Ecology*, 40: 259-269.
- LAVERGNE S, GARNIER E & DEBUSSCHE M. 2003. Do rock endemic and widespread plant species differ under the leaf-height-seed plant ecology strategy scheme? *Ecology Letters*, 6: 398-404.
- LAVERGNE S, THOMPSON JD, GARNIER E & DEBUSSCHE M. 2004. The biology and ecology of narrow endemic and widespread plants: a comparative study of trait variation in 20 congeneric pairs. *Oikos*, 107: 505-518.

- LAVERGNE S, THUILLER W, MOLINA J & DEBUSSCHE M. 2005. Environmental and human factors influencing rare plant local occurrence, extinction and persistence: a 115 year study in the Mediterranean region. *Journal of Biogeography*, 31, in press.
- LAWRENCE MJ, MARSHALL DF & DAVIES P. 1995. Genetics of conservation. I. Sample size when collecting germplasm. *Euphytica*, 84: 89-99.
- LÁZARO A & AGUINAGALDE I. 1998. Genetic diversity in *Brassica oleracea* L. (Cruciferae) and wild relatives ($2n = 18$) using isozymes. *Annals of Botany*, 82: 821-828.
- LEAKEY R & LEWIN R. 1997. *La Sexta Extinción: el futuro de la vida y de la humanidad*. Tusquets, Barcelona.
- LEIGH JH R BRIGGS JD (EDS.). 1992. *Threatened Australian plants. Overview and case studies*. Australian National Parks and Wildlife Service, Canberra.
- LEON C, LUCAS G & SYNGE H. 1985. The value of information in saving threatened mediterranean plants. A: *Plant Conservation in the Mediterranean area* (C. Gómez-Campo C, ed.), pp. 177-196. Geobotany 7, W. Junk, Dordrecht, Boston, Lancaster.
- LESICA P & ALLENDORF FW. 1995. When are peripheral populations valuable for conservation? *Conservation Biology*, 9: 753-760.
- LEWIS PO & CRAWFORD DJ. 1995. Pleistocene refugium endemics exhibit greater allozymic diversity than widespread congeners in the genus *Polygonella* (Polygonaceae). *American Journal of Botany*, 82: 141-149.
- LEWIS PO & ZAYKIN D. 1996. *Genetic Data Analysis. Version 1.0 (d6) for windows 95/NT*. Disponible a: <http://lewis.eeb.uconn.edu/lewishome>
- LEWONTIN RC & HUBBY JL. 1966. A molecular approach to the study of genetic heterozygosity in natural populations. II. Amount of variation and degree of heterozygosity in natural populations of *Drosophila pseudoobscura*. *Genetics*, 54: 595-609.
- LIENERT J, FISCHER M, SCHNELLER J & DIEMER M. 2002. Isozyme variability of the wetland specialist *Swertia perennis* (Gentianaceae) in relation to habitat size, isolation, and plant fitness. *American Journal of Botany*, 89: 801-811.
- LOESCHCKE V, TOMIUK J & JAIN SK. 1994. Introductory remarks: Genetics and conservation biology. A: *Conservation Genetics* (Loeschcke V, Tomiuk J & Jain SK, eds.), pp. 3-8. Birkhäuser Verlag, Basel.
- LÓPEZ-PUJOL J. 2000. *Diversitat isoenzimàtica en dues espècies endèmiques de Catalunya: Petrocoptis montsiciana i Seseli farrenyi*. Màster Experimental en Ciències Farmacèutiques, Facultat de Farmàcia, Universitat de Barcelona.

- LÓPEZ-PUJOL J & ZHAO A-M. 2004. China: a rich flora needed of urgent conservation. *Orsis*, 19: 49-89.
- LÓPEZ-PUJOL J, ÁLVAREZ N, SIMON J & BLANCHÉ C. Allozyme variation and taxonomical implications of the endemic rocky plant *Erodium rupestre* (Geraniaceae). *Botanical Journal of Linnean Society*, en revisió.
- LÓPEZ-PUJOL J, BOSCH M, SIMON J & BLANCHÉ C. 2001. Allozyme diversity of the two endemic *Petrocoptis*: *P. montsiciana* and its close related *P. pardoii* (Caryophyllaceae). *Canadian Journal of Botany*, 79: 1379-1389.
- LÓPEZ-PUJOL J, BOSCH M, SIMON J & BLANCHÉ C. 2002. Allozyme variation and population structure of the very narrow endemic *Seseli farrenyi* (Apiaceae). *Botanical Journal of the Linnean Society*, 138: 305-314.
- LÓPEZ-PUJOL J, BOSCH M, SIMON J & BLANCHÉ C. 2003a. Population genetics and conservation priorities for the critically endangered island endemic *Delphinium pentagynum* subsp. *formenteranum* (Ranunculaceae). *Biodiversity and Conservation*, 12: 1937-1951.
- LÓPEZ-PUJOL J, BOSCH M, SIMON J & BLANCHÉ C. 2004. Allozyme diversity in the tetraploid endemic *Thymus loscosii* (Lamiaceae). *Annals of Botany*, 93: 323-332.
- LÓPEZ-PUJOL J, FONT J, SIMON J & BLANCHÉ C. 2004. Genetic structure and conservation priorities for *Silene sennenii* (Caryophyllaceae), a narrow endemic and critically endangered species of the Iberian Peninsula. *Planta Europa Conference IV Proceedings*. Disponible a: http://www.nerium.net/plantaeuropa/Download/Procedings/Lopez_et_al.pdf
- LÓPEZ-PUJOL J, ORELLANA MR, BOSCH M, SIMON J & BLANCHÉ C. 2003b. Effects of habitat fragmentation on allozyme diversity and conservation status of the coastal sand dunes plant *Stachys maritima* (Lamiaceae) in the Iberian Peninsula. *Plant Biology*, 5: 504-512.
- LÓPEZ-PUJOL J, ORELLANA MR, BOSCH M, SIMON J & BLANCHÉ C. Low genetic diversity in the tetraploid Pyrenean endemic larkspur *Delphinium montanum* (Ranunculaceae). Allozymic evidences for autopolyploidy and further diploidization. *International Journal of Plant Sciences*, en revisió.
- LOVELESS MD & HAMRICK JL. 1984. Ecological determinants of genetic structure in plant populations. *Annual Review of Ecology and Systematics*, 15: 65-95.
- LUIJTEN SH. 2001. Reproduction and genetics of fragmented plant populations. Tesi Doctoral (inèdita). Universiteit van Amsterdam, Amsterdam.
- MACHON N, LEFRANC M, BILGER I & HENRY J-P. 1995. Isoenzymes as an aid to clarify the taxonomy of French elms. *Heredity*, 74: 39-47.
- MAJOR J. 1988. Endemism: a botanical perspective. A: *Analytical biogeography* (Myers AA & Giller PS, eds.), pp. 117-146. Chapman and Hall, London and New York.

- MANTEL N. 1967. The detection of diase clustering and a generalised regression approach. *Cancer Research*, 27: 209-220.
- MARKERT C. 1975. Biology of isozymes. A: *Isozymes* (Markert C, ed.), pp. 1-9. Academic Press, New York.
- MARKERT CL & MOLLER F. 1959. Multiple forms of enzymes: tissue, ontogenetic and species specific pattern. *Proceedings of the National Academy of Sciences of the United States of America*, 45: 753-763.
- MARSHALL DR & ALLARD RW. 1970a. Isozyme polymorphism in natural populations of *Avena fatua* and *A. barbata*. *Heredity*, 29: 373-382.
- MARSHALL DR & ALLARD RW. 1970b. Maintenance of isozyme polymorphisms in natural populations of *Avena barbata*. *Genetics*, 66: 393-399.
- MARSHALL DR & BROWN AHD. 1975. A: Crop Genetic Resources for Today and Tomorrow (Frankel OH & Hawkes JG, eds.), pp. 53-80. Cambridge University Press, Cambridge.
- MARTÍNEZ-PALACIOS A, EGUIARTE LE & FURNIER GR. 1999. Genetic diversity of the endangered endemic *Agave victoriae-reginae* (Agavaceae) in the Chihuahuan Desert. *American Journal of Botany*, 86: 1093-1098.
- MASELLI S, PÉREZ-GARCÍA F & AGUINAGALDE I. 1999. Evaluation of seed storage conditions and genetic diversity of four crucifers endemic to Spain. *Annals of Botany*, 84: 207-212.
- MATEO G & CRESPO MB. 1998. *Manual para la determinación de la flora valenciana*. Monografías Flora Montibérica, nº 3, València.
- MATEU-ANDRÉS I. 1999. Allozymic variation and divergence in three species of *Antirrhinum* L. (Scrophulariaceae-Antirrhineae). *Botanical Journal of the Linnean Society*, 131: 187-199.
- MATEU-ANDRÉS I. 2004. Low levels of allozyme variability in the threatened species *Antirrhinum subbaeticum* and *A. pertegasii* (Scrophulariaceae): implications for conservation of the species. *Annals of Botany*, 94: 707-804.
- MATEU-ANDRÉS I & SEGARRA-MORAGUES JG. 2000. Population subdivision and genetic diversity in two narrow endemics of *Antirrhinum* L. *Molecular Ecology*, 9: 2081-2087.
- MATEU-ANDRÉS I & SEGARRA-MORAGUES JG. 2003. Allozymic differentiation of the *Antirrhinum graniticum* and the *Antirrhinum meonanthum* species groups. *Annals of Botany*, 92: 647-655.
- MAYOL M. s.d. *Plan de recuperación del Clavel de roca de la Balma* (*Petrocoptis pardoi Pau*). Conselleria de Medi Ambient, Generalitat Valenciana, València.

- MAYOL M. 1998. *Biosistemática y evolución en el género Petrocoptis A. Braun (Caryophyllaceae)*. Tesi Doctoral (inèdita), Facultat de Ciències Biològiques, Universitat de València.
- MAYOL M & ROSELLÓ JA. 1999. A synopsis of *Silene* subgenus *Petrocoptis* (Caryophyllaceae). *Taxon*, 48: 471-482.
- MAYOL M & ROSELLÓ JA. 2001. Seed isozyme variation in *Petrocoptis* A. Braun (Caryophyllaceae). *Biochemical Systematics and Ecology*, 29: 379-392.
- MAYR E. 1963. *Animal species and evolution*. Belknap Press, Cambridge.
- MCCARTHY JJ, CANZIANI OF, LEARY NA, DOKKEN DJ & WHITE KS. 2001. *Climate change 2001: impacts, adaptation and vulnerability*. Cambridge University Press, Cambridge.
- MCMEEKIN JA, MILLER KR, REID WV, MITTERMEIER RA & WERNER TB. 1990. *Conserving the World's biological diversity*. Washington DC, IUCN, World Resources Institute, Conservation International, WWF-US and The World Bank.
- MÉDAIL F & QUÉZEL P. 1997. Hot-spots analysis for conservation of plant biodiversity in the Mediterranean Basin. *Annals of the Missouri Botanical Garden*, 84: 112-127.
- MÉDAIL F & QUÉZEL P. 1999. Biodiversity hotspots in the Mediterranean Basin: Setting global conservation priorities. *Conservation Biology*, 13: 1510-1513.
- MÉDAIL F & VERLAQUE R. 1997. Ecological characteristics and rarity of endemic plants from southeast France and Corsica: implications for biodiversity conservation. *Biological Conservation*, 80: 269-281.
- MEMBRIVES N. 2000. *Biología evolutiva del género Androcymbium (Colchicaceae) a Sudáfrica Occidental*. Tesi Doctoral (inèdita). Universitat de Barcelona.
- MEMBRIVES N, PEDROLA-MONFORT J, CAUJAPÉ-CASTELLS J. 2001. Relative influence of biological versus historical factors on isozyme variation of the genus *Androcymbium* (Colchicaceae) in Africa. *Plant Systematics and Evolution*, 229: 237-260.
- MENGES ES. 1991. The application of minimum viable population theory to plants. A: *Genetics and Conservation of Rare Plants* (Falk DA & Holsinger KE, eds.), pp. 45-61. Oxford University Press, New York.
- MERXMÜLLER H & GRAU J. 1968. Ergänzende studien an *Petrocoptis* (Caryophyllaceae). *Collectanea Botanica (Barcelona)*, 7: 787-797.
- MESSEGUE R. 1987. *Genètica de la variació isoenzimàtica al clavell (Dianthus caryophyllus L.): Aplicació a la identificació de varietats comercials*. Tesi doctoral (inèdita). Facultat de Ciències, Universitat Autònoma de Barcelona.

- MITTON JB. 1989. Physiological and demographic variation associated with allozyme variation. A: *Isozymes in Plant Biology* (Soltis DE & Soltis PS, eds.), pp 5-45. Dioscorides Press, Portland.
- MITTON JB. 1994. Molecular approaches to population biology. *Annual Review of Ecology and Systematics*, 25: 45-69.
- MITTON JB & GRANT MC. 1984. Associations among protein heterozygosity, growth rate, and developmental homeostasis. *Annual Review of Ecology and Systematics*, 15: 479-499.
- MOLERO J & PUJADAS J. 1979. Aportaciones a la flora catalana. *Lagascalia*, 9: 29-38.
- MONTESINOS D & GÜEMES J. 2003. *Silene dioica*. A: *Atlas y Libro Rojo de la Flora Vascular Amenazada de España. Táxones Prioritarios* (Bañares A, Blanca G, Güemes J, Moreno JC. & Ortiz S, eds.), pp. 854-855. Dirección General de Conservación de la Naturaleza, Madrid, 1072 pp.
- MONTMOLLIN B DE. 1991. Endémisme intra-crétois et trans-égéo-crétois – origine et différenciation. *Botanika Chronika*, 10: 125-135.
- MONTMOLLIN B DE & IATROU GA. 1995. Connaissance et conservation de la flore de l'île de Crète. *Ecologia Mediterranea*, 21: 173-184.
- MONTSERRAT P & FERNÁNDEZ-CASAS J. 1990. Petrocoptis. A: *Flora Iberica*, Vol. 2 (Castroviejo S, Laínz M, López-González G, Montserrat P, Muñoz-Garmendia F, Paiva J & Villar L, eds.), pp. 304-312. Real Jardín Botánico, CSIC, Madrid.
- MORALES R. 1986. Taxonomía de los géneros *Thymus* (excluida la sección *Serpillum*) y *Thymbra* en la Península Ibérica. *Ruizia*, 2: 1-324. Monografías del Real Jardín Botánico, C.S.I.C.
- MORENO JC, DOMÍNGUEZ F & SAINZ H. 2003. Recent progress in conservation of threatened Spanish vascular flora: a critical review. *Biological Conservation*, 113, 419-431.
- MORITZ C. 1994. Defining 'Evolutionary Significant Units' for conservation. *Trends in Ecology and Evolution*, 9: 373-375.
- MURPHY RW, SITES JR. JW, BUTH DG & HAUFER CH. 1996. Proteins: Isozyme electrophoresis. A: *Molecular systematics* (Hillis DM, Moritz C & Mable BK, eds.), pp. 51-120. Sinauer, Sunderland, 2on edition.
- MYERS N. 1988. Threatened biotas: 'hotspots' in tropical forests. *Environmentalist*, 8: 187-208.
- MYERS N. 1990. The biodiversity challenge: expanded hotspots analysis. *Environmentalist*, 10: 243-256.
- MYERS N, MITTERMEIER RA, MITTERMEIER CG, DA FONSECA GAB & KENT J. 2000. Biodiversity hotspots for conservation priorities. *Nature*, 403: 853-858.

- NEEL MC & CUMMINGS MP. 2003. Effectiveness of conservation targets in capturing genetic diversity. *Conservation Biology*, 17: 219-229.
- NEFFATI M, GHRABI GAMMAR Z, AKRIMI N & HENCHI B. 1999. Les plantes endémiques de la Tunisie. *Flora Mediterranea*, 9: 163-174.
- NEI M. 1972. Genetic distance between populations. *The American Naturalist*, 106: 283-292.
- NEI M. 1973. Analysis of gene diversity in subdivided populations. *Proceedings of the National Academy of Sciences of the United States of America*, 70: 3321-3323.
- NEI M. 1975. *Molecular Population Genetics and Evolution*. North Holland, Amsterdam.
- NEI M. 1977. F-statistics and analysis of gene diversity in subdivided populations. *Annals of Human Genetics*, 41: 225-233.
- NEI M. 1978. Estimation of average heterozygosity and genetic distance from a small number of individuals. *Genetics*, 89: 583-590.
- NEI M. 1987. *Molecular Evolutionary Genetics*. Columbia University Press, New York.
- NEI M, MARUYAMA T & CHAKRABORTY R. 1975. The bottleneck effect and genetic variability in populations. *Evolution*, 29: 1-10.
- NIET (NEKAZAL IKERKETA ETA TEKNOLOGIA). 2002. *Especies amenazadas de flora en el País Vasco*. Disponible a: <http://www.nekanet.net/Naturaleza/especies.htm>
- NOVAK SJ & MACK RN. 2001. Tracing plant introduction and spread: genetic evidence from *Bromus tectorum* (Cheatgrass). *BioScience*, 51: 114-122.
- OHTA R. 1971. Associative overdominance caused by linked detrimental mutations. *Genetical Research*, 18: 277-286.
- OHTA R. 1992. The near neutral theory of molecular evolution. *Annual Review of Ecology and Systematics*, 23: 263-286.
- OLIVEIRA JA & LÓPEZ JE. 1999. Caracterización de poblaciones españolas de *Lolium rigidum* Gaud., para caracteres agro-morfológicos e isoenzimáticos. *Investigación Agraria*, 14: 453-463.
- OLIVIER L, GALLAND JP & MAURIN H. 1995. *Livre Rouge de la Flore Menacée de France*. Tome I. Ministère de l'Environnement, Paris.
- OOSTERMEIJER JGB. 1996. *Population viability of the rare Gentiana pneumonanthe, the relative importance of demography, genetics, and reproductive biology*. Tesi Doctoral (inèdita). Universiteit van Amsterdam.

- OOSTERMEIJER JGB, LUIJTEN SH & DEN NIJS JCM. 2003. Integrating demographic and genetic approaches in plant conservation. *Biological Conservation*, 113: 389-398.
- OOSTERMEIJER JGB, VAN EIJK MW, VAN LEEUWEN NC & DEN NIJS JCM. 1995. Analysis of the relationship between allozyme heterozygosity and fitness in the rare *Gentiana pneumonanthe* L. *Journal of Evolutionary Biology*, 8: 739-759.
- OOSTERMEIJER JGB, VAN EIJK MW & DEN NIJS JCM. 1994. Offspring fitness in relation to population size and genetic variation in the rare perennial plant species *Gentiana pneumonanthe* (Gentianaceae). *Oecologia*, 97: 289-296.
- ORELLANA MR, LÓPEZ-PUJOL J, BLANCHÉ C & BOSCH M. 2004. New data of genetic diversity of a recently discovered population of *Delphinium bolognii* (Ranunculaceae). XI OPTIMA Meeting, Beograd, 5-11/09/2004.
- ORELLANA MR, ROVIRA AM, BLANCHÉ C & BOSCH M. 2005. Pollination and reproductive success in the gynodioecious endemic *Thymus loscosii* (Lamiaceae). *Canadian Journal of Botany*, 83: 183-193.
- OTA T. 1993. *DISPAN: Genetic distance and phylogenetic analysis*. Pennsylvania State University, University Park. Disponible a: <http://www.bio.psu.edu/People/Faculty/Nei/Lab/Programs.html>
- PALACIOS C & GONZÁLEZ-CANDELAS F. 1997a. Lack of genetic variability in the rare and endangered *Limonium cavanillesii* (Plumbaginaceae) using RAPD markers. *Molecular Ecology*, 6: 671-675.
- PALACIOS C & GONZÁLEZ-CANDELAS F. 1997b. Analysis of population genetic structure and variability using RAPD markers in the endemic and endangered *Limonium dufourii* (Plumbaginaceae). *Molecular Ecology*, 6: 1107-1121.
- PEDROLA J. 1993. *Biologia poblacional del complex Androcymbium gramineum (Cav.) McBride* (Colchicaceae). Tesi doctoral (inèdita). Facultat de Biologia, Universitat de València.
- PEDROLA-MONFORT J & CAUJAPÉ-CASTELLS J. 1994. Allozymic and morphological relations among *Androcymbium gramineum*, *A. europaeum*, and *A. psammophilum* (Colchicaceae). *Plant Systematics and Evolution*, 191: 111-126.
- PEDROLA-MONFORT J & CAUJAPÉ-CASTELLS J. 1995. Genetic structure and spatial distribution of a narrow endemic plant: *Androcymbium europaeum* (Lange) K. Richter (Colchicaceae). *Botanica Macaronesica*, 21: 85-94.
- PEDROLA-MONFORT J & CAUJAPÉ-CASTELLS J. 1996. Genetic and morphological divergence in the *Androcymbium gramineum* complex (Colchicaceae). *Plant Systematics and Evolution*, 201: 149-162.

- PETIT C, FRÉVILLE H, MIGNOT A, COLAS B, RIBA M, IMBERT E, BOUSSÈS-HURTREZ S, VIREVAYRE M & OLIVIERI I. 2001. Gene flow and local adaptation in two endemic plant species. *Biological Conservation*, 100: 21-34.
- PETIT RJ, AGUINAGALDE I, DE BEAULIEU J-L, BITTKAU C, BREWER S, CHEDDADI R, ENNOS R, FINESCHI S, GRIVET D, LASCOUX M, MOHANTY A, MÜLLER-STARCK G, DEMESURE-MUSCH B, PALMÉ A, MARTÍN JP, RENDELL S & VENDRAMIN G. 2003. Glacial refugia: hotspots but not melting pots of genetic diversity. *Science*, 300: 1563-1565.
- PETIT RJ, BREWER S, BORDACS S, BURG K, CHEDDADI R, COART E, COTTRELL J, CSAIKL U, DEANS D, FINESCHI S, FINKELDEY R, GOICOECHEA P, JENSEN J, KONIG A, LOWE A, MADSEN SF, MATYAS G, MUNRO RC, OLEDSKA I, POPESCU F, SLADE D, TABBENER H, VAN DAM B, ZIEGENHAGEN B, DE BEAULIEU J-L & KREMER A. 2002. Postglacial colonisation routes of European white oaks inferred from the variation of chloroplast DNA and from the analysis of fossil pollen. *Forest Ecology and Management*, 156, 49-74.
- PETIT RJ, EL MOUSADIK A & PONS O. 1998. Identifying populations for conservation on the basis of genetic markers. *Conservation Biology*, 12: 844-855.
- PHITOS D, STRID A, SNOGERUP S & GREUTER W (EDS.). 1995. *The Red Data Book of rare and threatened plants of Greece*. WWF-Greece, Athens, pp. 527.
- PIELOU EC. 1991. *After the ice age: the return of life to glaciated North America*. The University of Chicago Press, Chicago.
- PIGNATTI S. 2003. The Mediterranean ecosystem. *Bocconeia*, 16: 29-40.
- PIMM SL & RAVEN P. 2000. Extinction by numbers. *Nature*, 403: 843-845.
- PITMAN NCA & JØRGENSEN PM. 2002. Estimating the size of the World's threatened flora. *Science*, 298: 989.
- POR FD. 2003. Biogeography of "Mediterraneis" a province moulded by humans. *Bocconeia*, 16: 11-27.
- PRANCE GT, BEENTJE H, DRANSFIELD J & JOHNS R. 2000. The tropical flora remains undercollected. *Annals of the Missouri Botanical Garden*, 87: 67-71.
- PRENTICE HC. 1984. Enzyme polymorphism, morphometric variation and population structure in a restricted endemic, *Silene diclinis* (Caryophyllaceae). *Biological Journal of the Linnean Society*, 22: 125-143.
- PRENTICE HC, MALM JU, MATEU-ANDRÉS I & SEGARRA-MORAGUES JG. 2003. Allozyme and chloroplast DNA variation in island and mainland populations of the rare Spanish endemic, *Silene hifacensis* (Caryophyllaceae). *Conservation Genetics*, 4: 543-555.

- PRIMACK RB & Ros J. 2002. *Introducción a la biología de la conservación*. Ariel Ciencia, Barcelona.
- PROBER SM, SPINDLER LH & BROWN AHD. 1998. Conservation of the grassy white box woodlands: effects of remnant population size on genetic diversity in the allotetraploid herb *Microseris lanceolata*. *Conservation Biology*, 12: 1279-1290.
- QUÉZEL P. 1985. Definition of the Mediterranean region and the origin of its flora. A: *Plant Conservation in the Mediterranean Area* (Gómez-Campo C, ed.), pp. 9-24. Geobotany 7, W. Junk, Dordrecht, Boston, Lancaster.
- QUÉZEL P. 1995. La flore du bassin méditerranéen: origine, mise en place, endémisme. *Ecologia Mediterranea*, 21: 19-39.
- QUÉZEL P & BARBERO M. 1985. *Carte de la végétation potentielle de la région méditerranéene*. Feuille no. 1: Méditerranée Orientale. CNRS, Paris.
- RABINOWITZ D. 1981. Seven forms of rarity. A: *The Biological Aspects of Rare Plant Conservation* (Synge H, ed.), pp. 205-217. Wiley, New York.
- RAIMONDO F, GIANGUZZI L & ILARDI V. 1994. Inventaria delle specie "a rischio" nella flora vascolare native della Sicilia. *Quadernario Botanica Ambientale e Applicata*, 3: 65-132.
- RANKER T & WERTH C. 1986. Active enzymes from herbarium specimens: electrophoresis as an afterthought. *American Fern Journal*, 76: 102-113.
- RAYMOND M & ROUSSET F. 1995. GENEPOP (Version 1.2): Population genetics software for exact tests and ecumenicism. *The Journal of Heredity*, 86: 248-249.
- RECASENS J & AYMERICH P. 2001. *Senecio inaequidens* al Pallars Sobirà i a la Ribagorça. *Butlletí de la Institució Catalana d'Història Natural*, 69: 66-67.
- REMINGTON CL. 1968. Suture-zones of hybrid interaction between recently joined biotas. *Evolutionary Biology*, 2: 321-428.
- RIBA M, PICÓ FX & MAYOL M. 2003. Effects of regional climate and small-scale habitat quality on performance in the relict species *Ramonda myconi*. *Journal of Vegetation Science*, 13: 259-268.
- RICCI M & EATON L. 1997. Do all existing *Sophora toromiro* descend from one individual? *Biodiversity and Conservation*, 6: 1697-1702.
- RIESEBERG LH & SWENSEN SM. 1996. Conservation genetics of endangered island plants. A: *Conservation genetics: case histories from nature* (Avise JC & Hamrick JL, eds.), pp. 305-334. Chapman and Hall, New York.
- RIVAS-MARTÍNEZ S, WILDPRET W, DÍAZ TE, PÉREZ DE PAZ PL, DEL ARCO M & RODRÍGUEZ O. 1993. Excursion guide. Outline vegetation of Tenerife Island, Canary Islands. *Itinera Geobotanica*, 7: 5-167.

- ROHLF FJ. 1994. *NTSYS-pc. Numerical taxonomy and multivariate analysis system. Version 1.80.* Exeter Software, New York.
- RONFORT J, JENCZEWSKI E, BATAILLON T & ROUSSET F. 1998. Analysis of population structure in autotetraploid species. *Genetics*, 150: 921-930.
- ROVIRA AM, BOSCH M, MOLERO J & BLANCHÉ C. 2004. Pollination ecology and breeding systems of the very narrow coastal endemic *Seseli farrenyi* (Apiaceae). Effects of population fragmentation. *Nordic Journal of Botany*, 22: 727-740.
- SÁEZ L. 1999. El Pla d'Espais d'Interès Natural (P.E.I.N.) y la protección de la flora amenazada de Catalunya. *Conservación Vegetal*, 4: 3-4.
- SÁEZ L. 2003. *Polygonum robertii*. A: *Atlas y Libro Rojo de la Flora Vascular Amenazada de España. Táxones Prioritarios* (Bañares A, Blanca G, Güemes J, Moreno JC & Ortiz S, eds.), pp. 69. Dirección General de Conservación de la Naturaleza, Madrid, 1072 pp.
- SÁEZ L & ROSELLÓ JA. 2001. *Llibre Vermell de la Flora Vascular de les Illes Balears*. Govern de les Illes Balears, Conselleria de Medi Ambient, Palma de Mallorca, pp. 127.
- SÁEZ L & SORIANO I. 2000. Catàleg de plantes vasculars endèmiques, rares o amenaçades de Catalunya, II. Tàxons no endèmics en situació de risc. *Butlletí de la Institució Catalana d'Història Natural*, 68, 35-50.
- SÁEZ L, ROSELLÓ JA & VIGO J. 1998. Catàleg de plantes vasculars endèmiques, rares o amenaçades de Catalunya. I: Tàxons endèmics. *Acta Botanica Barcinonensis*, 45: 309-321.
- SAINZ H, FRANCO F & ARIAS J. 1996. *Estrategias para la Conservación de la Flora Amenazada de Aragón*. Diputación General de Aragón, Zaragoza.
- SALVADOR L, ALÍA R, AGÚNDEZ D & GIL L. 2000. Genetic variation and migration pathways of maritime pine (*Pinus pinaster* Ait) in the Iberian peninsula. *Theoretical and Applied Genetics*, 100: 89-95.
- SAVOLAINEN O & HEDRICK P. 1995. Heterozygosity and fitness: no association in scots pine. *Genetics*, 140: 755-766.
- SCANDALIOS J. 1969. Genetic control of multiple molecular forms of enzymes in plants: a review. *Biochemical Genetics*, 3: 37-79.
- SCHEMSKE DW, HUSBAND BC, RUCKELHAUS MH, GOODWILLIE C, PARKER IM & BISHOP JG. 1994. Evaluating approaches to the conservation of rare and endangered plants. *Ecology*, 75: 584-606.
- SEGARRA-MORAGUES JG & CATALÁN P. 2002. Low allozyme variability in the critically endangered *Borderea chouardii* and its congener *Borderea pyrenaica* (Dioscoreaceae), two paleoendemic relicts from the central Pyrenees. *International Journal of Plant Sciences*, 163: 159-166.

SERRA L, PÉREZ B, FABREGAT C, JUÁREZ J, PÉREZ J, DELTORO VI, PÉREZ P, OLIVARES A, ESCRIBÁ MC & LAGUNA E. 2001. *Orquídeas silvestres de la Comunidad Valenciana*. Conselleria de Medi Ambient, Generalitat Valenciana, València.

SHAFFER ML. 1981. Minimum population sizes for species conservation. *BioScience*, 31: 131-134.

SHAFFER ML. 1987. Minimum viable populations: coping with uncertainty. A: *Viable populations for conservation* (Soulé ME, ed.), pp. 69-86. Cambridge.

SHIELDS CR, ORTON TJ & STUBER CW. 1983. An outline of general resources needs and procedures for the electrophoretic separation of active isozymes from plant tissue. A: *Isozymes in Plant Genetic and Breeding* (Tanksley SD & Orton TJ, eds.), pp. 443-468. Elsevier Science Publishers, Amsterdam.

SILIC C. 1996. Spisak biljnih vrsta (Pteridophyta i Spermatophyta) za crvenu knjigu Bosne i Hercegovine. A: *Glasnik Zemaljskog muzeja Bosne i Hercegovine* (Prirodne nauke), n.s. 31 (1992-1995), pp. 323-367.

SILVERTOWN J & DODD M. 1996. Comparing plants and connecting traits. *Philosophical Transactions of the Royal Society of London Series B*, 351: 1233-1239.

SIMBERLOFF D. 1988. The contribution of population and community biology to conservation science. *Annual Review of Ecology and Systematics*, 19: 473-511.

SIMON J, BOSCH M, LÓPEZ-PUJOL J, ROVIRA AM, MOLERO J & BLANCHÉ C. 2003. *Ranunculus lingua*. A: *Atlas y Libro Rojo de la Flora Vascular Amenazada de España. Táxones Prioritarios* (Bañares A, Blanca G, Güemes J, Moreno JC & Ortiz S, eds.), pp. 71. Dirección General de Conservación de la Naturaleza, Madrid, 1072 pp.

SIMON J, BOSCH M, MOLERO J, BLANCHÉ C. 2001. Conservation biology of the Pyrenean larkspur *Delphinium montanum*: A case of conflict of plant vs. animal conservation? *Biological Conservation*, 98: 305-314.

SIMON J, BOSCH M, ROVIRA AM, MOLERO J & BLANCHÉ C. 1999. *Delphinium montanum y Petrocptis montsiciana*: dos endemismos pirenaicos amenazados? (comunicació oral) Primer Simposio Transfronterizo sobre el Patrimonio Natural (El Medio Natural Pirenaico). Universitat Politècnica de Catalunya-Generalitat de Catalunya. Vilanova de Meià.

SIMÓN-ZARZOSO JC. 1994. La flora vascular española: diversidad y conservación. *Ecología*, 8: 203-225.

SINCLAIR WT, MORMAN JD, ENNOS RA. 1999. The postglacial history of Scots pine (*Pinus sylvestris* L.) in western Europe: evidence from mitochondrial DNA variation. *Molecular Ecology*, 8: 83-88.

SLATKIN M. 1985. Rare alleles as indicators of gene flow. *Evolution*, 39: 53-65.

- SMITH JP & YORK R. 1984. *Inventory of rare and endangered plants of California*. California Native Plant Society (Spec. Publ. 1, 3rd edn.), Berkeley.
- SMITHIES O. 1955. Zone electrophoresis in starch gels: group variation in the serum proteins of normal human adults. *Biochemical Journal*, 61: 629-645.
- SOLTIS DE & RIESEBERG LH. 1986. Autopolyploidy in *Tolmiea menziesii* (Saxifragaceae): Genetic insights from enzyme electrophoresis. *American Journal of Botany*, 73: 310-318.
- SOLTIS DE & SOLTIS PS. 1989. *Isozymes in Plant Biology*. Dioscorides Press, Portland.
- SOLTIS PS & SOLTIS DE. 2000. The role of genetic and genomic attributes in the success of polyploids. The National Academy of Sciences, website: <http://www.nap.edu/openbook/0309070791/html>. Colloqui Variation and Evolution in Plants and Microorganisms: Toward a New Synthesis 50 Years After Stebbins. Irvine, 27-29/01/2000.
- SOSA P, BATISTA FJ, GONZÁLEZ MA & BOUZA N. 2002. La conservación genética de las especies vegetales amenazadas. A: *Biología de la conservación de plantas amenazadas* (Bañares A, coord.), pp. 133-160. Organismo Autónomo de Parques Nacionales, Madrid.
- SPIELMAN D, BROOK BW & FRANKHAM R. 2004. Most species are not driven to extinction before genetic factors impact them. *Proceedings of the National Academy of Sciences of the United States of America*, 101: 15261-15264.
- STEBBINS GL. 1947. Types of polyploids: Their classification and significance. *Advances in Genetics*, 1: 403-429.
- STEBBINS GL. 1950. *Variation and evolution in plants*. Columbia University Press, New York.
- STEBBINS GL. 1980. Rarity of plant species: a synthetic viewpoint. *Rhodora*, 82: 77-86.
- STEBBINS GL. 1989. Introduction. A: *Isozymes in Plant Biology* (Soltis DE & Soltis PS, eds.), pp. 1-4. Dioscorides Press, Portland.
- STEVANOVIC V (ED.). 1999. *Crvena Knjiga Flore Srbije, 1 – Iscezli i Krajnje Ugrozeni Taksoni*. Ministry of the Environment of the Republic of Serbia, Faculty of Biology (University of Belgrade) & Institute for the Protection of Nature of the Republic of Serbia in the Graphical Centre 'Etiketa'. Beograd.
- STEWART JR & LISTER AM. 2001. Cryptic northern refugia and the origins of the modern biota. *Trends in Ecology and Evolution*, 16: 608-613.
- STRID A. 1993. Phytogeographical aspects of the Greek mountain flora. *Fragmenta Floristica et Geobotanica Supplementum*, 2: 411-433.

- SWOFFORD DL & SELANDER RB. 1989. *BIOSYS-1: A computer program for the analysis of allelic variation in genetics. User's Manual.* Department of Genetics and Development, University of Illinois, Urbana-Champaign.
- TABERLET P & CHEDDADI R. 2002. Quaternary refugia and persistence of biodiversity. *Science*, 297: 2009-2010.
- TABERLET P, FUMAGALLI L, WUST-SAUZY A-G & COSSON J-F. 1998. Comparative phylogeography and postglacial colonization routes in Europe. *Molecular Ecology*, 7: 453-464.
- TARAYRE M & THOMPSON JD. 1997. Population genetic structure of gynodioecious *Thymus vulgaris* L. (Labiatae) in southern France. *Journal of Evolutionary Biology*, 10: 157-174.
- TARAYRE M, SAUMITOU-LAPRADE P, CUGUEN J, COUVET D & THOMPSON JD. 1997. The spatial genetic structure of cytoplasmic (cpDNA) and Nuclear (allozyme) markers within and among populations of the gynodioecious *Thymus vulgaris* (Labiatae) in southern France. *American Journal of Botany*, 84: 1675-1684.
- TEMPLETON AR. 1997. Coadaptation, local adaptation, and outbreeding depression. A: *Principles of conservation biology* (Meffe GM & Carroll CR, eds.), pp. 171-172. Sinauer Associates, Sunderland.
- TEMPLETON AR, HEMMER H, MACE G, SEAL US, SHIELDS WM & WOODRUFF DS. 1986. Local adaptation, coadaptation and population boundaries. *Zoo Biology*, 5: 115-125.
- THELEN GC & ALLENDORF FW. 2001. Heterozygosity-fitness correlations in rainbow trout: effects of allozyme loci or associative overdominance? *Evolution*, 55: 1180-1187.
- THOMAS CD, CAMERON A, GREEN RE, BAKKENES M, BEAUMONT LJ, COLLINGHAM YC, ERASMUS BFN, FERREIRA DE SIQUEIRA M, GRAINGER A, HANNAH L, HUGUES L, HUNTLEY B, VAN JAARSVELD AS, MIDGLEY GF, MILES L, ORTEGA-HUERTA MA, TOWNSEND PETERSON A, PHILLIPS OL & WILLIAMS SE. 2004. Extinction risk from climate change. *Nature*, 427: 145-148.
- THOMPSON JD. 1999. Population differentiation in Mediterranean plants: insights into colonization history and the evolution and conservation of endemic species. *Heredity*, 82: 229-236.
- THRALL PH & YOUNG A. 2000. AUTOTET: A program for the analysis of autotetraploid genotypic data. *The Journal of Heredity*, 91: 348-349.
- TORRES ME. 1999. *Estudios de la autoecología, biología reproductiva y estructura genética de Antirrhinum microphyllum Rothm. (Scrophulariaceae). Evaluación de su estado de conservación.* Tesi Doctoral (inèdita). Escuela Técnica Superior de Ingenieros Agrónomos, Universidad Politécnica de Madrid.
- TORRES N, SÁEZ L, ROSELLÓ JA & BLANCHÉ C. 2000. A new *Delphinium* subsp. from Formentera (Balearic Islands). *Botanical Journal of the Linnean Society*, 133: 371-377.

- TURKINGTON R & HARPER JL. 1979. The growth, distribution, and neighbor relationships of *Trifolium repens* in a permanent pasture . IV. Fine-scale biotic differentiation. *Journal of Ecology*, 67: 245-254.
- TURLAND NJ, CHILTON L & PRESS JR. 1993. *Flora of the Cretan Area. Annotated Checklist and Atlas*. The Natural History Museum, HMSO, London.
- TZEDAKIS PC, LAWSON IT, FROGLEY MR, HEWITT GM & PERECE RC. 2002. Buffered tree population changes in a Quaternary refugium: evolutionary implications. *Science*, 297: 2044-2047.
- IUCN (UNIÓN INTERNACIONAL PARA LA CONSERVACIÓN DE LA NATURALEZA). 1994. *Categorías de las Listas Rojas de la UICN*. Comisión de Supervivencia de Especies de la UICN. Gland.
- IUCN (UNIÓN INTERNACIONAL PARA LA CONSERVACIÓN DE LA NATURALEZA). 2001. *Categorías y Criterios de la Lista Roja de la UICN: Versión 3.1*. Comisión de Supervivencia de Especies de la UICN, Gland & Cambridge.
- IUCN (UNIÓN INTERNACIONAL PARA LA CONSERVACIÓN DE LA NATURALEZA). 2003. *Directrices para emplear los Criterios de la Lista Roja de la UICN a nivel nacional y regional. Versión 3.0*. Comisión de Supervivencia de Especies de la UICN, Gland & Cambridge.
- UNEP (UNITED NATIONS ENVIRONMENT PROGRAMME). 2003. *Draft Report for Experts and Government Review*. Convention on Biological Diversity. 17 February 2003. CBD Ad Hoc Technical Expert Group on Biodiversity and Climate Change, United Nations Environmental Program, pp. 1-145.
- UNFPA (UNITED NATIONS POPULATION FUND). 2004. *UNFPA State of world population 2004*. UNFPA Website. Disponible a: <http://www.unfpa.org/swp/2004/english/indicators/index.htm>
- UOA (UNIVERSITY OF ATHENS). 2004. *Notes on the flora and vegetation of Rhodes*. University of Athens Website. Available at: http://www.biology.uoa.gr/medecos/flora_habitats.htm
- UTELLI A-B, BA ROY & M BALTISBERGER. 1999. History can be more important than 'pollination syndrome' in determining the genetic structure of plant populations: the case of *Aconitum lycoctonum* (Ranunculaceae). *Heredity*, 82: 574-584.
- VALDÉS B, REJDALI M, ACHHAL EL KADMIRI A, JURY JL & MONTSERRAT JM. (EDS.). 2002. *Checklist of vascular plants of N Morocco with identification keys*. Volume I. CSIC, Madrid.
- VALLEJOS E. 1983. Enzyme activity staining. A: *Isozymes in Plant Genetic and Breeding* (Tanksley SD & Orton TJ, eds.), pp. 469-516. Elsevier Science Publishers, Amsterdam.
- VAN DER BANK H, VAN DER BANK M & VAN WYK B-E. 2001. A review of the use of allozyme electrophoresis in plant systematics. *Biochemical Systematics and Ecology*, 29: 469-483.
- VAN TREUREN R. 2000. *Overview genetic markers*. Wageningen University website. Disponible a: www.cgn.wageningen-ur.nl/pgr/research/molgen/overview.htm

- VAN TREUREN R, BIJLSMA R, VAN DELDEN W & OUBORG NJ. 1991. The significance of genetic erosion in the process of extinction. I. Genetic differentiation in *Salvia pratensis* and *Scabiosa columbaria* in relation to population size. *Heredity*, 66: 181-189.
- VANGJELI J, RUCI B & MULLAJ A. 1995. *Libri i Kuq, Bimet e Kercenuara dhe te Ralla te Shqiperise*. Academia e Shkencave/Instituti i Kerkimeve Biologjike/Komiteti i Mbrojtjes se Mjedisit. Tirane, pp. 169.
- VERLAQUE R, CONTANDRIOPoulos J & ABOUCAYA A. 1995. Cytotaxonomie et conservation de la flore insulaire: les espèces endémiques ou rares de Corse. *Ecologia Mediterranea*, 21: 257-268.
- VERLAQUE R, MÉDAIL F, QUÉZEL P & BBINOT J-F. 1997. Endémisme végétal et paléogéographie dans le bassin Méditerranéen. *Geobios*, 21: 159-166.
- VILÀ M & MUÑOZ I. 1999. Patterns and correlates of exotic and endemic plant taxa in the Balearic Islands. *Ecologia Mediterranea*, 25: 153-161.
- VILÀ M, PUJADAS J. 2001. Land-use and socio-economic correlates of plant invasions in European and North African countries. *Biological Conservation*, 100: 397-401.
- VILÀ M, GARCÍA-BERTHOU E, SOL D & PINO J. 2001. Survey of the naturalised plants and vertebrates in peninsular Spain. *Ecologia Mediterranea*, 27: 55-67.
- VILLA-LOBOS J. 2000. Biodiversity hotspots for conservation planning. *Plant Talk*, 21: 30-32.
- VILLAR L. 1982. Dos licopodios nuevos para Andorra. *Collectanea Botanica (Barcelona)*, 13: 119-127.
- VILLAR L & GARCÍA B. 1989. Vers une banque de dons des plantes vasculaires endémiques des Pyrénées. *Acta Biologica Montana*, 9: 261-274.
- WALLIS GP & ARNTZEN JW. 1989. Mitochondrial DNA variation in the crested newt superspecies: limited cytoplasmatic gene flow among species. *Evolution*, 43: 88-104.
- WALTER KS & GILLET HJ (EDS.). 1998. *1997 IUCN Red List of Threatened Plants*. IUCN, Gland & Cambridge.
- WARTENBERG D. 1989. *SAAP ver. 4.3. Spatial autocorrelation analysis program*. Exeter Software, Setauket, New York.
- WEEDEN NF & WENDEL F. 1989. Genetics of plant isozymes. A: *Isozymes in Plant Biology* (Soltis DE. & Soltis PS, eds.), pp. 46-72. Dioscorides Press, Portland.
- WEIR BS. 1990. *Genetic Data Analysis: method for discrete population genetic data*. Sinauer Associates, Sunderland.

- WENDEL F & WEEDEN NF. 1989. Visualization and interpretation of plant isozymes. A: *Isozymes in Plant Biology* (Soltis DE. & Soltis PS, eds.), pp. 5-45. Dioscorides Press, Portland.
- WHITKUS R. 1988. Modified version of GENESTAT: a program for computing genetic statistics from allele frequency. *Plant Genetics Newsletter*, 4: 10.
- WRIGHT S. 1951. The genetic structure of populations. *Annals of Eugenetics*, 15: 323-354.
- WWF (WORLD WIDE FUND) ESPAÑA. 2002. *Incendios forestales*. Disponible a: http://www.wwf.es/incendio_forestal.php
- YONEZAWA K. 1985. A definition of the optimal allocation of effort in conservation of plant genetic resources with application to sample size determination for field collections. *Euphytica*, 34: 345-354.
- YOUNG AG & MURRAY BG. 2000. Genetic bottlenecks and dysgenic gene flow into re-established populations of the grassland daisy, *Rutidosis leptorrhynchoides*. *Australian Journal of Botany*, 48: 409-416.
- YOUNG A, BOYLE T & BROWN T. 1996. The population genetic consequences of habitat fragmentation for plants. *Trends in Ecology and Evolution*, 11: 413-418.
- ZOUROS E & FOLTZ DW. 1987. The use of allelic isozyme variation for the study of heterosis. A: *Isozymes: Current Topics in Biological and Medical Research* (Rattazzi MC, Scandalios JG & Whitt GS, eds.), pp. 1-59. Alan R. Liss Publisher, New York, Volume 13.