



Consell Superior d'Investigacions  
Científiques.  
Departament de Química Ambiental




Universitat de Barcelona  
Facultat de Química  
Departament de Química Analítica

# COMPORTAMENT DE CONTAMINANTS ORGÀNICS EN AIGUAMOLLS CONSTRUÏTS

## I

### FORMACIÓ DE SUBPRODUCTES DE DESINFECCIÓ DURANT EL PROCÉS DE REGENERACIÓ D'AIGÜES RESIDUALS



Víctor Matamoros i Mercadal

*Octubre del 2007*

# BIBLIOGRAFIA

---

.....

Quan beguis aigua, recorda la font.

Proverbi Xinès

.....

## Bibliografia

- ACA Criteris de Qualitat de l'aigua regenerada segons diferents usos (2003), [http://mediambient.gencat.net/aca/documents/ca/planificacio/criteris\\_tecnics/criteris\\_reutilitzacio\\_aigues\\_regenerades.pdf](http://mediambient.gencat.net/aca/documents/ca/planificacio/criteris_tecnics/criteris_reutilitzacio_aigues_regenerades.pdf).
- ACA Situació de la reutilització a Catalunya 2005 (data d'accés 2007), [http://mediambient.gencat.net/aca/ca//planificacio/reutilitzacio/situacio\\_reutilitzacio.jsp](http://mediambient.gencat.net/aca/ca//planificacio/reutilitzacio/situacio_reutilitzacio.jsp).
- Aggazzotti, G., fantuzzi, G., Righi, E. and Predieri, G. (1998) Blood and breath analyses as biological indicators of exposure to trihalomethanes in indoor swimming pools. *Sci. Total Environ.* **217**: 155-163.
- Allmyr, M., Adolfsson-Erici, M., McLachlan, M. S. and Sandbogh-Englund, G. (2006) Triclosan in plasma and milk from Swedish nursing mothers and their exposure via personal care products. *Sci. Total Environ.* **372**: 87-93.
- APHA-AWWA-WPCF. (2001) Standard Methods for the Examination of Water and Wastewater 20<sup>th</sup> ed.
- Arias, C. A. and Brix, H. (2005) Danish guidelines for small-scale constructed wetland systems for onsite treatment of domestic sewage. *Water Sci. Technol.* **51**: 1-9.
- AWWA, Ed. (2006). Manual M20, Water Chlorination/Chloramination Practices and Principles. Denver.
- Balk, F. and Ford, R. A. (1999) Environmental risk assessment for the polycyclic musks AHTN and HHCB in the EU. *Toxicol. Lett.* **111**: 57-59.
- Balmer, M. E., Buser, H.-R., Müller, M. D. and Poiger, T. (2005) Occurrence of some organic UV filters in wastewater, in surface waters, and in fish from Swiss lakes. *Environ. Sci. Technol.* **39**: 953-962.
- Barceló, D. and Petrovic, M. (2007) Pharmaceuticals and personal care products (PPCPs) in the environment. *Anal. Bioanal. Chem.* **387**: 1141-1142.
- Bellar, T. A., Lichtenberg, J.J., and Kroner, R.C. (1974) The occurrence of organohalides in chlorinated drinking water. *J. Am. Water Works Assoc.* **66**: 703-706.
- Boxall, A. B. A., Johnson, P., Smith, E. J., Sinclair, C. J., Stutt, E. and Levy, L. S. (2006) Uptake of veterinary medicines from soils into plants. *J. Agric. Food Chem.* **54**(6): 2288-2297.
- Briggs, G., Bromilow, R. and Evans, A. (1982) Relationships between lipophilicity and root uptake and translocation of non-ionised chemicals by barley. *Pestic. Sci.* **13**: 495-504.

- Briggs, G., Bromilow, R., Evans, A. and Williams, M. (1983) Relationships between lipophilicity and the distribution of non-ionised chemicals in barley shoots following uptake by the roots. *Pestic. Sci.* **14**: 492-500.
- Brix, H. and Arias, C. A. (2005) The use of vertical flow constructed wetlands for on-site treatment of domestic wastewater: Danish guidelines. *Ecol. Eng.* **25**: 491-500.
- Burken, J. G. and Schnoor, J. L. (1998) Predictive relationships for uptake of organic contaminants by hybrid poplar trees. *Environ. Sci. Technol.* **32**: 3379-3385.
- Buser, H.-R. and Müller, M. D. (1998) Occurrence of pharmaceutical drug clofibrate acid and the herbicide mecoprop in various Swiss lakes and in the North Sea. *Environ. Sci. Technol.* **32**: 188-192.
- Buser, H. R., Poiger, T. and Muller, M. D. (1998) Occurrence and Fate of the Pharmaceutical Drug Diclofenac in Surface Waters: Rapid Photodegradation in a Lake. *Environ. Sci. Technol.* **32**(22): 3449-3456.
- Carballa, M., Omil, F., Lema, J. M., Llompart, M., Garcia-Jares, C., Rodriguez, I., Gomez, M. and Ternes, T. (2004) Behavior of pharmaceuticals, cosmetics and hormones in a sewage treatment plant. *Water Res.* **38**(12): 2918-2926.
- Carlson, G. and Silverstein, J. (1998) Effect of molecular size and charge on biofilm sorption of organic matter. *Water Res.* **32**(5): 1580-1592.
- CDHS, California Drinking Water: NDMA-Related Activities (data d'accés 2007)  
<http://www.dhs.ca.gov/ps/ddwem/chemicals/NDMA/history.htm>
- Cho, D-H., Kong, S-H. and Oh, S-G. (2003) Analysis of trihalomethanes in drinking water using headspace-SPME technique with gas chromatography. *Water Res.* **37**(2): 402-408.
- Clara, M., Strenn, B., Gans, O., Martinez, E., Kreuzinger, N. and Kroiss, H. (2005) Removal of selected pharmaceuticals, fragrances and endocrine disrupting compounds in a membrane bioreactor and conventional wastewater treatment plants. *Water Res.* **39**(19): 4797-4807.
- Claver, A., Ormad, P., Rodriguez, L. and Ovelleiro, J. L. (2006) Study of the presence of pesticides in surface waters in the Ebro river basin (Spain). *Chemosphere* **64**(9): 1437-1443.
- Cleuvers, M. (2004) Mixture toxicity of the anti-inflammatory drugs diclofenac, ibuprofen, naproxen, and acetylsalicylic acid. *Ecotoxicol. Environ. Saf.* **59**(3): 309-315.
- Cole, S. (1998) The emergence of treatment wetlands. *Environ. Sci. Technol.* **32**: 218A-223A.
- Collins, C., Fryer, M. and Gross, A. (2006) Plant Uptake of Non-Ionic Organic Chemicals. *Environ. Sci. Technol.* **40**(1): 45-52.

- Comoretto, L., Arfib, B. and Chiron, S. (2007) Pesticides in the Rhone river delta (France): Basic data for a field-based exposure assessment. *Sci. Total Environ.* **380**(1-3): 124-132.
- Cooper, P. F., Job, G. D., Green, M. B. and Shutes, R. B. E. (1996). Reed Beds and Constructed Wetlands for Wastewater Treatment. UK: WRc Swindon.
- Cuderman, P. and Heath, E. (2007) Determination of UV filters and antimicrobial agents in environmental water samples. *Anal. Bioanal. Chem.* **387**(4): 1343-1350.
- Culea, M., Cozar, O. and Ristoiu, D. (2006) Methods validation for the determination of trihalomethanes in drinking water. *J. Mass Spectrom.* **41**(12): 1594-1597.
- Dams, R. I., Paton, G. I. and Killham, K. (2007) Rhizoremediation of pentachlorophenol by *Sphingobium chlorophenolicum* ATCC 39723. *Chemosphere* **68**(5): 864-870.
- Daughton, C. G. (2004) Non-regulated water contaminants: emerging research. *Environ. Impact Assess. Rev.* **24**(7-8): 711-732.
- Daugthon, C. G., Jones-Lep, T. and Washington, D. (2001). Pharmaceuticals and Personal Care Products in Environment: Scientific and Regulatory Issues, American Chemical Society.
- Delgado, S. (2003) Tendencias en la Reutilización de Aguas. El caso de Tenerife. *Tecnología del Agua* **236**: 30-42.
- Díaz-Cruz, M. S., de Alda, M. J. L. and Barcelo, D. (2006) Determination of antimicrobials in sludge from infiltration basins at two artificial recharge plants by pressurized liquid extraction-liquid chromatography-tandem mass spectrometry. *J. Chromatogr. A* **1130**(1): 72-82.
- Donato, M. G., Van Den Eeckhout, E., Van Den Bossche, W. and Sandra, P. (1993) Capillary zone electrophoresis and micellar electrokinetic capillary chromatography of some non-steroidal antiinflammatory drugs (NSAIDs). *J. pharm. biomed. anal.* **11**: 197-201.
- Drillia, P., Stamatelatou, K. and Lyberatos, G. (2005) Fate and mobility of pharmaceuticals in solid matrices. *Chemosphere* **60**: 1034-1044.
- EPI suite version 3.12 software (data accés 2007) disponible a la EPA dels EEUU: <http://www.epa.gov/oppt/exposure/docs/episuitedi.htm>.
- EU (1998). Council Directive 98/83/EC of 3 November 1998 on the quality of water intended for human consumption. *O.J. L.* **330**, 32 -54.

- EU (2001). Decision nº 2455/2001/EC of the european parliament and of the council of 20 November 2001 establishing the list of priority substances in the field of water policy and amending Directive 2000/60/EC. O.J. L. **331**, 15.12.2001, 1-5
- EU (2006). Guidance Document for the implementation of the European PRTR. Directorate-General for Environment: 137.
- EU (2007) Report on the proposal for a directive of the European Parliament and of the Council on environmental quality standards in the field of water policy and amending Directive 2000/60/EC (COM(2006)0397 – C6-0243/2006 – 2006/0129(COD)). Session document A6-0125/2007.
- Farre, M., Ferrer, I., Ginebreda, A., Figueras, M., Olivella, L., Tirapu, L., Vilanova, M. and Barcelo, D. (2001) Determination of drugs in surface water and wastewater samples by liquid chromatography-mass spectrometry: methods and preliminary results including toxicity studies with *Vibrio fischeri*. *J. Chromatogr. A* **938**(1-2): 187-197.
- Farrington, K. and Regan, F. (2007) Investigation of the nature of MIP recognition: The development and characterisation of a MIP for Ibuprofen. *Biosens. Bioelectron.* **22**(6): 1138-1146.
- Fayyad, M. K. and Al-Sheikh, A. M. (2001) Determination of N-chloramines in Assamra chlorinated wastewater and their effect on the disinfection process. *Water Res.* **35**: 1304-1310.
- Gallard, H. and von Gunten, U. (2002) Chlorination of natural organic matter: kinetics of chlorination and of THM formation. *Water Res.* **36**(1): 65-74.
- Gao, Y., Zhu, L. and Ling, W. (2005) Application of the partition-limited model for plant uptake of organic chemicals from soil and water. *Sci. Total Environ.* **336**(1-3): 171-182.
- García-Jares, C., Llompart, M., Polo, M., Salgado, C., Macías, S. and Cela, R. (2002) Optimisation of a solid-phase microextraction method for synthetic musk compounds in water. *J. Chromatogr. A* **963**: 277-285.
- García-Villanova, R. J., García, C., Gómez, J. A., García, M. P. and Ardanuy, R. (1997) Formation, evaluation and modelling of trihalomethanes in the drinking water of a town: I. At the municipal treatment utilities. *Water Res.* **31**: 1299-1308.
- Garcia, J., Aguirre, P., Barragan, J., Mujeriego, R., Matamoros, V. and Bayona, J. M. (2005) Effect of key design parameters on the efficiency of horizontal subsurface flow constructed wetlands. *Ecol. Eng.* **25**(4): 405-418.
- Garrison, A. W., Pope, J. D. and Allen, F. R. (1976). GC/MS analysis of organic compounds in domestic wastewaters. In: Identification and analysis of organic pollutants in water. K. C. (Ed., Keith, L. H.). Michigan, USA, Ann Arbor Science Publishers: 517-556.

- Gaterman, R., Biselli, S., Hühnerfuss, H., Rimkus, G. G., Hecker, M. and Karbe, L. (2002) Synthetic Musks in the Environment. Part 1: Species-Dependent Bioaccumulation of Polycyclic and Nitro Musk Fragrances in Freshwater Fish and Mussels. *Arch. Environ. Contam. Toxicol.* **42**: 437-446.
- Gatermann, R., Huhnerfuss, H., Rimkus, G., Attar, A. and Kettrup, A. (1998) Occurrence of musk xylene and musk ketone metabolites in the aquatic environment. *Chemosphere* **36**(11): 2535-2547.
- Gatermann, R., Huhnerfuss, H., Rimkus, G., Wolf, M. and Franke, S. (1995) The Distribution of Nitrobenzene and Other Nitroaromatic Compounds in the North-Sea. *Mar. Poll. Bull.* **30**(3): 221-227.
- Gómez, M. J., Aguera, A., Mezcua, M., Hurtado, J., Mocholi, F. and Fernandez-Alba, A. R. (2007) Simultaneous analysis of neutral and acidic pharmaceuticals as well as related compounds by gas chromatography-tandem mass spectrometry in wastewater. *Talanta* **73**(2): 314-320.
- Gómez, M. J., Petrovic, M., Fernandez-Alba, A. R. and Barcelo, D. (2006) Determination of pharmaceuticals of various therapeutic classes by solid-phase extraction and liquid chromatography-tandem mass spectrometry analysis in hospital effluent wastewaters. *J. Chromatogr. A* **1114**(2): 224-233.
- Heberer, T. (2002) Occurrence, fate, and removal of pharmaceutical residues in the aquatic environment: a review of recent research data. *Toxicol. Lett.* **31**: 5-17.
- Heberer, T. (2002) Tracking persistent pharmaceutical residues from municipal sewage to drinking water. *J. Hydrol.* **266**(3-4): 175-189.
- Hsu, F. C., Marxmiller, R. L. and Yang, A. Y. S. (1990) Study of root uptake and xylem translocation of cinmethylin and related compounds in detopped soybean roots using a pressure chamber technique. *Plant Physiol.* **93**: 1573-1578.
- Huertas, E., Folch, M., Salgot, M., Gonzalvo, I. and Passarell, C. (2006) Constructed wetlands effluent for streamflow augmentation in the Besos River (Spain). *Desalination* **188**(1-3): 141-147.
- Hutter, H.-P., Wallner, P., Moshammer, H., Hartl, W., Sattelberger, R., Lorbeer, G. and Kundi, M. (2005) Blood concentrations of polycyclic musks in healthy young adults. *Chemosphere* **59**: 487-492.
- Jones, O. A. H., Voulvolis, N. and Lester, J. N. (2001) Human pharmaceuticals in the aquatic environment: A review. *Environ. Technol.* **22**: 1383-1394.
- Jones, O. A. H., Voulvolis, N. and Lester, J. N. (2002) Aquatic environmental assesment of the top 25 English prescription pharmaceuticals. *Water Res.* **36**: 5013-5022.
- Kadlec, R. H. and Knight, R. L. (1996). *Treatment Wetlands*. New York.

- Kavanagh, M. C., Trussell, A. R., Cromer, J. and Trussell, R. R. (1980) An empirical Kinetic model of THM formation: applications to meet the proposed THM standards. *J. Am. Water Works Assoc.* **72**: 578-582.
- Kimura, K., Hara, H. and Watanabe, Y. (2005) Removal of pharmaceutical compounds by submerged membrane bioreactors (MBRs). *Desalination* **178**: 135-140.
- Kloepfer, A., Quintana, J. B. and Reemtsma, T. (2005) Operational options to reduce matrix effects in liquid chromatography-electrospray ionization-mass spectrometry analysis of aqueous environmental samples. *J. Chromatogr. A* **1067**(1-2): 153-160.
- Kolpin, D. W., Furlong, E. T., Meyer, M. T., Thurman, E. M., Zaugg, S. D., Barber, L. B. and Buxton, H. T. (2002) Pharmaceuticals, hormones, and other organic wastewater contaminants in US streams, 1999-2000: A national reconnaissance. *Environ. Sci. Technol.* **36**(6): 1202-1211.
- Kosjek, T., Heath, E. and Krbavcic, A. (2005) Determination of non-steroidal anti-inflammatory drug (NSAIDs) residues in water samples. *Environ. Int.* **31**(5): 679-685.
- Koutsouba, V., Heberer, T., Fuhrmann, B., Schmidt-Baumler, K., Tsipi, D. and Hiskia, A. (2003) Determination of polar pharmaceuticals in sewage water of Greece by gas chromatography-mass spectrometry. *Chemosphere* **51**(2): 69-75.
- Levenpiel, O. (1999) Chemical Reaction Engineering, Wiley. New York
- Levine, A. D. and Asano, T. (2004) Recovering sustainable water from wastewater. *Environ. Sci. Technol.* **38**(11): 201A-208A.
- Li, H., Sheng, G., Sheng, W. and Xu, O. (2002) Uptake of trifluralin and lindane from water by ryegrass. *Chemosphere* **48**(3): 335-341.
- Lin, A. and Reinhard, M. (2005) Photodegradation of common environmental pharmaceuticals and estrogens in river water. *Environ. Toxicol. Chem.* **24**: 1303-1309.
- Lin, W.-C., Chen, H.-C. and Ding, W.-H. (2005) Determination of pharmaceutical residues in waters by solid-phase extraction and large-volume on-line derivatization with gas chromatography-mass spectrometry. *J. Chromatogr. A* **1065**(2): 279-285.
- Litter, M. (1980). Farmacología. Argentina, ed. el ateneo.
- Loffler, D., Rombke, J., Meller, M. and Ternes, T. A. (2005) Environmental fate of pharmaceuticals in water/sediment systems. *Environ. Sci. Technol.* **39**(14): 5209-5218.
- Loffler, D. and Ternes, T. A. (2003) Determination of acidic pharmaceuticals, antibiotics and ivermectin in river sediment using liquid chromatography-tandem mass spectrometry. *J. Chromatogr. A* **1021**(1-2): 133-144.

- Lorraine, G. A. and Pettigrove, M. E. (2006) Seasonal variations in concentrations of pharmaceuticals and personal care products in drinking water and reclaimed wastewater in Southern California. *Environ. Sci. Technol.* **40**(3): 687-695.
- Luong, T. V., Peters, C. J. and Perry, R. (1982) Influence of Bromide and Ammonia Upon the Formation of Trihalomethanes under Water-Treatment Conditions. *Environ. Sci. Technol.* **16**(8): 473-479.
- Macia, A., Borrull, F., Calull, M. and Aguilar, C. (2007) Capillary electrophoresis for the analysis of non-steroidal anti-inflammatory drugs. *TrAC Trends Anal. Chem.* **26**(2): 133-153.
- Mallet, R.C., Lu, Z. and Mazzeso, J. R. (2004) A study of ion suppression effects in electrospray ionization from mobile phase additives and solid-phase extracts. *Rapid Commun. Mass Spectrom.* **18**(1): 49-58.
- MAM (2006). orden MAM/3207/2006. Ministerio de medio ambiente, BOE núm 250: 115.
- Mimeault, C., Woodhouse, A., Miao, X. S., Metcalfe, C. D., Moon, T. W. and Trudeau, V. L. (2005) The human lipid regulator, gemfibrozil bioconcentrates and reduces testosterone in the goldfish, *Carassius auratus*. *Aquat. Toxicol.* **73**: 44-54.
- Ministero dell'Ambiente e della Tutela del Territorio (2003). Regolamento recante norme tecniche per il riutilizzo delle acque reflue. Rome, Decreto 12 giugno 2003, n° 185.
- Mitch, W. A. and Sedlak, D. L. (2002) Formation of N-nitrosodimethylamine (NDMA) from dimethylamine during chlorination. *Environ. Sci. Technol.* **36**(4): 588-595.
- Moldovan, Z. (2006) Occurrences of pharmaceutical and personal care products as micropollutants in rivers from Romania. *Chemosphere* **64**(11): 1808-1817.
- Morales, S., Canosa, P., Rodriguez, I., Rubi, E. and Cela, R. (2005) Microwave assisted extraction followed by gas chromatography with tandem mass spectrometry for the determination of triclosan and two related chlorophenols in sludge and sediments. *J. Chromatogr. A* **1082**(2): 128-135.
- Mutavdzic, D., Babic, S., Asperger, D., Horvat, A. J. M. and Kastelan-Macan, M. (2006) Comparison of different solid-phase extraction materials for sample preparation in the analysis of veterinary drugs in water samples. *JPC- J. Planar Chromat.* **19**(112): 454-462.
- N.C.I. (1976). Report on Carcinogenesis Bioassay of Chloroform. National Technical Information Service, National Cancer Institute, Springfield, Virginia. USA.
- Nikolaou, A. D., Golfinopoulos, S. K. and Lekkas, T. D. (2002) Formation of organic by-products during chlorination of natural waters. *J. Environ. Monitor.* **4**(6): 910-916.

- Nikolaou, A. D. and Lekkas, T. D. (2001) The role of natural organic matter during formation of chlorination by-products: a review. *Acta Hydrochim. Hydrobiol.* **29**: 63-77.
- Nikolaou, A. D., Lekkas, T. D., Golfinopoulos, S. K. and Kostopoulou, M. N. (2002) Application of different analytical methods for determination of volatile chlorination by-products in drinking water. *Talanta* **56**(4): 717-726.
- Oki, T. and Kanae, S. (2006) Global hydrological cycles and world water resources. *Science* **313**(5790): 1068-1072.
- Ollers, S., Singer, H. P., Fassler, P. and Muller, S. R. (2001) Simultaneous quantification of neutral and acidic pharmaceuticals and pesticides at the lowng/l level in surface and waste water. *J. Chromatogr. A* **911**(2): 225-234.
- Pablo Lamas, J., Salgado-Petinal, C., Garcia-Jares, C., Llompart, M., Cela, R. and Gomez, M. (2004) Solid-phase microextraction-gas chromatography-mass spectrometry for the analysis of selective serotonin reuptake inhibitors in environmental water. *J. Chromatogr. A* **1046**(1-2): 241-247.
- Paterson, S., Mackay, D. and McFarlane, C. (1994) A Model of Organic-Chemical Uptake by Plants from Soil and the Atmosphere. *Environ. Sci. Technol.* **28**(13): 2259-2266.
- Rand, J. L., Hofmann, R., Alam, M. Z. B., Chauret, C., Cantwell, R., Andrews, R. C. and Gagnon, G. A. (2007) A field study evaluation for mitigating biofouling with chlorine dioxide or chlorine integrated with UV disinfection. *Water Res.* **41**(9): 1939-1948.
- Reemtsma, T., Jekel, M. (eds.) (2006). *Organic Pollutants in the Water Cycle: Properties, Occurrence, Analysis and Environmental Relevance of Polar Compounds* Berlin, Water Chemical Society.
- Rice, L. S. and Mitra, S. (2007) Microwave-assisted solvent extraction of solid matrices and subsequent detection of pharmaceuticals and personal care products (PPCPs) using gas chromatography-mass spectrometry. *Anal. Chim. Acta* **589**: 125-132.
- Rimkus, G. G. (1999) Polycyclic musk fragrances in aquatic environment. *Toxicol. Lett.* **111**: 37-56.
- Rodriguez, I., Carpintero, J., Quintana, J. B., Carro, A. M., Lorenzo, R. A. and Cela, R. (2004) Solid-phase microextraction with on-fiber derivatization for the analysis of anti-inflammatory drugs in water samples. *J. Chromatogr. A* **1024**(1-2): 1-8.
- Rodriguez, I., Quintana, J. B., Carpintero, J., Carro, A. M., Lorenzo, R. A. and Cela, R. (2003) Determination of acidic drugs in sewage water by gas chromatography-mass spectrometry as tert.-butyldimethylsilyl derivatives. *J. Chromatogr. A* **985**(1-2): 265-274.

- Rook, J. J. (1974) Formation of haloforms during chlorination of natural waters. *Wat. Treat. Exam.*: 234-243.
- Rook , J. J. and Gras, A. A. (1978) Bromide Oxidation and Organic Substitution in Water Treatment. *J. Environ. Sci. Health.* **13**(1): 91-98.
- Routeledge, E. J., Sheahan, D., Desbrow, C., Brighty, G. C., Waldock, M. J. and Stumpfer, J. P. (1998) Identification of estrogenic chemicals in STW effluent. 2. In vivo responses in trout and roach. *Environ. Sci. Technol.* **32**: 1559-1565.
- San Juan, P. M., Carrillo, J. D. and Tena, M. T. (2007) Fibre selection based on an overall analytical feature comparison for the solid-phase microextraction of trihalomethanes from drinking water. *J. Chromatogr. A* **1139**(1): 27-35.
- Santosa, J. L., Aparicio, I. and Alonso, E. (2006) Occurrence and risk assessment of pharmaceutically active compounds in wastewater treatment plants. A case study: Seville city (Spain) *Environ. Int.* : doi:10.1016/j.envint.2006.09.014
- Scheytt, T. J., Mersmann, P., Rejman-Rasinski, E. and These, A. (2007) Tracing pharmaceuticals in the unsaturated zone. *J. Soils & Sediments* **7**(2): 75-84.
- Schlumpf, M., Cotton, B., Conscience, M., Haller, V., Steinmann, B. and Lichtensteiger, W. (2001) In Vitro and in Vivo Estrogenicity of UV Screens. *Environ. Health Pers.* **109**(3): 239-244.
- Schmitt-Jansen, M., Bartels, P., Adler, N. and Altenburger, R. (2007) Phytotoxicity assessment of diclofenac and its phototransformation products. *Anal. Bioanal. Chem.* **387**(4): 1389-1396.
- Schroder, P., Maier, H. and Debus, R. (2005) Detoxification of herbicides in *Phragmites australis*. *Zeitschrift Fur Naturforschung C-a Journal of Biosciences* **60**(3-4): 317-324.
- Schwarzenbach, R. P., Escher, B. I., Fenner, K., Hofstetter, T. B., Johnson, C. A., von Gunten, U. and Wehrli, B. (2006) The challenge of micropollutants in aquatic systems. *Science* **313**(5790): 1072-1077.
- Simonich, S., Federle, T. W., Eckhoff, W. S., Rottiers, A., Webb, S., Sabaliunas, D. and Wolf, W. (2002) Removal of fragrance materials during U.S. and European wastewater treatment. *Environ. Sci. Technol.* **36**: 2839-2847.
- Smital, T., Luckenbach, T., Sauerborn, R., Hamdoun, A. A., Vega, R. L. and Epel, D. (2004) Emerging contaminants - pesticides, PPCPs, microbial degradation products and natural substances as inhibitors of multixenobiotic defense in aquatic organisms. *Mutat Res-Fund. Molm.* **552**(1-2): 101-117.
- Smyth, S. A., Lishman, L., Alaee, M., Kleywelt, S., Svoboda, L., Yang, J.-J., Lee, H.-B. and Seto, P. (2007) Sample storage and extraction efficiencies in

- determination of polycyclic and nitro musks in sewage sludge. Chemosphere **67**(2): 267-275.
- Stuer-Lauridsen, F., Birkved, M., Hansen, L. P., C., H. L. H. and Halling-Sorensen, B. (2000) Environmental risk assessment of human pharmaceuticals in Denmark after normal therapeutic use. Chemosphere **40**: 783-793.
- Ternes, A. T., Joss, A. and Siegrist, H. (2004) Scrutinizing pharmaceuticals and personal care products in wastewater treatment. Environ. Sci. Technol. **38**: 393A-398A.
- Ternes, T. A. (1998) Occurrence of drugs in German sewage treatment plants and rivers. Water Res. **32**(11): 3245-3260.
- Ternes, T. A., Bonerz, M., Herrmann, N., Loffler, D., Keller, E., Lacida, B. B. and Alder, A. C. (2005) Determination of pharmaceuticals, iodinated contrast media and musk fragrances in sludge by LC tandem MS and GC/MS. J. Chromatogr. A **1067**(1-2): 213-223.
- Ternes, T. A., Herrmann, N., Bonerz, N., Knacker, T., Siegrist, H. and Joss, A. (2004) A rapid method to measure the solid-water distribution coefficient (Kd) for pharmaceuticals and musk fragrances in sewage sludge. Water Res. **38**: 4075-4084.
- Ternes, T. A., Stüber, J., Herrmann, N., McDowell, D., Ried, A., Kampmann, M. and Teiser, B. (2003) Ozonation: a tool for removal of pharmaceuticals, contrast media and musk fragrances from wastewater? Water Res. **37**: 1976-1982.
- Ternes, T. A., Stumpf, M., Mueller, J., Haberer, K., Wilken, R. D. and Servos, M. (1999) Behavior and occurrence of estrogens in municipal sewage treatment plants- I. Investigations in Germany, Canada and Brazil. Sci. Total Environ. **225**(1-2): 81-90.
- Thomas, K. V. and Hilton, M. J. (2004) The occurrence of selected human pharmaceutical compounds in UK estuaries. Mar. Pollut. Bull. **49**(5-6): 436-444.
- Thomas, P. M. and Foster, G. D. (2004) Determination of nonsteroidal anti-inflammatory drugs, caffeine, and triclosan in wastewater by gas chromatography-mass spectrometry. J. Environ. Sci. Heal. A **39**(8): 1969-1978.
- Trapp, S. (2003) Plant uptake and transport models for neutral and ionic chemicals. Environ. Sci. Pollut. R. **1**: 1-7.
- USEPA (1998). National Primary Drinking Water Regulations: Disinfectants and Disinfection Byproducts; Final Rule. Wednesday, December 16, **63** (241): 69389-69476.
- USEPA (1992). Guidelines for Water Reuse, EPA/625/R-92/004.

- Velayos, G., Turon, C., Comas, J. and Poch, M. (2006). Experience with constructed wetland in Catalonia-State of art. 10th International congress on wetlands systems for waster pollution control, Lisboa.
- Vymazal, J. (2005) Horizontal sub-surface flow and hybrid constructed wetlands systems for wastewater treatment. *Ecol. Eng.* **25**: 478-490.
- Wallace, D. S. and Knight, R. L. (2006). Small-scale constructed wetland treatment systems feasibility, design criteria, and OM requeriments. EUA, WERF and IWA publishing.
- Wang, G.-D., Li, Q-J., Luo, B. and Chen X.-Y. (2004). Ex planta phytoremediation of trichlorophenol and phenolic allelochemicals via an engineered secretory laccase. *Nature Biotechnol.* **22**, 893–897.
- White, G. C. (1999). *Handbook of chlorination and alternative disinfectants*. New York, John Wiley and sons, Inc.
- WHO (1993). *Guidelines for Drinking-Water Quality*; 2nd edition; Vol I. World Health Organization, Geneva.
- WHO (2006). *Guidelines for the safe use of wastewater, excreta and greywater*. Volume 2: Wastewater use in agriculture. Geneva, WHO Press.
- Yoon, Y., Westerhoff, P., Snyder, S. A., Wert, E. C. and Yoon, J. (2007) Removal of endocrine disrupting compounds and pharmaceuticals by nanofiltration and ultrafiltration membranes. *Desalination* **202**(1-3): 16-23.
- Yu, Z., Peldszus, S. and Huck, P. M. (2007) Optimizing gas chromatographic–mass spectrometric analysis of selected pharmaceuticals and endocrine-disrupting substances in water using factorial experimental design. *J. Chromatogr. A* **1148**: 65-77.
- Zoccolillo, L., Amendola, L., Cafaro, C. and Insogna, S. (2005) Improved analysis of volatile halogenated hydrocarbons in water by purge-and-trap with gas chromatography and mass spectrometric detection. *J. Chromatogr. A* **1077**(2): 181-187.
- Zwiener, C. (2006). Trihalomethanes (THMs), haloacetic acids (HAAs) and emerging disinfection by-products in drinking water. *Organic Pollutants in the Water Cycle: Properties, Occurrence, Analysis and Environmental Relevance of Polar Compounds*. T. R. a. M. Jekel. Berlin, Water Chemical Society: 251-286.
- Zwiener, C., Richardson, S. D., De Merini, D. M., Grummt, T., Glauner, T. and Frimmel, F. H. (2007) Drowning in disinfection byproducts? assessing swimming pool water. *Environ. Sci. Technol.* **41**: 363-372.
- Zwiener, C., Seeger, S., Glauner, T. and Frimmel, F. H. (2002) Metabolites from the biodegradation of pharmaceuticals residues of ibuprofen in biofilm reactors and batch experiments. *Anal. Bioanal. Chem.* **372**: 569-575.