
REFERENCES

- Aarre, T. (1992) 'Tensile characteristics of FRC with special emphasis on its applicability in a continuous pavement', Technical University of Denmark, Lyngby, Denmark, Series R, No. 301, 167p.
- Allos, A.E. (1989) 'Shear Transfer in Fibre Reinforced Concrete', in *Fiber Reinforced Cement and Concretes: Recent Developments* (Ed.: R.N. Swamy and B. Barr) Elsevier Applied Science, London. pp. 146-156.
- Al-Taan, S.A. and Al-Feel, J.R. (1990) 'Evaluation of Shear Strength of Fiber-reinforced Concrete Beams', *Cement and Concrete Composites*, Vol. 12, pp. 87-94.
- Balaguru, P. and Dipsia, M.G. (1993) 'Properties of Fiber Reinforced High-Strength Semilightweight Concrete', *ACI Materials Journal*, Vol. 90, pp. 399-405.
- Barr, B. (1987) 'The Fracture Characteristics of FRC Materials in Shear', in *Fiber Reinforced Concrete, Properties and Applications* (Eds.: S.P. Shah and G.B. Batson), ACI, Detroit, USA. pp. 27-53.
- Barr, B., Gettu, R., Al-Oraimi, S.K.A. and Bryars, L.S. (1996) 'Toughness measurement – The need to think again', *Cement and Concrete Composites*, Vol. 18, pp. 281-297.
- Banthia, N., Chokri, K., Ohama, Y. and Mindess, S. (1993) 'Fiber-reinforced cement-based composites under tensile impact', *Advanced Cement Based Materials*, Vol. 1, pp. 131-141.
- Batson, G.B., and Youssef, A.G. (1994) 'Shear Capacity of Fiber Reinforced Concrete Based on Plasticity of Concrete: A Review', in *Fiber Reinforced Concrete: Developments and Innovations, SP-142* (Eds.: J.I. Daniel and S.P. Shah) American Concrete Institute, Detroit, USA. pp. 141-165.
- Benaiche, F., and Barr, B. (1989) 'Fracture Characteristics of High Strength Concrete and FRC Materials', in *Fiber Reinforced Cement and Concretes: Recent Developments* (Eds.: R.N. Swamy and B. Barr) Elsevier Applied Science, London. pp. 411-419.
- Brincker, R., Simonsen, J., and Hansen, W. (1995) 'Some Aspects of Formation of Cracks in FRC with Main Reinforcement', *HPFRCC-95 Workshop*, Department of Building Technology and Structural Engineering, Aalborg University, USA. pp. 1-15.
- Campione, G. and Mindess, S. (1999) 'Fibers as Shear Reinforcement for High Strength Reinforced Concrete Beams Containing Stirrups', *Proceedings International Workshop on High Performance Cement Composites, HPFRCC3*, Mainz, Germany (Eds.: H.W. Reinhardt and A.E. Naaman) RILEM Publications S.A.R.L, Vol. 6, pp. 519-529.

- Carmona, S., Gettu, R., and Aguado, A. (1998) ‘Study of the post-peak behavior of concrete in the splitting-tension test’, *Fracture Mechanics of Concrete Structures* (Eds.: H. Mihashi and K. Rokugo), AEDIFICATIO Publishers, Freiburg, Germany. Vol. 1, pp. 111-120.
- Carpinteri, A., and Massabó, R. (1997) ‘Reversal in Failure Scaling Transition of Fibrous Composites’, *Journal of Engineering Mechanics*, Vol. 123, No. 2, pp. 107-114.
- Casanova, P., and Rossi, P. (1996) ‘Analysis of Metallic Fiber-Reinforced Concrete Beams Submitted to Bending’, *Materials and Structures*, Vol. 29, pp 354-361.
- Casanova, P., and Rossi, P. (1997) ‘Analysis and Design of Steel Fiber Reinforced Concrete Beams’, *ACI Structural Journal*, Vol. 94, No. 5, pp. 595-602.
- Casanova, P., Rossi, P., and Schaller, I. (1997) ‘Can Steel Fibers Replace Transverse Reinforcements in Reinforced Concrete Beams?’, *ACI Materials Journal*, Vol. 94, No. 5, pp. 341-354.
- Cattaneo, S. and Rosati, G. (1999) ‘Effect of Different Boundary Conditions in Direct Tensile Tests: Experimental results’, *Magazine of Concrete Research*, Vol.51, No. 5, pp. 365-374.
- Cho, B-S., El-Shakra, Z.M., and Gopalaratnam, V.S. (1991) ‘Failure of FRC in direct and indirect tensile test configurations’, *Proceedings International Symposium on Fatigue and Fracture in Steel and Concrete Structures, Madras, India* (Eds.: A.G. Madhava Rao and T.V.S.R. Appa Rao), A.A.Balkema, Rotterdam, Vol. 1, pp. 587-601.
- di Prisco, M., Caruso, M.L., and Piatti, S. (1994) ‘On Fiber Role in Dowel Action’, *Studi e Ricerche*, Politecnico di Milano, Italy. Vol. 15, pp.151-194.
- di Prisco, M., and Romero, J.A. (1996) ‘Diagonal Shear in Thin-webbed Reinforced Concrete Beams: Fiber and Stirrup Roles at Shear Collapse’, *Magazine of Concrete Research*, Vol. 48, No. 174, pp. 59-76.
- Dupont, D. and Vandewalle, L. (2000) ‘Shear Capacity of Concrete Beams containing Longitudinal Reinforcement and Steel Fibers’ *Proceedings ACI Fall Convention 2000 SP*, American Concrete Institute, Detroit, USA.
- EFNARC (1993), ‘Specification for sprayed concrete’, European Federation of National Association of Specialist Contractors and Material Suppliers for the Construction Industry, Aldershot, Hampshire, UK.
- Gopalaratnam, V.S., and Shah, S.P. (1987) ‘Tensile failure of steel fiber-reinforced mortar’, *Journal of Engineering Mechanics*, Vol. 113, No. 5, pp. 635-652.

- Groth, P., and Noghabai, K. (1996) 'Fracture mechanics properties of steel fibre-reinforced high-performance concrete' *Proceedings 4th International Symposium on Utilization of High-strength / High-performance Concrete, (BHP'96)*, (Eds.: F. de Larrard and R. Lacroix), Presses de l'ENPC, Paris, France. Vol. 2, pp. 747-756.
- Hordijk D.A., Van Mier, J.G.M. and Reinhardt H.W. (1989) 'Material Properties', in *Fracture Mechanics of Concrete Structures, from theory to applications* (Ed.: L. Elfgen) London, England. pp. 67-127.
- Hordijk D.A. (1991) 'Local Approach to Fatigue of Concrete', *Ph. D. Thesis*, Technical University of Delft.
- Imam, M., Vandewalle, L., and Mortelmans, F. (1994) 'Shear Capacity of Steel Fiber Strength Concrete Beams', *ACI International Conference on High Performance Concrete, Singapore, SP-149*, (Ed.: V.M. Malhotra) American Concrete Institute, Detroit, USA. pp. 227-243.
- Imam, M., and Vandewalle, L. (1996) 'How Efficient are Steel Fibers in High Strength Concrete Beams?', *Proceedings 4th International Symposium on Utilization of High-strength / High-performance Concrete, (BHP'96)*, (Eds.: F. de Larrard and R. Lacroix), Presses de l'ENPC, Paris, France. Vol. 2, pp. 1067-1076.
- Imam, M., Vandewalle, L., Mortelmans, F., and Van Gemert, D. (1997) 'Shear domain of fiber-reinforced high-strength concrete beams', *Engineering Structures Journal*, Vol. 19, No. 9, pp. 738-747.
- Jamet, D., Gettu, R., Gopalaratnam, V.S., and Aguado, A. (1995) 'Toughness of fiber-reinforced high-strength concrete from notched beam tests', in *Testing of Fiber Reinforced Concrete*, (Eds.: D.J. Stevens et al.) American Concrete Institute, Detroit, USA. pp. 23-29.
- Jenq, Y.S. and Shah, S.P. (1985) 'A two parameter fracture model for concrete', *Journal of Engineering Mechanics*, Vol. 111, pp. 1227-1241.
- Li, Z., Li, F., Chang, T.-Y.P., and Mai, Y.-W. (1998) 'Uniaxial tensile behavior of concrete reinforced with randomly distributed short fibers', *ACI Materials Journal*, Vol. 95, No. 5, pp. 564-574.
- Li, V.C., Ward, R., and Hamza, A.M. (1992) 'Steel and Synthetic Fibers as Shear Reinforcement', *ACI Materials Journal*, Vol. 89, No. 5, pp. 499-508.
- Mobasher, B., and Shah, S.P. (1989) 'Test parameters for evaluating toughness of glass-fiber reinforced concrete panels', *ACI Materials Journal*, Vol. 86, No. 5, pp. 448-458.
- Moens, J., and Nemegeer, D. (1991) 'Designing Fiber Reinforced Concrete Based on Toughness Characteristics', *Concrete International*, November, pp. 38-43.

- Petersson, P.-E. (1981) ‘Crack Growth and Development of Fracture Zones in Plain Concrete and Similar Materials’, *Report TVBM – 1006*, Division of Building Materials, Lund Institute of Technology.
- Plizzari, G.A., Cangiano, S., and Cere, N. (2000) ‘Postpeak Behavior of Fiber-Reinforced Concrete under Cyclic Tensile Loads’, *ACI Materials Journal*, Vol. 97, No. 2, pp. 182-192.
- RILEM (2000a) ‘Test and design methods for steel fiber reinforced concrete: Bending test’, RILEM TC 162-TDF Recommendations, *Materials and Structures*, Vol. 33, January-February 2000, pp 3-5.
- RILEM (2000b) ‘Test and design methods for steel fiber reinforced concrete: σ - ϵ Design Method’, RILEM TC 162-TDF Recommendations, *Materials and Structures*, Vol. 33, March 2000, pp 75-81.
- RILEM TC 162 (2001) ‘Test and design methods for steel fibre reinforced concrete: Uniaxial tension test for steel fibre reinforced concrete’, RILEM TC 162-TDF Recommendations, *Materials and Structures*, Vol. 34, No. 235, pp. 3-6.
- Rossi, P. (1995) ‘Les Betons de Fibres Métalliques’, Final report, Betons de Fibres Métalliques, éléments de structure fonctionnant comme des poutres, AFREM.
- Rossi, P. (1997) ‘High performance multimodal fiber reinforced cement composites (HPMF RCC): The LCPC experience’, *ACI Materials Journal*, Vol. 94, No. 6, pp. 478-483.
- Rossi, P., Renvez, S. and Guerrier, F. (1996) ‘Les bétons fibrés à ultra-hautes performances: L’expérience actuelle du LCPC’, *Bulletin des laboratoires des Ponts et Chaussées*, Vol. 204, pp. 87-95.
- Saldivar Moguel, H., ‘Flexural Toughness Characterization of Steel Fiber Reinforced Concrete – Study of Experimental Methodologies and Size Effects’, *Doctoral Thesis*, Universitat Politècnica de Catalunya, Barcelona, Spain, 1999.
- SCA (1995) ‘Steel Fiber Concrete - Recommandations for construction, placing and testing’, *Report 4*, Swedish Concrete Association, Stockholm, Sweden.
- Stang, H., and Aare, T. (1992) ‘Evaluation of Crack Width in FRC with Conventional Reinforcement’, *Cement and Concrete Composites Journal*, Vol. 14, No. 2, pp. 143-154.
- Stang, H., Li, V.C., and Krenchel, H. (1995) ‘Design and Structural Applications of Stress-Crack Width Relations in Fiber Reinforced Concrete’, *Materials and Structures*, Vol. 28, pp. 210-219.
- Stang, H. and Bendixen S. (1998) ‘A simple model for uniaxial testing of fiber reinforced concrete’ in *Experimental Mechanics, Advances in Design, Testing and Analysis* (Ed.: I. M. Allison) AA. Balkema, Rotterdam, Brookfield. pp. 887-892.

- Stang, H., Gettu, R. and Barr, B. (2000) 'Test Methods for the Characterization of Steel Fiber Reinforced Concrete: A State -of- the Art Report', Brite-Euram Project BRPR-CT98-0813. <http://www.bkm.dtu.dk/~hs/TestdesignSFRC/Report11.pdf>
- Stang, H., and Olesen, J.F. (1999) 'Design Basis for FRC Structures', *CtO-DTI-UBF Information Day*, Danish Technological Institute, 12 p.
- Swamy R., Jones, R. and Chiam, T., in 'Fiber Reinforced Concrete, Properties and Applications' (Eds.: S.P. Shah and G.B. Batson) ACI, Detroit, USA, 1987, 565-593.
- Valle, M., and Büyüköztürk, O. (1993) 'Behavior of Fiber Reinforced High-Strength Concrete under Direct Shear', *ACI Materials Journal*, Vol. 90, pp 122-133.
- van Mier, J.G.M., Schlangen, E. and Vervuurt, A. (1996) 'Tensile Cracking in Concrete and Sandstone: Part 2 - Effect of Boundary Rotations', *Materials and Structures*, Vol. 29, No. 186, pp. 87-96.
- Walraven, J., and Stroband, J., 'Shear Friction in High Strength Concrete' (1994) *ACI International Conference on High Performance Concrete, Singapore, SP-149*, (Ed.: V.M. Malhotra) American Concrete Institute, Detroit, USA. pp. 311-330.
- Wang, Y., Li, V.C., and Backer, S. (1990) 'Experimental determination of tensile behavior of fiber reinforced concrete', *ACI Materials Journal*, Vol. 87, No. 5, pp. 461-468.
- Wecharatana, M. (1990) 'Brittleness index of cementitious composites', in *Serviceability and Durability of Construction Materials*, (Ed.: B.A. Suprenant) American Society of Civil Engineers, New York, USA. pp. 966-975.
- Zhang, J., and Stang, H. (1998) 'Applications of Stress Crack Width Relationship in Predicting the Flexural Behavior of Fiber-Reinforced Concrete', *Cement and Concrete Research*, Vol. 28, No. 3, pp. 439-452.