
BIBLIOGRAFÍA

- ADV. (2000). *Control fitosanitari dut a terme en diferents explotacions en cultiu de tomàquet sota hivernacle*. Associació Defensa Vegetals Baix Maresme.
- ADV. (2001). *Dosi recomenada de reg i fertilitzants per cultiu de tomàquet en sòl sota hivernacle*. Associació Defensa Vegetals Alt Maresme.
- AGA. (2002). *Avaluació ambiental de diferents estratègies per a la gestió dels residus municipals ordinaris (RMO)*. Grup AGA-Centre d'Innovació SIMPPLE-STQ-URV i Junta de Residus (Departament de Medi Ambient).
- Alonso, E. (2002). *Eficàcia del parasitoide *Diglyphus isaea* Walker (Hymenoptera: Eulophidae) en el control de *Liriomyza* spp. (Diptera: Agromyzidae) en cultius hortícoles*. TFC. Eng. Química, Agrària i Tec. Agroalimentària. Producció Vegetal. Universitat de Girona. Escola Politècnica Superior.
- Antón, A., Montero, J.I., Muñoz, P. (2002). Necesidades de agua del cultivo de tomate en invernadero. Comparación con el cultivo al aire libre. En: Guijarro, JA., Grimalt, M., Laita Ruiz, M., Alonso, S. (Eds) *El Agua y el Clima*. Publicaciones de la Asociación Española de Climatología Serie A, nº 3. pp: 369-374. (ISBN: 84-7632-757-9).
- Antón, A.; Castells, F.; Montero, J.I. ; Muñoz, P. (2003). Identification of the most significant substances in LCA of Mediterranean Greenhouse Horticulture. En: *4th International Conference: LCA in the agri-food sector*, Halberg, N. y Weidema, B. (Ed). Horsens, Denmark. Danish Institute of Agricultural Sciences..
- Antón, A., Montero, J., Muñoz, P., Castells, F. (2004). Quantification of the environmental impact by means of the life cycle assessment in relation with water use in greenhouse. En: *HORTIMED. Sustainable water use in protected mediterranean horticulture*. Fernández, M., Lorenzo, P. y Cuadrado, I. (Ed). Almería. Spain. DGIFA, HORTIMED, FIAPA & CAJAMAR. (en prensa).
- Arnó, J. (1997). *Bases biològiques per al disseny d'un programa de control integrat de plagues en tomaqueres de tardor-hivern sota plàstic*. Tesis doctoral. Universitat de Lleida.
- Audsley, E. (1997). *Harmonisation of Environmental Life Cycle Assessment*. European Commission DG VI Agriculture. Final Report Concerted action AIR3-CT94-2028. 139 pp.
- Bailey, B.J., Montero, J.I., Biel, C., Wilkinson, D., Antón, A. (1993). Transpiration of *Ficus benjamina*: comparasion of measurements with predictions of the Penman-Monteith model and a simplified version. *Agricultural and forest Meteorology*. 65: 229-243.
- Bailey, A.P., Rehman, T., Park, J., Keatinge, J.D.H., Tranter, R.B. (1999). Towards a method for the economic evaluation of environmental indicators for UK integrated arable farming systems. *Agricultural, Ecosystems and Environment*. 72: 145-158.
- Baille, M., Baille, A., Delmon, D. (1994). Microclimate and transpiration of greenhouse rose crops. *Agricultural and Forest Meteorology*. 71: 1-2.83-97.
- Barthlott, W., Biedinger, N., Braun, G., Feig, F., Kier, G., Mutke, J. (1999). Terminological and methodological aspects of the mapping and analysis of global biodiversity. *Acta Botanica Fennica*. 162: 103-110.
- Beltran, J., Morell, I., Hernández, F. (1995). Evolución de plaguicidas a través de la zona no saturada. En: *Avances en la investigación en la zona no saturada*. Jaurilaritza, E. (Ed). Vitoria-Gasteiz. Servicio Central de Publicaciones del Gobierno Vasco. 245-256.
- Benoit, F. (1990). *Economic aspects of ecologically sound soilles growing methods*. Tech. Comm. Eur. Veg. R&D Centre. Sint Katelijne Waver. 24 pp.

- Bentrup, F., Küsters, J. (2000). Methods to estimate to potential N emissions related to crop production. En: *Agricultural data for life cycle assessments*, Weidema, B. y Meeusen, M. eds. The Hague. 133-151.
- Blaney, H.F., Criddle, W.D. (1950). *Determining water requirements in irrigated areas from climatological and irrigation data*.
- Blonk, H., Lindeijer, E., Broers, J. (1997). Towards a methodology for taking physical degradation of ecosystems into account in LCA. *International Journal of Life Cycle Assessment*. 2 (2): 91-98.
- Boixadera, J., Cortés, A. (1999). A manera d'introducció: nitrats, aigua i agricultura, un problema modern d'ús del sol. En: *Problemes moderns en l'ús dels sòls: nitrats*, Agraris, I.C.d.E. (Ed). Barcelona. Institució Catalana d'Estudis Agraris. 5: 7-11.
- Braschkat, J., Patyk, A., Quirin, M., Reinhardt, G.A. (2003). Life cycle assessment of bread production - a comparison of eight different scenarios. En: *4th International Conference on Life Cycle Assessment in the Agri-food*. Halberg, N. y Weidema, B. (Ed). Horsens, Denmark. Danish Institute of Agricultural Sciences.
- Briassoulis, D., Waaijenberg, D., Gratraud, B., von Eslnar, B. (1997). Properties of covering materials for Greenhouses: Part 1, General overview. *Journal of Agricultural Engineering Research*. 67: 81-96.
- Bruckler, L., Cockborne, A.M., Renault, P., Claudot, B. (1997). Spatial and temporal variability of nitrate in irrigated salad crops. *Irrigation Science*. 17: 53-61.
- Bucher, J., Chelkova, N., van der Ende, J.P., van der Hulst, P., Fernández Soler, M., Szarvas, G., Vrbensky, R. (1996). *Tomato North-South: Recommendations for the improvement of environmental quality of tomato production using different environmental labels*. Centre of Environmental Science, Leiden University. Leiden. xxxi+96+31
- BUWAL. (1998). *Bewertung in Ökobilanzen mit der Methode der Ökologischen Knappheit. Ökofaktoren 1997*. Schriftenreihe Umwelt. N° 297. Bern, Switzerland.
- Calatrava. (2000). Productivity and cultivation cost analysis in plastic covered horticulture: results from a paneled sample of greenhouses at the Nijar (Almería) area. En: *International Symposium on Protected Cultivation in mild winter climates: current trends for sustainable technologies*. ISHS. Cartagena-Almería.
- Castells, F., Aelion, V., Abeliotis, K.G., Petrides, D.P. (1995). An algorithm for life cycle inventory. En: *Series on Pollution Prevention via process and product Modifications*. Symposium, A. (Ed). 90 (303): 151-160.
- Castilla, N. (1986). *Contribución al estudio de los cultivos enarenados en Almería. Necesidades hídricas y extracción de nutrientes del cultivo de tomate de crecimiento indeterminado en abrigo de polietileno*. Caja Rural Provincial.
- CCM. (2001). Consell Comarcal del Maresme. 2001. <<http://www.ccmarsme.es/>> (08/05/2001)
- Cederberg, C., Mattson, B. (1998). Life cycle assessment of swedish milk production- A comparison of conventional and organic farming. En: *International Conference on Life Cycle Assessment in Agriculture, Agro-industry and Forestry*, Ceuterick, D. (Ed). Brussel, Belgium. VITO mol. 149-159.
- CML, C.o.E.S. (1992). *Environmental life cycle assessment of products. Guide and Backgrounds*. Leiden University, The Netherlands.
- Coscolla, R. (1993). *Residuos de plaguicidas en alimentos vegetales*. Ediciones Mundi-Prensa.
- Cowell, S.J., Clift, R. (1997). Impact assessment for LCAs [Life Cycle Assessments] involving agricultural production. *International Journal of Life Cycle Assessment*. 2: 99-103.

- Cowell, S.J. (1998). *Environmental Life Cycle Assessment of Agricultural Systems: Integration Into Decision-Making*. Ph. D. thesis. Centre for Environmental Strategy. University of Surrey. Guildford.
- Cowell, S., Clift, R. (2000a). A methodology for assessing soil quantity and quality in life cycle assessment. *Journal of Cleaner Production*. 8: 321-331.
- Cowell, S., J, Lindeijer, E. (2000b). Impacts on ecosystems due to land use: biodiversity, life support, and soil quality in life Cycle Assessment. En: *Agricultural data for life cycle assessments*, Weidema, B. y Meeusen, M. (Ed). The Haugue. Agricultural Economics Research Institute. 2: 80-87.
- Dalrymple, D.G. (1973). Controlled environment agriculture: A global review of greenhouse food production. *Econ. Res. Serv., USDA Foreign Agr. Econ. Rpt.* 89.
- DARP. (1998). *Estadístiques Agràries i Pesqueres de Catalunya*. Departament d'Agricultura, Ramaderia i Pesca. Generalitat de Catalunya. 285 pp
- DARP. (2001). Fitxes de nous productes fitosanitaris. Departament d'Agricultura Ramaderia i Pesca. Generalitat de Catalunya. <<http://www.gencat.es/darp/fitprod.htm>>
- DARP. (2003). *Norma tècnica per a la producció integrada del tomàquet*. Departament d'Agricultura Ramaderia i Pesca. Generalitat de Catalunya.
- Davis, J., Haglund, C. (1999). *Life Cycle Inventory (LCI) of Fertiliser Production*. Department of Chemical Environmental Science Chalmers University of Technology. SIK Report. N° 654. 1-112.
- Directive 91/676/EEC. (1991). *Directive 91/676/EEC on nitrates from agricultural sources*.
- Directive 98/83/CE. (1998). *Directiva 98/83/CE del Consejo Europeo relativa a la calidad de las aguas destinadas al consumo humano*.
- DOGC. (2000). *Decret 205/2000 d'aprovació del programa de mesures agronòmiques aplicables a les zones vulnerables en relació amb la contaminació de nitrats procedents de fonts agràries*.
- Dushoff, J., Caldwell, B., Mohler, C.L. (1994). Evaluating the Environmental Effect of Pesticides: A Critique of the Environmental Impact Quotient. *American Entomologist*. 180-184.
- Ecobilan. (1999). *TEAM. Tools for Environmental Analysis and Management*. Ecobilan group. www.ecobilan.com
- ECON (2000). *Environmental Costs from solid waste management*.
- Egea González, F.J. (1999). *Evaluación de la exposición de agricultores y población circundante a plaguicidas organoclorados*. Tesis doctoral. Facultad Ciencias Experimentales. Universidad de Almería. Almería.
- EPA. (2001). Pesticides. United States Environmental Protection Agency. <<http://www.epa.gov/ebtpages/pesticides.html>> (28/12/2001)
- Esser, P., Voet, E.v.d., van der Voet, E. (1998). *Proposal for a method aiming at the quantification of the impact of wood extraction in life cycle assessment*. Document International Research Group on Wood Preservation. 15 pp.
- EXTOXNET. (2001). The EXtension TOXicology NETwork. University of California, Davis, Oregon State University, Michigan State University, Cornell University, and the University of Idaho. <<http://ace.orst.edu/info/extoxnet/>> (23/11/2001)
- FAO. (1990). *Protected cultivation in the Mediterranean Climate*. Food and Agriculture organization of the United Nations. Rome.

- FAO. (2002). Faostat. Agricultural data. Food and Agriculture organization of the United Nations. <<http://apps.fao.org/page/collections?subset=agriculture>> (16/06/2003)
- Fava, J., Consoli, F., Denison, R., Dickson, K., Mohin, T., Vigon, B. (1993). *A conceptual Framework for life-cycle impact assessment*. SETAC. Pensacola. citado en Heijungs y col 1997
- Font, X., Caceres, M., Quadrada, R. (1999). Banc de dades de Biodiversitat. Departament Medi Ambient. Universitat de Barcelona. <<http://Biodiver.bio.ub.es/biocat/homepage.html>> (05/2003)
- Geier, U., Köpke, U. (1998). Comparison of Conventional and Organic Farming by Process-Life Cycle Assessment. A case study of Agriculture in Hamburg. En: *International Conference on Life Cycle Assessment in Agriculture, Agro-Industry and Forestry*, Ceuterik, D. (Ed). Brussels, Belgium. VITO, Mol. 31-38.
- GLO-PEM. (2000). Global Production Efficiency Model. Annual Global NPP. Laboratory for Global Remote Sensing Studies. 2002. <http://www.geog.umd.edu/glopem/npp_gallery/annual_global_npp.htm> (06/2003)
- Goedkoop, M., Demmers, M., Collignon, M. (1995). *The Eco-indicator 95, Manual for Designers*. NOH. report 9524. Amersfoort. 26 pp
- Goedkoop, M., Spriensma, R. (2000). *The Eco-Indicator 99. A damage oriented method for Life Cycle Impact Assessment*. PRé Consultants B.V. Amersfoort. 132 pp.
- Gracia, C., Burriel, J., Mata, T., Vayreda, J. (2000). Inventari Ecològica i Forestal de Catalunya. Centre de Recerca Ecològica i Aplicació Forestals. Departament de Medi Ambient. <<http://www.creaf.uab.es/iefc/>>
- Green, M.B. (1987). Energy in pesticide manufacture, distribution and use. En: *Energy in plant nutrition and pest control*, Helsel, Z.R. (Ed). Chapter 7: 165-177.
- Guimerà, J., Marfà, O., Candela, L., Serrano, L. (1995). Nitrate leaching and strawberry production under. *Agriculture Ecosystems and Environment*. 56: 121-135.
- Guinée, J., Heijungs, R. (1995). A proposal for the definition of resource equivalency factors for use in product life-cycle-assessment. *Environment Toxicology Chemic*. 14 (5): 917-925.
- Guinée, J.B., Heijungs, R., Oers, L.v., Sleswijk, A.W., Meent, D.v.d., Vermeire, T., Rikken, M., Van Oers, L., Van de Meent, D. (1996). Uniform system for the evaluation of substances. *International Journal of Life Cycle Assessment*. 1: 133-138.
- Guinée, J.B., Gorrée, M., Heijungs, R., Huppes, G., R., K., de Koning, A., Wegener Sleswijk A., Suh, S., Udo de Haes, H., Bruijn, H., Duin, R.v., Huijbregts, M.A.J. (2002). *Handbook on life cycle assessment. Operational guide to the ISO standards*. Dordrecht, The Netherlands. Kluwer.
- Hansson, P.A., Mattsson, B. (1999). Influence of derived operation-specific tractor emission data on results from an LCI on wheat production. *International Journal of Life Cycle Assessment*. 4: 202-211.
- Haug, R. (1993). *The practical handbook of compost engineering*. Boca Raton, Florida. Lewis Publishers.
- Hauschild, M. (1994). Characterisation of Product Specific Toxicity in Life-Cycle Assessment. En: *Integrating Impact Assessment into LCA*. Udo de Haes, H.A., Jensen, A.A., Klöpffer, W. y Lindfors, L.-G. (Ed). The Free University, Brussels, Belgium. Society of Environmental Toxicology and Chemistry - Europe. 75-82.
- Hauschild, M., Wenzel, H. (1998). *Environmental Assessment of products*. London. Chapman and Hall.

-
- Hauschild, M. (2000). Estimating pesticide emissions for LCA of agricultural products. En: *Agricultural data for life cycle assessments*, Weidema, B. y Meeusen, M. (Ed). The Hague. Agricultural Economics Research Institute. 2: 64-79.
- Heijungs, R., Guinée, J.B., Huppes, G., Lankreijer, R.M., Ansems, A.A.M., Eggels, P.G., van Duin, R., de Goede, H.P. (1992). *Environmental Life Cycle Assessment of Products - Guide and Backgrounds*. Centre of Environmental Science (CML). Leiden.
- Heijungs, R., Guinée, J., Huppes, G. (1997). *Impact Categories for Natural Resources and Land Use*. Leiden University. CML report 138. Leiden. 40 pp.
- Hertwich, E.G., Mateles, S.F., Pease, W.S., McKone, T.E. (2001). Human Toxicity Potentials for Life-Cycle Assessment and Toxics release Inventory Risk Screening. *Environmental Toxicology and Chemistry*. 20 (4): 928-939.
- Hertwich, E. (2002). Epilog to "The Areas of Protection in Life Cycle Impact Assessment". *Global LCA Village*. March 2002: 1-2.
- Higham, R.K., Todd, J.J. (1998). Life-cycle assessment and its relevance to Australian forestry and wood product industries. *Australian Forestry*. 61: 65-69.
- Higley, L.G. (1992). A Novel Approach to Environmental Risk Assessment of pesticides as a Basis for Incorporating Environmental Costs into Economic Injury Levels. *American Entomologist*. Spring 1992: 34- 39.
- Hofstetter, P. (1998). *Perspectives in Life Cycle Impact Assessment a Structured Approach to combine Models for the Technosphere Ecosphere and Valuesphere*. Boston. Kluwer Academic Publishers. 504 pp.
- Hogan, L., Beal, R., Hunt, R. (1996). Threshold inventory interpretation methodology: a case study of three juice container systems. *International Journal of Life Cycle Assessment*. 1(3): 159-167.
- Hospido, A., Moreira, M.T., Feijoo, G. (2003). Life Cycle inventory of the Galician dairy sector. En: *4th International Conference on: Life Cycle Assessment in the Agri-food*. Halberg, N. y Weidema, B. (Ed). Horsens, Denmark. Danish Institute of Agricultural Sciences.
- Huijbregts, M.A.J. (1999a). *Ecotoxicological effect factors for the terrestrial environment in the frame of LCA*. Interfaculty Department of Environmental Science, Faculty of Environmental Sciences, University of Amsterdam. Amsterdam. 17 pp.
- Huijbregts, M.A.J. (1999b). *Priority Assessment of Toxic Substances in the frame of LCA. Development and application of the multi-media fate, exposure and effect model USES-LCA*. Interfaculty Department of Environmental Science, Faculty of Environmental Sciences, University of Amsterdam. Amsterdam. 68 pp.
- Huijbregts, M.A.J., Thissen, U., Guinée, J.B., Jager, T., Kalf, D., Meent, D.v.d., Ragas, A.M.J., Wegener Sleeswijk, A., Reijnders, L. (2000). Priority assessment of toxic substances in life cycle assessment. Part I: calculation of toxicity potentials for 181 substances with the nested multi-media fate, exposure and effects model USES-LCA. *Chemosphere*. 41: 541-573.
- Huijbregts, M.A.J. (2001). *Uncertainty and variability in environmental life-cycle assessment*. Ph.D. thesis. Interfaculty Department of Environmental Science. Faculty of Science. Universiteit van Amsterdam. Amsterdam. 192 pp.
- IPCC. (1997). *Intergovernmental Panel on Climate Change, Guidelines for national greenhouse gas inventories*. OECD. Paris.
- IPCC. (2001). *Intergovernmental Panel on Climate Change, Climate Change 2001: The Scientific Basis*. Cambridge University Press. Cambridge.
-

- ISO-14040. (1997). *Environmental management-Life cycle assessment-Principles and framework*. International Organisation for Standardisation ISO. International standard. 14040. Geneva.
- ISO-14041. (1998). *Environmental management-Life cycle assessment-Goal and scope definition and inventory analysis*. International Organisation for Standardisation ISO. International Standard. 14041. Geneva.
- ISO-14042. (2000). *Environmental management-Life cycle assessment-Life cycle impact assessment*. International Organisation for Standardisation ISO. International Standard. 14042. Geneva.
- ISO-14043. (2000). *Environmental management-Life cycle assessment-Life cycle interpretation*. International Organisation for Standardisation ISO. International Standard. 14043. Geneva.
- ISO-14047. (2002). *Illustrative examples on how to apply ISO 14042-Life cycle assessment-Life cycle impact assessment*. International Organisation for Standardisation ISO. Technical report. 14047. Geneva.
- ISO-14048. (2002). *ISO/TS 14048 Environmental management – Life cycle assessment - Data documentation format*. International Organisation for Standardisation ISO. 14048. Geneva.
- ISO-14049. (1998). *Illustrative examples on how to apply ISO 14041-Life cycle assessment-Goal and scope definition and inventory analysis*. International Organisation for Standardisation ISO. Technical report. 14049. Geneva.
- Jensen, M.H., Collins, W.J. (1985). Hydroponic vegetable production. *Hort. Rev.* 7: 483-558.
- Jolliet, O. (1993). Bilan écologique de la production de tomates en serre. *Revue S. Vitic. Arboric. Hortic.* 25 (4): 261-267.
- Jolliet, O., Crettaz, P. (1996). Critical Surface-time 95, a Life Cycle Assessment methodology, including Exposure and Fate. En: *Workshop of the EU concerted action on harmonisation of Life Cycle Assessment in Agriculture*. EPFL-HYDRAM (Ed). Lyngby, DK. Paper 4/95:
- Jolliet, O. (1998). Life cycle impact assessment of pesticides on human health and ecosystems. En: *Life cycle assessment in agriculture, agro-industry and forestry*, (Ed). Helsinki, Finland. VITO, mol. 109-119.
- Jungbluth, N. (2000). *Umweltfogen des Nahrungsmittelkonsums: Beurteilung von Produktmerkmalen auf Grundlage einer modularen Ökobilanz*. Eidgenössische Technische Hochschule. Zürich. 317 pp.
- Jungbluth, N., Tietje, O., Scholz, R.W. (2000). Food Purchases: Impacts from the Consumers' Point of View Investigated with a Modular LCA. *International Journal of Life Cycle Assessment*. 5: 134-142.
- Jungbluth, N., Frischknecht, R. (2003). Land occupation and transformation in life cycle inventories. En: *4th International Conference on Life Cycle Assessment in the Agri-food*. Halberg, N. y Weidema, B. (Ed). Horsens, Denmark. Danish Institute of Agricultural Sciences.
- Kelly, T.C., Lu, Y., Taesdale, J. (1996). Economic-environmental tradeoffs among alternative crop rotations. *Agriculture, Ecosystems and Environment*. 60: 17-28.
- Köllner, T. (2000). Species-pool effect potential (SPEP) as yardstick to evaluate land-use impacts on biodiversity. *Journal of Cleaner Production*. 8: 293-311.
- Köllner, T. (2001). *Land Use in Product Life Cycles and its Consequences for Ecosystem Quality*. Ph. D. Thesis. Universität St. Gallen. Switzerland.
- Kovach, J., Petzoldt, C., Degni, J., Tette, J. (1992). A method to measure the environmental effect of pesticides. *N.Y. Food Life Science Bulletin*. 139

- Koudijs, E., Dutilh, C.E. (1998). Aquatic Ecotoxicity for Common Crop Protection Aids. ECA-Equivalency factors for 65 frequently used herbicides and pesticides. *International Journal of Life Cycle Assessment*. 3 (4): 200-202.
- Lindeijer, E., Meeusen, M. (1998a). A data conversion tool for environmental life cycle assessment for food. En: *International conference on life cycle assessment in agriculture , agro-industry and forestry*, Ceuterick, D. (Ed). Brussel, Belgium. VITO mol. 149-159.
- Lindeijer, E., van Kampen, M., Fraanje, P., van Dobben, H., Nabuurs, G., Schouwenberg, E., Prins, D., Dankers, N. (1998b). *Biodiversity and life support indicators for land use impacts in LCA*. IVAM ER, IBNDLO, RWS, DWW. Amsterdam.
- Lindeijer, E. (2000a). Biodiversity and life support impacts of land use in LCA. *Journal of Cleaner Production*. 8: 313-319.
- Lindeijer, E. (2000b). Review of land use impact methodologies. *Journal of Cleaner Production*. 8: 273-281.
- Lindeijer, E., van der Voet, E., Kok, I., Eggels, P., Alferts, A. (2002). *Testing a land use methodology for LCA, including case studies on bricks, concrete and wood*. RWS-DWW report.
- Leonard, R.A., Knisel, W.G., Still, D.A. (1987). GLEAMS: Groundwater Loading Effects of Agricultural Management Systems. *Transactions of ASAE*. 30 (5): 1403-1418.
- Linders, J.B.H.J., Jansma, J.W., Mensink, B.J.W.G., Otermann, K. (1994). *Pesticides: benefaction or Pandora's Box? A synopsis of the environmental aspects of 243 pesticides*. Natinal Institute of Public Health and Environmental Protection. Report. N° 679101014. Bilthoven. 192 pp
- López, J.C., Pérez, J., Montero, J.I., Antón, A. (2000). Air infiltration rate of Almería "Parral-Type" greenhouses. En: *protected cultivation in mild winter climates:current trends for sustainable technologies*. Fernández, J.A., Martínez, P.F. y Castilla, N. (Ed). Almería, Spain. ISHC. 559: 229-231.
- Lorenzo, P., Medrano, E., Gracia, M. (1993). Irrigation management in perlite. *Acta Horticulturae*. 335: 429-434.
- Lorenzo, P., Medrano, E., Sanchez Guerrero, M.C., Muñoz Carpena, R. (1996). Greenhouse crop transpiration: an implement to soilless irrigation management. 113-119. En: *International symposium on water quality and quantity in greenhouse horticulture*. Muñoz Carpena, R. ISHS. Acta Horticulturae. Tenerife, Canary Islands, Spain
- Lorenzo, P., Sanchez-Guerrero, M.C., Medrano, E., Escobar, I., Garcia, M. (1997). Gestión del clima en la horticultura intensiva del sur mediterráneo. *Horticultura*. 119: 80-83.
- Mackay, D., Shiu, W.-Y., Ma, K.-C. (1992). *Illustrated Handbook of Physical-Chemical Properties and Environmental Fate for Organic Chemicals*. Boca Ratón. Lewis Publishers.
- MAPA. (2001). *Anuario de Estadística Agroalimentaria*. Ministerio de Agricultura, Pesca y Alimentación. 691 pp.
- Marfà, O., Biel, C., Blanch, F., Montero, J.I. (1999). Water consumption of a closed soilless culture of gerbera. Usefulness of a simplified model to estimate evapotranspiration. En: *Agritech '99: International workshop on cooling sustemsfor greenhouses and International course on greenhouse technology*. Tel-Aviv (Israel).
- Marfà, O. (2000). *Recirculación en cultivos sin suelo*. Ediciones de Horticultura , S.L. Reus. 177 p.
- Margni, M., Jolliet, O., Rossier, D., Crettaz, P. (2002). Life cycle impact assessment of pesticides on human health and ecosystems. *Agriculture Ecosystems and Environment*. AGEE 93: 379-392.

- Martínez, P.F. (1999). An overview of the Southern European Greenhouse Industry. En: *21st Annual Canadian Greenhouse Conference*. University of Guelph.
- Matallana, A., Montero, J. (1995). *Invernaderos. Diseño, construcción y climatización*. Ediciones Mundi-Prensa.
- Mateo Box, J.M. (1996). *Manual de Prácticas y actuaciones agroambientales*. Editorial Agrícola Española, S.A. y Ediciones Mundi-Prensa. Madrid. 310.
- Mattsson, B., Cederberg, C., Blix, L. (2000). Agricultural land use in life cycle assessment (LCA): case studies of three vegetable oil crops. *Journal of Cleaner Production*. 2000: 283-292.
- Medrano Cortés, E. (2002). Técnicas de gestión de riego en cultivo sin suelo. En: *Tecnología de invernaderos*, Cámara Zapata, J.yRocamora Osorio, M.eds. Alicante.
- Meent, D.v.d. (1993). *Simplebox: a generic multimedia fate evaluation model*. RIVM. Report. N° 672720001. Bilthoven.
- Metcalf, R.L. (1975). Insecticides in pest management. En: *Introduction to insect pest management*, Metcalf, R.L. y Luckman, W.H. (Ed). New York. Wiley. 235-273.
- Milà, L. (2003). *Contributions to Life Cycle Analysis for Agricultural Systems. Site-dependency and soil degradation impact assessment*. Tesis doctoral. Facultat de Ciències. Universitat Autònoma. Bellaterra.
- Monteith, J.L.,Unsworth, M.H. (1990). *Principles of Environmental Physics*. 2nd Edition. Edward Arnold. London. 291.
- Montero, J.I. (1997). Els hivernacles del Maresme: una reflexió. *Catalunya Riral i Agrària*. 39: 36-39.
- Montero, J.I., Antón, A., Muñoz, P.,Lorenzo, P. (2001). Transpiration from Geranium grown under high levels of temperature and humidity in greenhouse. *Agricultural and Forest Meteorolgy*. 107: 323-332.
- Montero, J.I.,Antón, A. (2002). Greenhouse Characteristics and Microclimatic Conditions. En: *International ISHS Symposium on Product and process innovation for protected cultivation in mild winter climate*. Acta Horticulturae. Ragusa, Italy
- Müller-Wenk, R. (1997). *Safeguard subjects and damage functions as core elements of life-cycle impact assessment*. IWÖ. St. Gallen.
- Nienhuis, J.K., Vreede, P.J.A.d., De Vreede, P.J.A., Brumfield, R.G. (1996). Utility of the environmental life cycle assessment method in horticulture. En: *Proceedings of the XIIIth International Symposium on Horticultural Economics, Rutgers*. (Ed). New Brunswick, New Jersey, USA. No. 429: 531-538.
- Olsson, P. (1999). *Final Document LCAnet Food*. 25 pp
- OMNIITOX. (2001-2004). *Operational models and information tools for industrial applications of eco/toxicological impact assessments*. European Poject.
- Orozco Gálvez, R. (1995). *Propiedades físicas e hidrológicas de perlitas utilizadas para cultivos sin suelo. Su implicación con las relaciones substrato-agua-planta y con el riego de cultivos hortícolas*. Departament de media Ambient i Ciència del Sòl. Escola Tècnica Superior d'Enginyeria Agrària. Lleida.
- Papaseit, P., Badiola, J., Armengol, E. (1997). *Los plásticos y la agricultura*. Ediciones de Horticultura, S.L. 204 pp.
- Pardossi, A. (2002). *Sustainable water use in protected mediterranean horticulture. ICA3-1999-10027 - HORTIMED*. European Commission.

- Penman, H.L. (1948). Natural evaporation from open water, bare soil and grass. *Royal Society London Proceedings*. A,193: 120-146.
- Pérez Parra, J., López, J.C., Fernández, M.D. (2002). La agricultura del Sureste: situación actual y tendencias de las estructuras de producción en la horticultura almeriense. En: *La Agricultura Mediterránea en el siglo XXI*, García Álvarez-Coque, J.M.c._ed Almería.
- Peters, J., García Quijano, J., Contén, T., Van Wyk, G., Holden, N.M., Ward, S.M., Muys, B. (2003). A new land use impact assessment method for LCA: theoretical fundamentals and field validation. En: *4th International Conference on Life Cycle Assessment in the Agri-food*. Halberg, N. y Weidema, B. (Ed). Horsens, Denmark. Danish Institute of Agricultural Sciences.
- Pimentel, D. (1980). *Handbook of energy utilization in agriculture*. CRC Press. 475.
- Potting, J., Hauschild, M. (1997). The linear nature of environmental impact from emissions in life-cycle assessment. *International Journal of Life Cycle Assessment*. 2 (3): 171-177.
- Pozo Vives, C. (2002). *Optimització de la cria comercial de Macrolophus caliginosus Wagner*. TFC. Enginyeria Química, Agrària i Tecnologia Agroalimentària. Producció Vegetal. Universitat de Girona. Escola politècnica Superior.
- PRéConsultants. (2003). *SimaPro 5.1*. Amersfoort. The Netherlands. www.pre.nl
- Ren, X. (2003). Biodegradable plastics: a solution or a challenge? *Journal of Cleaner Production*. 11: 27-40.
- Richter, K., Gugerli, H. (1996). Wood and timber derived products in comparative life cycle assessment studies. *Holz als Roh und Werkstoff*. 54: 225-231.
- RIVM, VROM, VWS. (1998). *Uniform System for the Evaluation of Substances 2.0 (USES 2.0)*. National Institute of Public Health and the Environment (RIVM), Ministry of Housing, Spatial Planning and the Environment (VROM), Ministry of Health, Welfare and Sport (VWS). RIVM report. nº 679102044.
- Rodríguez Murillo, J.C. (1994). Consumo energético e impacto ambiental en el transporte de productos agrícolas. En: *Prácticas ecológicas para una agricultura de calidad. I Congreso de la Sociedad Española d Agricultura Ecológica*. (Ed). Toledo. 495-505.
- Rovira, S. (1997). *Composició de l'extracte aquos d'un sòl adobat amb residus orgànics*. TFC. Escola Superior d'Agricultura de Barcelona.
- Sas, H.E. (1996). *Onttrekking van biotische grondstoffen: ontwikkeling van een methodiek voor inpassing in LCA's. Met case studies voot 'hout' en 'vis'*. VROM Publikatiereeks produktenbeleid. 's-Gravenhage.
- Schläpfer, F., Schmid, B., Seidl, I. (1999). *Expert estimates about effects of biodiversity on ecosystems processes and services*. OIKOS. 84. 346-352. citado en Köllner (2000)
- Smith, J. (1995). *Agriculture et environnement en Europe*. Club de Brussel-les. Brussel. 320 p.
- Serrano, L., Carbonell, X., Marfà, O., Candela, L.,J, G. (1993). Nitrate leaching and strawberry production as affected by drip irrigation. 311-316. En: *International Conference on Environmental pollution*. Nath, B., L.Candela, Hens, L.y Robinson, J.P.
- Soliva, M. (1998). *Residus orgànics per a l'agricultura: un tema de recerca a l'escola superior d'agricultura de Barcelona (ESAB)*. Arxius de l'Escola Superior d'Agricultura, Sèrie cinquena, Nº 1. Barcelona.
- Sonnemann, G.W. (2002). *Environmental Damage Estimations in industrial process chains. Methodology development with a case study on waste incineration and special focus on human health*. Ph. D. Thesis. Departament d'Enginyeria Química. Universitat Rovira Virgili. Tarragona. Spain. 302 pp.

- SPOLD. (1997). The SPOLD File Format '99. Brussels: Society for the Promotion of Life -cycle assessment Development. <<http://www.spold.org/publ/>> (01/2003)
- SRC. (2001). Environmental Fate Data Base. Syracuse Research Corporation. <<http://esc.syrres.com>> (11/2001)
- Stanghellini, C. (2002). *Transpiration of greenhouse crops: an aid to climate management*. PhD. Thesis, Wageningen Agricultural University, Wageningen.
- Stanghellini, C., Kempkes, F. (2002). *A blueprint for optimal management of multiple-quality water-resources*. Sustainable Water use in protected Mediterranean Horticulture. HORTIMED.
- Stanghellini, C., Kempkes, F.L.K., Knies, P. (2003). Enhancing Environmental Quality in Agricultural Systems. En: *Proceedings of the International Symposium on Managing Greenhouse Crops in Saline Environment*. Pardossi, A., Serra, G., Tognoni, F. ISHS. Acta Horticulturae. Pisa (Italy)
- Stanhill, G. (1980). The energy cost of protected cropping: A comparison of six systems of tomato production. *Journal Agricultural Engineering Research*. 25: 145-154.
- Steen, B., Ryding, S.O. (1993). *The EPS enviro-accounting method. An application of environmental accounting for evaluation and valuation of environmental impact in product design*. AFR. Stockholm. citado en Heijungs (1997).
- Steen, B. (1999). *A systematic approach to environmental strategies in product development (EPS). version 2000*. Centre for Environmental Assessment of products and material systems. Chalmers University of technology. CPM report.
- Swedish Environmental Research Institute, I. (1996). *EPS- Default Valuation of Environmental Impacts from Emission and Use of Resources*.
- TEAM. (1999). *Tools for Environmental Analysis and Management*. Ecobilan group.
- Thorntwaite, C.W. (1948). An approach toward a rational classification of climate. *Geographical Review*. 55-94.
- Tognoni, F. (2003). El desarrollo de los sistemas de cultivo en horticultura protegida. (in press). En: *HORTIMED. Sustainable water use in protected mediterranean horticulture*. Ed. Fernández, M.L., P. Cuadrado, I. DGIFA, HORTIMED, FIAPA & CAJAMAR. Almería. Spain
- Tomlin, C. (1997). *The pesticide manual: a world compendium*. The British Crop Protection Council.
- Udo de Haes, H.A., Jolliet, O., Finnveden, G., Hauschild, M., Krewit, W., Müller-Wenk, R. (1999a). Best Available Practice Regarding Impact Categories and Category Indicators in Life Cycle Impact Assessment (I). *Journal of the International Institute life Cycle Assessment*. 4 (2): 66-74.
- Udo de Haes, H.A., Jolliet, O., Finnveden, G., Hauschild, M., Krewit, W., Müller-Wenk, R. (1999b). Best Available Practice Regarding Impact Categories and Category Indicators in Life Cycle Impact Assessment (II). *Journal of the International Institute life Cycle Assessment*. 4 (2): 66-74.
- Udo de Haes, H.A., Lindeijer, E. (2002). The Areas of Protection in Life Cycle Assessment. *Global LCA village*. March 2002: 1-8.
- UNEP. (2003). *Life Cycle Impact Assessment definition study: Background document III. Analysis of midpoint categories*. United Nations Environmental Programme. Life Cycle Initiative. Paris.

-
- UNEP-SETAC. (2002). *Life Cycle Initiative*. United Nations Environmental Programme. Sustainable Consumption Programme. Paris. <http://www.uneptie.org/pc/sustain/lcinitiative/>> (09/2003)
- USDA, ARS. (2001). The ARS Pesticide Properties Database. United State Department of Agriculture. Agricultural Research Service. <<http://wizard.arsusda.gov/acsl/ppdb.html>> (11/2001)
- USEPA. (1995). *Perlite processing*. U.S. Environmental Protection Agency. Compilation of Air Pollutant Emission Factors AP-42. Section 8.17.
- Van den Mijzenberg, E.W.B. (1980). *A history of Greenhouses*. Institute for Agricultural Engineering. Wageningen, The Netherlands. citado en.
- Van der Werf, H. (1996). Assessing the impact of pesticides on the environment. *Agriculture, Ecosystems and Environment*. 60: 81-96.
- Van Woerden, S. (2001). The application of Life Cycle Analysis in glasshouse horticulture. En: *International Conference LCA in Foods*. (Ed). Gothenburg. 136-140.
- Vázquez, N., Quemada, M., Pardo, A., Suso, M.L. (2002). Evaluación del lavado de nitratos en función de la dosis y frecuencia de riego en cultivo de tomate para industria. En: *XXXXIV Jornadas de Aida: Producción sostenible en el medio agrario*. Zaragoza
- Villar, J.M., Elías, F. (1996). Evapotranspiración. En: *Agrometeorología*, Castellví, F. ed
- Walter, K., Gillet, H. (1998). *1997 IUCN Red list of Threatened Plants Database*. United Nations Environment Programme. World Conservatoring Monitoring Centre.
- Wegener Sleeswijk, A., Kleijn, R., van Zeitjs, H., Reus, J.A.W.A., Meusen van Onna, H., Leneman, H., Sengers, H.H.W.J.M. (1996). *Application of LCA to Agricultural Products*. Centre of Environmental Science Leiden University (CML), Centre of Agriculture and Environment (CLM), Agricultural-Economic Institute (LEI-DLO). CML report 130. Leiden. 106 pp.
- Weidema, B.P., Mortensen, B., Nielsen, P., Hauschild, M. (1996). *Elements of an Impact Assessment of Wheat Production*. Institute for Product Development. 12
- Weidema, B.P., Meeusen, M.J.G. (1999). Agricultural Data for Life Cycle Assessments. En: *2nd European invitational expert seminar on LCA of food products*. (Ed). The Hague. LEI/DLO, LCA-NET-Food.
- Weidema, B., Meeusen, M. (2000). *Agricultural data for life Cycle Assessments*. I Agricultural Economics Research Institute. The Haugue. 1. 157.
- Weidema, B.P., Lindeijer, E. (2001). *Physical impacts of land use in product life cycle assessment*. Technical University of Denmark. Final report of the EURENVIRON-LCAGAPS sub-project on land use.
- Widen, v. (1988). Soilles culture technique and its relation to the greenhouse climate. *Acta Horticulturae*. 229: 125-132.
- Wittwer, S.H., Castilla, N. (1995). Protected Cultivation of Horticultural Crops Worldwide. *Horttech*: 5(1).6-23.
- Zalbidea, J.M. (1998). Situación del sector español de flores y plantas en el comercio exterior. Principales problemas que les afectan. En: *Seminarios*, Canarias, Colegio Oficial de Ingenieros Agrónomos de Canarias (Ed.) Madrid.
-