

## 9 Bibliografia

1. Aguiar, R., Albuissou, M., Beyer, H. G., Borisenkov, E. P., Bourges, B., Czeplak, G., Lund, H., Joukoff, A., Scharmer, K., Page, J. K., Trezenbach, U. and Wald, L. (2000). *The European Solar Radiation Atlas. Vol. 1. Fundamentals and maps. Vol. 2 Database and exploitation software*. École des Mines de Paris. pp. 118 (vol.1) and 296 (vol.2).
2. Allen, R., Durkee, P. and Wash, C. H. (1990). Snow/cloud discrimination with multispectral satellite measurements. *J. Appl. Meteorol.*, **29**,10: 994-1004.
3. Angström, A. K. (1924). Solar and terrestrial radiation. *Quart. L. R. Met. Soc.*, **50**, 121-126.
4. Baldasano, J. M., Clar, J. and Berna, A. (1988). Fourier analysis of daily solar radiation data in Spain. *Solar Energy*, **41**, 4: 327-333
5. Baldasano, J. M., Cremades, L., Mitjà, A. i Esteve, J. (1992). *Atlas de Radiació Solar a Catalunya (Volum 1. Dades Preliminars)*. Institut Català d'Energia, Barcelona. pp. 102.
6. Baldasano, J. M., Calbó, J., Satntabàrbara, J. M., Esteve, J. i Margarit, J. (1996). *Atlas de radiació solar a Catalunya*. Edició 1996, Institut Català d'Energia, Barcelona. pp. 128.
7. Baldasano, J. M., Soriano, C. i Flores, H. (2001). *Atlas de radiació solar a Catalunya. Edició 2000*. Institut Català d'Energia, Barcelona. pp. 149.
8. Baldasano, J. M., Flores H. y Vera N. (2003). *Atlas de Radiación Solar de las Islas Baleares - Mediante imágenes de Satélite*. Universidad Politécnica de Cataluña - Laboratorio de Modelización Ambiental y Govern de les Illes Balears - Conselleria d'Innovació i Energía. Barcelona. pp. 162.
9. Baum, B. A. and Trepte, Q. (1999). A grouped thresholds approach for scene identification in AVHRR imagery. *J. Atmos. Ocean. Technol.*, **16**, 793-800.
10. Ben Djemaa, A. and Delorme, C. (1992). A comparison between one year of daily global irradiation from ground-based measurements versus Meteosat images from seven locations in Tunisia. *Solar Energy*, **48**, 5: 325-333.
11. Beyer, H. G., Czeplak, G., Terzenbach, U. and Wald, L. (1997). Assessment of the method used to construct clearness index maps for the new European Solar Radiation Atlas (ESRA). *Solar Energy*, **61**, 6: 389-397.

12. Bishop, J. K. B., Rossow, W. B. and Dutton, E. G. (1997). Surface solar irradiance from the International Satellite Cloud Climatology Project 1983-1991. *J. Geophys. Res.*, **102**, D6, 6883-6910.
13. Bishop, J. K. y B., Rossow, W. B. (1991). Spatial and temporal variability of global surface solar irradiance. *J. Geophys. Res.*, **96**, 16, 839-858.
14. Blanco-Muriel, M., Alarcón-Padilla, D. C., López-Moratalla, T. y Lara-Coira, M. (2001). Computing the solar vector, *Solar Energy*, **70**, 5, 431-441.
15. Brest, C. L. y Goward, S. N. (1987). Deriving surface albedo from narrow band satellite data, *Int. J. Remote Sens.* 8, 351-367.
16. Brisson A., Pierre L. B. and Marsouin A. (1999). Surface solar irradiance retrieval from GOES data in the framework of the Ocean & Sea Ice Satellite Application Facility. *Proceeding of the 1999 EUMETSAT Meteorological SatelliteData Users' Conference*. Copenhagen :587-594.
17. Cano, D., Monget, M., Albuissou, M., Guillard, H., Regas, N. and Wald, L. (1986). A method for the determination of the global solar radiation from meteorological satellite data. *Solar Energy*, **37**, 1: 31-39.
18. CCE (1979). *Atlas européen du rayonnement solaire, Vol. I: Rayonnement global sur des surfaces horizontals*. 1ère edition, Grösschen Verlag, Dortmund. pp
19. Ceballos, J. C. and De A. Moura, G. B. (1997). Solar radiation assessment using Meteosat 4-vis imagery. *Solar Energy*, **60**, 3-4: 209-219.
20. Chung, H.-S., Yoon, H.-J., Cha, J.-W, Lee, Y.-S., Hwang, B.-J. and Kim, Y.-H. (1998). Estimation of solar irradiation in Korea peninsula by using GMS-5 data. *7th Annual Workshop of EMSEA (Environmental Monitoring from Space of East Asia)*. Korea. (<http://ksrs.or.kr/PROCEED/1998int/20.htm>, mayo de 2005)
21. Clar J., Berna A. y Baldasano J.M., (1997). Análisis de Fourier da datos de radiación solar de les Illes Balears. *Revista de Ciència (IEB)*, 1: 39-44.
22. Colle, S.; Abreu, S. L. De; Couto, P.; Mantelli, S.; Pereira, E. B.; Raschke and E.; E Stuhlmann R. (1999). Distribution of Solar Irradiation in Brazil Derived from Geostationary Satellite Data. *ISES (International Solar Energy Society) 1999 Solar World Congress*. Israel. ([http://wire0.ises.org/wire/doclibs/SWC1999.nsf/id/F7294E306D2E1770C1256920003D61D8/\\$File/182.pdf](http://wire0.ises.org/wire/doclibs/SWC1999.nsf/id/F7294E306D2E1770C1256920003D61D8/$File/182.pdf), mayo de 2005).
23. Cooper, P. I. (1969). The absorption of solar radiation in solar stills, *Solar Energy*, **12**, 3, 333-346.

24. Coronas, A. and Baldasano, J. M. (1984). Fourier analysis of meteorological data to obtain a typical annual time function. *Solar Energy*, **32**, 4: 479-488.
25. Cremades, L. y Baldasano, J. M. (1990). Análisis de los datos de irradiación solar global diaria para el mapa de Cataluña. *Revista de Geofísica*, **46**, 2: 137-146
26. Csiszar, I. y Gutman, G. (1999). Mapping global land surface albedo from NOAA AVHRR, *J. Geophys. Res.* **104**, D6, 6215-6228.
27. Cunillera, J. (1995). L'ús de la teledetecció i l'anàlisi multivariant a la caracterització agroclimàtica del territori. Aplicació a Catalunya, Tesis Doctoral, Universidad de Barcelona.
28. Dedieu, G., Deschamps, P. Y. y Kerr, Y. H. (1987). Satellite estimation of solar irradiance at the surface of the Earth and of surface albedo using physical model applied to meteosat data, *J. Climate and Appl. Meteorol.* **26**, 79-87.
29. Diabaté, L., Moussu, G. and Wald, L. (1989). Description of an operational tool for determining global solar radiation at ground using geostationary satellite images. *Solar Energy*, **42**, 3: 201-207.
30. Dribssa E., Cogliani E., Lavagno E. and Petrarca S. (1999). A modification of the heliosat method to improve its performance. *Solar Energy*, **65**, 6: 369-377.
31. Dubayah, R. (1992). Estimating net solar radiation using Landsat TM and digital elevation data, *Water Resources Research*, **28**, 9, 2469-2484.
32. Dubayah, R. and Loechel, S. (1997). Modeling topographic solar radiation using GOES data. *J. Appl. Meteorol.*, **36**, 2: 141-154.
33. Duchon, C. E. and O'Malley, M. S. (1999). Estimating cloud type from pyranometer observations. *J. Appl. Meteorol.*, **38**, 1: 132-141.
34. Duffie, J. A. y Beckman, W. A. (1980). Solar engineering of thermal processes, Wiley, New York, pp. 792.
35. EVE (1992). *Atlas de radiación solar del país Vasco*. Ente Vasco de la Energía, Bilbao. pp. 73.
36. Flores, H. y Baldasano, J. M. (2001a). Atlas de radiación solar de las Islas Baleares mediante imágenes de satélite. Laboratorio de Modelización Ambiental, Universidad Politécnica de Cataluña, Barcelona. pp. 68.
37. Flores, H. y Baldasano, J. M. (2001b). Detección de nubes mediante imágenes NOAA AVHRR. *Teledetección, Medio Ambiente y Cambio Global*. Editor Universitat de Lleida: 409-412.

38. Flores, H. and Baldasano, J. M. (2001c). Solar radiation mapping from NOAA AVHRR data in Catalonia, Spain. *J. Appl. Meteorol.*, **40**, 11: 1821-1834.
39. Flores, H. (2002). *Procesamiento digital de imágenes de satélites para la obtención de mapas de radiación solar. Aplicación a Cataluña*. Tesis Doctoral, Universidad Politécnica de Calaluña. pp. 200.
40. Flores, H., Baldasano, J. M., Vera, N. y Nadal, P. (2002). Radiación solar en las islas Baleares mediante imágenes de satélite. *Proceedings of the First International Symposium on Recent Advances in quantitative remote sensing*. Editor José A. Sobrino, Spain :261-267.
41. Font, I. (1984). *Atlas de radiación solar en España*. Instituto Nacional de Meteorología. pp. 44.
42. Fontoynt, M., Dumortier, D., Heinemann, D., Hammer, A., Olseth, J. A., Skartveit, A., Ineichen, P., Reise, C., Page, J., Roche, L., Beyer, G. H. and Wald, L. (1998). SATELLIGHT: A www server which provides high quality daylight and solar radiation data for western and central Europe. *Proceeding of the 9th Conference on Satellite Meteorology and Oceanography*. Published by Eumetsat :434-435.
43. García-Pertierra, M. (1996). Clasificación nubosa (AVHRR) de noche. *IV Simposio Nacional de Predicción del INM. Memorial "Alfonso Ascaso"*. Madrid :339-343.
44. Gautier, C., Diak, G. and Masse, S. (1980). A simple physical model to estimate incident solar radiation at the surface from GOES satellite data. *J. Appl. Meteorol.*, **19**, 8: 1005-1012.
45. Generalitat Valenciana (1987). *Radiación solar en la comunidad Valenciana*. Conselleria d'Indústria, Comerç i Turisme, Valencia.
46. Grau, J., Massons, J. y Redondo, J. M. (2001). Caracterización de la cubierta nubosa con métodos multifractales. *Teledetección, Medio Ambiente y Cambio Global*, Editor Universitat de Lleida :359-362.
47. Grau, J. (2005). *Procesat digital d'imates aplicat a l'anàlisi de seqüències Meteosat*. Tesis Doctoral, Universidad Politécnica de Calaluña. pp. 197.
48. Gruber, A., Ruff, I. y Earnest, C. (1983). Determination of the Planetary Radiation Budget from TIROS-N Satellites, Technical Report NESDIS 3, NOAA, Washington, DC.
49. Hammer A., Heinemann D., Lorenz E. and Lückehe B. (1999). Short-term forecasting of solar radiation: a statical approach using satellite data. *Solar Energy*, **67**, 1-3:139-150.

50. Hammer A., Heinemann D., Hoyera C., Kuhlemanna R., Lorenza E., Müller R. y Beyer H. (2003). Solar energy assessment using remote sensing technologies, *Remote Sensing of Environment*, 86, 423-432.
51. Hiser, H. W. and Senn, H. V. (1980). Mesoscale mapping of available solar energy at the earth's surface by use of satellites. *Solar Energy*, **24**, 2: 129-141.
52. Hucek, R. y Jacobowitz, H. (1995). Impact of scene dependence on AVHRR albedo models, *J. Atmos. Ocean. Technol.* 12, 697—711.
53. IDAE (1999). *Plan de fomento de las energías renovables en España*, Instituto para la Diversificación y Ahorro de la Energía (IDAE). Madrid. (URL: <http://www.idae.es>, mayo de 2005).
54. Ineichen P. and Perez R. (1999). Derivation of cloud index from geostationary satellite and application to the production of solar irradiance and daylight illuminance data. *Theoretical and Applied Climatology*, **64**, 1-2: 119-130.
55. Iqbal, M. (1983). An introduction to solar radiation, Academic Press, New York, p. 390.
56. Janjai S., Jantarach T. y Laksanaboonsong J. (2003). A model for calculating global illuminance from satellite data. *Renewable Energy*, 28, 2355-2365.
57. Jiménez, J. I. (1981). Solar radiation statistic in Barcelona, *Solar Energy*, **27**, 4: 271-282.
58. Jorge, J. y Pineda, N. (2001). Albedo a partir de NOAA-AVHRR para el módulo -terrain- del modelo meteorológico de mesoescala - MM5 -, II Congreso de la Asociación Española de Climatología (AEC).
59. Karlsson, K. G. (1989). Development of an operational cloud classification model, *Int. J. Remote Sens.*, **10**, 687-693.
60. Kasten, F., Golchert, H. J., Dogniaux, R. et Lemoine, M. (1984). *Atlas européen du rayonnement solaire*, Verlag TÜV Rheinland GmbH, Colònia. pp. 289 (Vol. I) et 321 (Vol. II).
61. Kasten, F., Golchert, H. J., Dogniaux, R. and Lemoine, M. (1996). *European solar radiation atlas*. Springer-Verlag, Berlin. pp. 333.
62. Key, J. R., Wang, X., Stoeve, J. C. y Fowler, C. (2001). Estimating the cloudy sky albedo of sea ice and snow from space, *J. Geophys. Res.-Atmos*, **106**, D12, 12489-12498.
63. Kidder, S. Q. y Vonder Haar, T. H. (1995). *Satellite Meteorology. An Introduction*, Academic Press, New York, p. 466.

64. Laine, V., Venäläinen, A., Heikinheimo, M. and Hyvärinen, O. (1999). Estimation of surface solar global radiation from NOAA AVHRR data in high latitudes. *J. Appl. Meteorol.*, **38**, 12: 1706-1719.
65. Lamm, L. O. (1981). A new analytic expression for the equation of time, *Solar Energy*, **26**, 465.
66. Linacre, E. (1992). *Climate Data and Resources: A Reference and Guide*. Routledge Press. pp. 384.
67. Lorente, J., Redaño, A. and de Cabo, X. (1994). Influence of urban aerosol on spectral solar irradiance. *J. Appl. Meteorol.*, **33**, 3: 406-413.
68. Lubin, D. and Morrow, E. (1998). Evaluation of an AVHRR cloud detection classification method over the Central Arctic Ocean. *J. Appl. Meteorol.*, **37**, 2: 166-183.
69. Martínez-Lozano, J. A. (1984). Irradiación solar global e insolación en Valencia. *Revista de Geofísica*, **40**, 279-290.
70. Maxwell, E. L. (1998). The solar radiation model used in the production of the National Radiation Data Base (NSRDB). *Solar Energy*, **39**, 5: 263-279.
71. Michalsky, J. J. (1988). The astronomical almanac's algorithm for approximate solar position (1950-2050), *Solar Energy*, **40**, 3, 227—235.
72. McNider, R. T., Norris, W. B., Casey, D.M., Pleim, J. E., Roselle, S. J. and Lapenta, W. M. (1997). Assimilation of satellite data in regional air quality models. *Air Pollution Modeling and Its Application XII*, Gryning and Chaumerliac Editors. **22**, 25-35.
73. Mueller, R. W., Heinemann D., Kuhlemann, H. & R, Dagestad, K. F., Olseth, J. A., Skartveit, A., Cros, S., Wald., L., Schroedter, D., Dumotier., D., Ineichen, P. and Piernavieja, C. (2002). A new generation of satellite based solar irradiance calculation schemes. Proc. 22nd EARSeL Symposium & General Assembly. Czech Republic. ([http://www.heliosat3.de/documents/earsel\\_pap.pdf](http://www.heliosat3.de/documents/earsel_pap.pdf), mayo de 2005).
74. Mueller R.W., Dagestad K.F., Ineichen P., Schroedter-Homscheidt M., Cros S., Dumortier D., Kuhlemann R., Olseth J.A., Piernavieja G., Reise C., Wald L., Heinemann D. (2004). Rethinking satellite-based solar irradiance modelling The SOLIS clear-sky module. *Remote Sensing of Environment*, **91**, 160-174.
75. Noia, M., Ratto, C. and Festa, R. (1993). Solar irradiance estimation from geostationary satellite data: I. statistical models, II. physical models. *Solar Energy*, **51**, 6: 449-465.

76. Nunez, M. (1987a). A satellite-based solar energy monitoring system for Tasmania, Australia. *Solar Energy*, **39**, 5: 439-444.
77. Nunez, M., Skirving, W. J. y Viney, N. R. (1987b). A technique for estimating regional surface albedos using geostationary satellite data, *J. Climatol.* 7, 1-11.
78. Olseth, J. A. and Skartveit, A. (1998). High latitude global and diffuse radiation estimated from Meteosat data. *Proceeding of the 2nd European Conference on Applied Climatology.* Austria. (<http://www.gfi.uib.no/~olseth/DOC/SERVER/WIEN-NEW.pdf>, mayo de 2005).
79. Otani, K., Kurokawa, K., Tsuda, I., Saitoh, T. and Horigome, T. (1994). Estimation of ground albedo by GMS images for solar irradiation monitoring. *Solar Energy Materials and Solar Cells*, **35**, 395-400.
80. Perez, R., Seals, R., Stewart, R., Zelenka, A. and Estrada-Cajigal, V. (1994). Using satellite-derived insolation for simulation of solar energy system. *Solar Energy*, **53**, 6: 491-495.
81. Perez, R., Seals, R. and Zelenka, A. (1997a). Comparing satellite remote sensing and ground network measurements for the production of site/time specific irradiance data. *Solar Energy*, **60**, 2: 89-96.
82. Perez, R., Seals, R. and Zelenka, A. (1997b). The strengths of satellite-based solar resource assessment. *Proceeding of the ASES (American Solar Energy Society), Annual Conference.* Washington, DC. (<http://www.asrc.cestm.albany.edu/perez/strength.html>, mayo de 2005).
83. Perez, R., Ineichen, P., Moore, K., Kmiecik, M., Cain, C., George, R., and Vignola F. (2002). A new operational model for satellite-derived irradiances: description and validation. *Solar Energy*, 73, 5, 307-317.
84. Perrin de Brichambaut, C. (1975). *Estimation des ressources énergétiques solaires en France.* Edition Européennes Thermique et Industrie, Paris. pp. 63.
85. Peura, M., Visa, A. and Kostamo, P. (1996). A new approach to land-based cloud classification. *Proceeding of the 13th International Conference on Pattern Recognition.* Vienna, Austria :143-147.
86. Pinker, R., T., Frouin, R. and Li, Z. (1995). A review of satellite methods to derive surface shortwave irradiance. *Remote Sens. Environ.*, **51**, 108-124.
87. Potdar, M. B. y Narayana, A. (1993). Determining short-wave planetary albedo from spectral signatures of land-ocean features and albedo mapping using NOAA AVHRR data, *Acta Astronautica*, **29**, 687-690.

88. Rafiqul Islam, M. D. and Exell, R. H. B. (1996). Solar radiation mapping from satellite image using a low cost system. *Solar Energy*, **56**, 3: 225-237.
89. Rao, P. K., Holmes, S. J., Anderson, R. K., Winston, J. S. y Lehr, P. E. (1990). *Weather Satellites: Systems, Data, and Environmental Applications*, American Meteorology Society, Boston, p. 503.
90. Rao, C. R. N. y Chen, J. (1996). Post-launch calibration of the visible and near-infrared channels of the Advanced Very High Resolution Radiometer on the NOAA-14 spacecraft, *Int. J. Remote Sens.* **17**, 14, 2743-747.
91. Rao, C. R. N. y Chen, J. (1999). Calibration updates for the visible and near infrared channels of the Advanced Very High Resolution Radiometer on the NOAA-14 spacecraft, NOAA/NESDIS Office of Research and Applications. (URL: <http://www2.ncdc.noaa.gov/docs/podug/html/j/app-j.htm>, mayo de 2005).
92. Rau, H. (1981). *Energía Solar. Aplicaciones prácticas*, Marcombo Boixareu, Barcelona - México, p. 215.
93. Rigollier, C., Bauer, O. y Wald, L. (2000). On the clear sky model of the ESRA -European Solar Radiation Atlas- with respect to the Heliosat method, *Solar Energy*, **68**, 1, 33-48.
94. Rigollier, C., Leflevre M. y Wald L. (2004). The method Heliosat-2 for deriving shortwave solarradiation from satellite images, *Solar Energy*, **77**, 159-169.
95. Russell, M. J., Nunez, M., Chladil, M. A., Valiente, J. A. y Lopez-Baeza, E. (1997). Conversion of Nadir, narrowband reflectance in red and near-infrared channels to hemispherical surface albedo, *Remote Sens. Environ.*, **61**, 16-23.
96. Santabàrbara, J. M., Calbó, J. M., Baldasano, J. M., Esteve, J. and Mitjá, A. (1996). Month to month variation of global solar radiation in Catalonia Spain. *Int. J. Climatol.*, **16**, 711-721.
97. Saunders, R. W. (1990). The determination of broad band surface albedo from AVHRR visible and near-infrared radiances, *Int. J. Remote Sens.* **11**, 1, 49-67.
98. Şen, Z. (2001). Angström equation parameter estimation by unrestricted method. *Solar Energy*, **71**, 2: 95-107.
99. Serrano, A., Astillero, A., Nuñez, M., García, J. A. y Macías, M. (2001). Detección y clasificación de la cubierta nubosa a partir de imágenes Meteosat de las 12 horas. *Teledetección, Medio Ambiente y Cambio Global*, Editor Universitat de Lleida: 355-358.
100. Sidrach De Cardona M, Mora-López L.; Ramirez Santigosa L. Marchante Jimenez M. y Navarro Fernández A. (2002). Generación de años tipo de



- radiación global y de temperatura para su uso en el dimensionado de sistemas fotovoltaicos. *FIER (International Forum On Renewable Energies)*. Marruecos :153-158.
101. Skartveit, A., Olseth, J. A. and Tuft, M. E. (1998). An hourly diffuse fraction model with correction for variability and surface albedo. *Solar Energy*, **63**, 3: 173-183.
102. Sobrino, J. A. y El Kharraz, M. H. (1999). Combining afternoon and morning NOAA satellites for thermal inertia estimation: 1. Algorithm and its testing with hydrologic atmospheric pilot experiment-Sahel data. 2. Methodology and application, *J. Geophys. Res.* **104**, D8, 9445-9465.
103. Sobrino, J. A., Raissouni, N., Kerr, Y., Oliso, A., López-García, M. J., El Kharraz, M. H., Cuenca, J. y Dempere, L. (2000). Teledetección, Universitat de València, Valencia, p. 467.
104. Spencer, J. W. (1971). Fourier series representation of the position of the Sun, *Search*, **2**, 5, 172.
105. Stokes, G. M. and Schwartz, S. E. (1994). The Atmospheric Radiation Measurement (ARM) Program: programming background and design of the cloud and radiation tested. *Bull. Am. Meteor. Soc.*, **75**, 1201-1221.
106. Stull, R. B. (2000). *Meteorology for Scientists and Engineers*. Brooks/Cole Thomson Learning. United States. pp. 502.
107. Taniguchi H., Otani K. and Kurokawa K. (2001). Hourly forecast of global irradiation using GSM satellite images. *Solar Energy Materials & Solar Cells*, **67**, 551-557.
108. Tarpley, J. D. (1979). Estimating incident solar radiation at the surface from geostationary satellite data, *J. Appl. Meteorol.*, **18**, 9, 1172-1181.
109. UE (1997). Libro Blanco (COM (1997) 599 final de 26/11/97). *Energía para el Futuro: las fuentes de energía renovables*. Comisión de las Comunidades Europeas.
110. UE (2000a). Libro Verde (COM (2000) 769 final). *Hacia una estrategia europea de seguridad del abastecimiento energético*. Comisión de las Comunidades Europeas.
111. UE (2000b). Objetivos Estratégicos 2000-2005 (COM (2000) 154 Final), *Hacer la nueva Europa*. Comisión de las Comunidades Europeas.
112. Valiente, J. A., Nunez, M., Lopez-Baeza, E. y Moreno, J. F. (1995). Narrow-band to broad-band conversion for Meteosat-visible channel and broad-band albedo using both AVHRR-1 and -2 channels, *Int. J. Remote Sens.*, **16**, 6, 1147-1166.

113. Walraven, R. (1978). Calculating the position of the Sun, *Solar Energy*, 20, 5, 393-397.
114. Whillier, A. (1965). Solar radiation graphs, *Solar Energy*, 9, 3, 164-165.
115. Zelenka, A., Perez, R., Seals, R. and Renné, D. (1999). Effective accuracy of satellite-derived hourly irradiances. *Theor. Appl. Climatol.*, 62, 199-207.
116. Zelenka, A. (2001). Estimating insolation over snow covered mountains with Meteosat's vis-channel: a time series approach. *The 2001 EUMETSAT Meteorological Satellite Data Users' Conference*. Turkey :346-352.