

ESCOLA UNIVERSITÀRIA POLITÈCNICA DE MANRESA

Departament d'Enginyeria Minera i Recursos Naturals

**ESTUDI DELS MARCADORS
BIOMARCADORS DE CONQUES
ALTAMENT REDUCTORES**

Autor: Miquel Cabrera Ortega
Director: F. Xavier de las Heras i Cisa

Juny, 1999

- OHKOUCI, N., KAWAMURA, K., KAWAHATA, H. i TAIRA, A. (1997a) Fluctuations of terrestrial and marine biomarkers in the western tropical Pacific during the last 23,300 years. *Paleoceanogr.* **12**, 623-630.
- OHKOUCI, N., KAWAMURA, K., KAWAHATA, H. i TAIRA, A. (1997b) Latitudinal distribution of terrestrial biomarkers in the sediments from the Central Pacific. *Geochim. Cosmochim. Acta* **61**, 1911-1918.
- OHKOUCI, N., KAWAMURA, K., KAWAHATA, H. i TAIRA, A. (1997c) Terrestrial and marine biomarkers in the deep sea sediments from the Central Pacific. *A Organic Geochemistry*. 18th International Meeting on Organic Geochemistry, Maastricht, The Netherlands, 22-26 September, 1997. Abstracts Part I, pp. 281-282. Forschungszentrum Jülich, Alemanya.
- OLDENBURG, T., RULLKÖTTER, J. i NISSENBAUM, A. (1997) Molecular and isotopic investigation of organic matter in Dead Sea surface sediments. *A Organic Geochemistry*. 18th International Meeting on Organic Geochemistry, Maastricht, The Netherlands, 22-26 September, 1997. Abstracts Part I, pp. 453-454. Forschungszentrum Jülich, Alemanya.
- OLIVER, J.D. i COLWELL, R.R. (1973) Extractable lipids of gram-negative marine bacteria: Fatty acid composition. *Intl. J. Sys. Bacteriol.* **23**, 442-458.
- ORJALA, J., ERDELMEIER, C.A.J., WRIGHT, A.D., RALI, T. i STICHER, O. (1993) Two chromenes and a prenylated benzoic acid derivative from *Piper aduncum*. *Phytochem.* **34**, 813-818.
- ORR, W.L. (1986) Kerogen/asphaltene/sulfur relationships in sulfur-rich Monterey oils. *A Advances in Organic Geochemistry 1985* (Editat per Leythaeuser, D. i Rullkötter, J.). *Org. Geochem.* **10**, 449-516.
- OSBORNE, R. i STEVENS, J.F. (1996) Epicuticular waxes and glaucousness of *Encephalartos* leaves. *Phytochem.* **42**, 1335-1339.
- OSHIMA, M. i ARIGA, T. (1975) ω -Cyclohexyl fatty acids in acidophilic thermophilic bacteria. *J. Biol. Chem.* **250**, 6963-6968.
- OSHIMA, M. i MIYAGAWA, A. (1974) Comparative studies on the fatty acid composition of moderately and extremely thermophilic bacteria. *Lipids* **9**, 476-480.
- OTTO, A., WALTHER, H. i PÜTTMANN, W. (1994) Molecular composition of a leaf- and root-bearing Oligocene Oxbow Lake clay in the Weissenlöhle Basin, Germany. *Org. Geochem.* **22**, 275-286.
- OTTO, A., WALTHER, H. i PÜTTMANN, W. (1997) Sesquiterpenoid and Diterpenoid Biomarkers Preserved in Taxodium-Rich Oligocene Oxbow Lake Clays, Weissenlöhle Basin, Germany. *Org. Geochem.* **26**, 105-115.

- OUNG, J.N. (1987) Tricyclic terpanes and related compounds in crude oils and source rocks extracts. 95 pgs. Master Sci. Universitat d'Oklahoma.
- OURISSON, G. i ALBRECHT, P. (1992) Hopanoids.1. Geohopanoids: The Most Abundant Natural Products on Earth. *Acc. Chem. Res.* **25**, 398-402.
- OURISSON, G. i ROHMER, M. (1992) Hopanoids.2. Biohopanoids: A Novel Class of Bacterial Lipids. *Acc. Chem. Res.* **25**, 403-408.
- OURISSON, G., ALBRECHT, P. i ROHMER, M. (1979) The hopanoids, paleochemistry and biochemistry of a group of natural products. *Pure Appl. Chem.* **51**, 709-729.
- PALACAS, J.G. (1984) Carbonate rocks as sources of petroleum: Geological and chemical characteristics and oil-source correlations. *Proceedings of the Eleventh World Petroleum Congress 1983* **2**, 31-43. Londres.
- PALACAS, J.G., ANDERS, D.E. i KING, J.D. (1984) South Florida basin-a prime example of carbonate source rocks of petroleum. A *Petroleum Geochemistry and Source Rock Potential of Carbonate Rocks, AAPG Studies in Geology No. 18*. Am. Assoc. Pet. Geol. 71-96.
- PANCOST, R.D., FREEMAN, K.H., PATZKOWSKY, M.E., WAVREK, D. i COLLISTER, J.W. (1997) *Gloeocapsomorpha prisca* and its influence on the organic $\delta^{13}\text{C}$ record in the late middle Ordovician, central United States. A *Organic Geochemistry*. 18th International Meeting on Organic Geochemistry, Maastricht, The Netherlands, 22-26 September, 1997. Abstracts Part I, pp. 29-30. Forschungszentrum Jülich, Alemanya.
- PANCOST, R.D., FREEMAN, K.H., PATZKOWSKY, M.E., WAVREK, D. i COLLISTER, J.W. (1998) Molecular indicators of redox and marine photoautotroph composition in the late Middle Ordovician of Iowa, U.S.A. A *Advances in Organic Geochemistry 1997. Part II. Org. Geochem.* **29**, 1649-1662.
- PAOLETTI, C., PUSHPARAJ, B., FLORENZANO, G., CAPELLA, P. i LECKER, G. (1976) Unsaponifiable matter of green and blue-green algal lipids as a factor of biochemical differentiation of their biomasses: II. Terpenic alcohol and sterol fractions. *Lipids* **11**, 266-271.
- PARÉS, J.M. i PÉREZ-GONZÁLEZ, A. (1995) Paleomagnetic Age for Hominid Fossils at Atapuerca Archaeological Site, Spain. *Science* **269**, 830-832.
- PARRISH, J.T., ZIEGLER, A.M. i SCOTese, C.R. (1982) Rainfall patterns and the distribution of coals and evaporites in the Mesozoic and Cenozoic. *Paleogeogr. Paleoclimatol. Paleoecol.* **40**, 67-101.
- PATTERSON, G.W., GLADU, P.K., WIKFORS, G.H. i LUSBY, W.R. (1992) Unusual tetraene sterols in some phytoplankton. *Lipids* **27**, 154-156.

- PEAKMAN, T.M., TEN HAVEN, H.L., RECHKA, J.R., DE LEEUW, J.W. i MAXWELL, J.R. (1989) Occurrence of (20R)- and (20S)- $\Delta^{8(14)}$ and Δ^{14} 5 α (H)-sterenes in the origin of 5 α (H), 14 β (H), 17 β (H)-steranes in an immature sediment. *Geochim. Cosmochim. Acta* **53**, 2001-2009.
- PENG, P., SHENH, G., FU, J. i YAN, Y. (1998) Biological markers in 1.7 billion year old rock from the Tuanshanzi Formation, Jixian strata section, North China. A *Advances in Organic Geochemistry 1997. Part II. Org. Geochem.* **29**, 1321-1329.
- PEREIRA, W.E., i ROSTAD, C.E. (1983) Terpenoid marker compounds derived from biogenic precursors in volcanic ash from Mount St. Helens. Washington. *Geochim. Cosmochim. Acta* **47**, 2287-2291.
- PERMANYER, A. i GARCÍA VALLÈS, M. (1986) Generación de hidrocarburos en sedimentos lacustres terciarios: las cuencas de Ribesalbes y Campins (N.E. de España). *Rev. Inv. Geol.* **42/3**, 23-44.
- PERRY, G.J., VOLKMAN, J.K., JOHNS, R.B. i BAVOR, H.J. (1979) Fatty acids of bacterial origins in contemporary marine sediments. *Geochim. Cosmochim. Acta* **43**, 1715-1725.
- PERRY BURHAN, R.Y., ADAM, P., TRENDEL, J.M., ALBRECHT, P. i NISSENBAUM, A. (1995) Palaeoenvironmental studies of the Be'eri sulfur deposit: Structural and carbon isotope aspects. A *Organic Geochemistry: Developments and Applications to Energy, Climate, Environment and Human History*. A *Organic Geochemistry: Developments and Applications to Energy, Climate, Environment and Human History*. 17th International Meeting on Organic Geochemistry, San Sebastián, Spain, 4-8 September, 1995. Abstracts, eds J. Grimalt i C. Dorronsoro, pp. 67-69. A.I.G.O.A., Donostia-San Sebastián, Espanya.
- PETERS, K.E. i MOLDOWAN, J.M. (1991) Effects of source, thermal maturity, and biodegradation on the distribution and isomerization of homohopanes in petroleum. *Org. Geochem.* **17**, 47-61.
- PETERS, K.E. i MOLDOWAN, J.M. (1993) The Biomarker Guide. Interpreting Molecular Fossils in Petroleum and Ancient Sediments. Prentice-Hall 136-139. Englewood Cliffs, New Jersey.
- PETERS, K.E., MOLDOWAN, J. M. i SUNDARARAMAN, P. (1990) Effects of hydrous pyrolysis on biomarker thermal maturity parameters: Monterrey Phosphatic and Siliceous members. *Org. Geochem.* **15**, 249-265.
- PETERSON, J. (1988) Dolomitization in thin bedded calcarenites of the Oligocene Los Monegros Group, SE Ebro Basin, Spain. Tesi Doctoral. Universitat de Califòrnia, Santa Bárbara.
- PETERSON, J. i CABRERA, LL. (1989) Dolomitization in thin bedded calcarenites in the lacustrine Los Monegros Group (Oligocene). Southeastern Ebro Basin, Spain. En:

- J.D. Cooper (de.). *Cavalcade of Carbonates. AAPG/SEPM Annual Meet. SEPM Field Trip 3*, 135-144.
- PETERSON, J.A., BASU, D. i COON, M.J. (1966) Enzymatic ω -oxidation. I. Electron carriers in fatty acid and hydrocarbon hydroxylation. *J. Biol. Chem.* **241**, 5162-5164.
- PEULVÉ, S., BROYELLE, I., SICRE, M.A., BOULOUBASSI, I., LORRE, A., SALIOT, A., DE LEEUW, J.W. i BAAS, M. (1993) Characterization of organic matter in an Arctic delta (Lena River) using biomarkers and macromolecular indicators. A *Organic Geochemistry. Poster Sessions from the 16th International Meeting on Organic Geochemistry*, Stavanger, Noruega, 22-24 September, 1993 (Editat per Øygard K.), pp. 393-397. Falch Hurtigtrykk, Oslo.
- PHILP, R.P. (1985) *Fossil fuel biomarkers: Applications and Spectra*. 2^a ed. Amsterdam: Elsevier.
- PHILP, R.P. i GILBERT, T.D. (1986) Biomarker distribution in Australia oils predominantly derived from terrigenous source material. *Org. Geochem.* **10**, 73-84.
- PHILP, R.P. i LEWIS, C.A. (1987) Organic geochemistry of biomarkers. *Ann. Rev. Earth Planet. Sci.* **15**, 363-395.
- PHILP, R.P., BROWN, S., CALVIN, M., BRASSELL, S. i EGLINTON, G. (1978) Hydrocarbon and fatty acid distributions in recently deposited algal mats at Laguna Guerrero, Baja California. A: W.E. Krumbein (Editor), *Environmental Biogeochemistry and Geomicrobiology 1*, 255-270. Ann Arbor Science, Michigan.
- PILLON, P., JOCTEUR-MONROZIER, L., GONZALEZ, C. i SALIOT, A. (1986) Organic geochemistry of recent equatorial deltaic sediments. *Org. Geochem.* **10**, 711-716.
- PIORRECK, M., BAASCH, K.H. i POHL, P. (1984) Biomass production total protein, chlorophylls, lipids and fatty acids of freshwater green and blue-green under different nitrogen regimes. *Phytochem.* **23**, 207-216.
- POINSOT, J., SCHNECKENBURGER, P., ADAM, P., SCHAEFFER, P., TRENDEL, J.M., RIVA, A. i ALBRECHT, P. (1998) Novel polycyclic sulfides derived from regular polyprenoids in sediments: Characterization, distribution, and geochemical significance. *Geochim. Cosmochim. Acta* **62**, 805-814.
- PRAHL, F.G. i PINTO, L.A. (1987) A geochemical study of long chain *n*-aldehydes in Washington coastal sediments. *Geochim. Cosmochim. Acta* **51**, 1573-1582.
- PRARTONO, T. i WOLFF, G.A. (1998) Organic geochemistry of lacustrine sediments: a record of changing trophic status of Rostherne Mere, U.K. *Org. Geochem.* **28**, 729-747.

- PROTEAU, J. i GERWICK, H. (1993) Vinyl ethers and hydroxy fatty acids from three species *Laminaria* (brown algae). *Lipids* **28**, 783-787.
- PU, F. i JINGGUI, LI (1991) Organic geochemical characteristics of Qinghai Lake sediments. *A Organic Geochemistry: Advances and Applications in Energy and the Natural Environment*. 15th International Meeting of the European Association of Organic Geochemistry, Manchester, England, September, 1991. Poster Abstracts, eds David Manning, pp. 511-513. A.I.G.O.A., Manchester University Press, Manchester. Anglaterra.
- PU, F., PHILP, R.P., ZHENXI, L., XINKE, Y. i GUANGGUO, Y. (1990) Geochemical characteristics of aromatic hydrocarbons of crude oils and source rocks from different sedimentary environments. *Org. Geochem.* **16**, 427-435.
- PU, F., PHILP, R.P., ZHENXI, L., XINKE, Y. i GUANGGUO, Y. (1991) Biomarker distributions in crude oils and source rocks from different sedimentary environments. *Chem. Geol.* **93**, 61-78.
- PUIGDEFÀBREGAS, C. i SOUQUET, P. (1986) Tecto-sedimentary cycles and depositional sequences of the Mesozoic and Tertiary from the Pyrenees. *Tectonophysics* **129**, 173-203.
- PULCHAN, K., ABRAJANO, T. i HELLEUR, R. (1997) Molecular and compound-specific carbon isotope composition of thermochemolysis products from marine sediments. *A Organic Geochemistry*. 18th International Meeting on Organic Geochemistry, Maastricht, The Netherlands, 22-26 September, 1997. Abstracts Part II, pp. 611-612. Forschungszentrum Jülich, Alemanya.
- PÜTTMAN, W. (1991) Thermodesorption-gas chromatography-mass spectrometric analysis of biological materials for potential molecular precursors of the constituents of the crude oils. *J. Chromatogr.* **552**, 325-336.
- QUEROL, X., CABRERA, L., PICKEL, W., LÓPEZ-SOLER, A., HAGEMANN, H.W. i FERNÁNDEZ-TURIEL, J.L. (1996) Geological controls on the coal quality of the Mequinenza subbituminous coal deposit, northeast Spain. *Int. J. Coal Geol.* **29**, 67-91.
- QUEROL, X., FERNÁNDEZ-TURIEL, J.L., LÓPEZ-SOLER, A., HAGEMANN, H.W., DEHMER, J., JUAN, R. i RUÍZ, C. (1991) Distribution of sulfur in coals of the Teruel Mining District (NE Spain). *Int. J. Coal Geol.* **18**, 327-348.
- QUIRK, M.M. (1978) Lipids of peat and lake environments. Ph. D. Thesis. University of Bristol.
- QUIRK, M.M., WARDROPER, A.M.K., WHEATLEY, R.E. i MAXWELL, J.R. (1984) Extended hopanoids in peat environments. *Chem. Geol.* **42**, 25-43.
- RADKE, M. (1987) Organic Geochemistry of aromatic hydrocarbons. *Adv. Petrol. Geochem.* **2**, 141-207.

- RADKE, M. (1988) Application of aromatic compounds as maturity indicators in source rocks and crude oils. *Mar. Petrol. Geol.* **5**, 224-236.
- RADKE, M. i WELTE, D.H. (1983) The methylphenanthrene index (MPI): A maturity parameter based on aromatic hydrocarbons. *Adv. Org. Geochem.* 1981, (De. Bjoroy *et al.*), 504-512. Wiley, London.
- RADKE, M., HILKERT, A. i RULLKÖTTER, J. (1998) Molecular stable carbon isotope compositions of alkylphenanthrenes in coals and marine shales related to source and maturity. *Org. Geochem.* **28**, 785-795.
- RADKE, M., WELTE, D.H. i WILLSCH, H. (1982a) Geochemical study on a well in the Western Canada Basin: relation of the aromatic distribution pattern to maturity of organic matter. *Geochim. Cosmochim. Acta* **46**, 1-10.
- RADKE, M., WELTE, D.H. i WILLSCH, H. (1986) Maturity parameters based on aromatic hydrocarbons: Influence of the organic matter type. *Org. Geochem.* **10**, 51-63.
- RADKE, M., WILLSCH, H. i WELTE, D.H. (1980) Preparative hydrocarbon group type determination by automated medium pressure liquid chromatography. *Anal. Chem.* **52**, 406-411.
- RADKE, M., WILLSCH, H., LEYTHAEUSER, D. i TEICHMÜLLER, M. (1982b) Aromatic components of coal: relation of distribution pattern to rank. *Geochim. Cosmochim. Acta* **46**, 1831-1848.
- RAMANAMPISOA, L.R. i RADKE, M. (1995) Extractable aromatic hydrocarbons in a short-term organic cycle of the Kimmeridge Clay formation, Yorkshire (U.K.): relationship to primary production and thermal maturity. *Org. Geochem.* **23**, 803-817.
- RASHID, M.A. (1979) Pristane-phytane ratios in relation to source and diagenesis of ancient sediments from The Labrador Shelf. *Chem. Geol.* **25**, 109-122.
- RAY, P.H., WHITE, D.C. i BROCK, T.D. (1971) Effect of temperature on the fatty acid composition of *Termus aquaticus*. *J. Bacteriol.* **106**, 25-30.
- RAYMOND, A.C. i MURCHISON, D. G. (1992) Effect of igneous activity on molecular-maturation indices in different types of organic matter. *Org. Geochem.* **18**, 725-735.
- RAZDAN, T.K., KACHROO, P.K., QURISHI, M.A., KALLA, A.K. i WAIGHT, E.S. (1996) Unusual homologous long-chain alkanolic acid esters of lupeol from *Koelipinia linearis*. *Phytochem.* **41**, 1437-1438.
- REED, J.D., ILLICH, H.A. i HORSFIELD, B. (1986) Biochemical evolutionary significance of Ordovician oils and their sources. *Org. Geochem.* **10**, 347-358.

- REEMTSMA, T. i ITTEKKOT, V. (1992) Determination of factors controlling the fatty acid composition of settling particles in the water column by principal-component analysis and their quantitative assessment by multiple regression. *Org. Geochem.* **18**, 121-129.
- REEMTSMA, T., HAAKE, B., ITTEKKOT, V., NAIR, R.R. i BROCKMANN, U.H. (1990) Downward flux of particulate fatty acids in the Central Arabian Sea. *Mar. Chem.* **29**, 183-202.
- REGTOP, R.A., CRISP, P.T. i ELLIS, J. (1982) Chemical characterization of shale oil from Rundle, Queensland. *Fuel* **61**, 185-192.
- REPETA, D.J. (1993) A high resolution historical record of Holocene anoxygenic primary production in the Black Sea. *Geochim. Cosmochim. Acta* **57**, 4337-4342.
- REQUEJO, A.G. (1994) Maturation of petroleum source rocks-II. Quantitative changes in extractable hydrocarbon content and composition associated with hydrocarbon generation. *Org. Geochem.* **21**, 91-105.
- REQUEJO, A.G., ALLAN, J., CREANEY, S., GRAY, N.R. i COLE, K.S. (1992) Aryl isoprenoids and diaromatic carotenoids in Paleozoic source rocks and oils from the Western Canada and Williston Basins. *Org. Geochem.* **19**, 245-264.
- REQUEJO, A.G., WIELCHOWSKY, C.C., KLOSTERMAN, M.J. i SASSEN, R. (1994) Geochemical characterization of lithofacies and organic facies in Cretaceous organic-rich rocks from Trinidad, East Venezuela Basin. *Org. Geochem.* **22**, 441-459.
- REZANKA, T., VOKOUN, J., SLAVICEK, J. i PODOJIL, M. (1983) Determination of fatty acids in algae by capillary gas chromatography-mass spectrometry. *J. Chromatogr.* **268**, 71-78.
- RHEAD, M.M., EGLINTON, G., DRAFFAN, G.H. i ENGLAND, P.J. (1971) The conversion of oleic acid to saturated fatty acids in Severn estuary sediments. *Nature* **232**, 327-330.
- RIELEY, G., COLLIER, R.J., JONES, D.M. i EGLINTON, G. (1991) Organic geochemistry of Ellesmere lake, U.K. I. Source correlation of leaf wax inputs to the sedimentary lipid record. *Org. Geochem.* **17**, 901-912.
- RIELEY, G., WELKER, J.M., CALLAGHAN, T.V. i EGLINTON, G. (1995) Epicuticular waxes of two arctic species: compositional differences in relation to winter snow cover. *Phytochem.* **38**, 45-52.
- RISATTI, J.B., ROWLAND, S.J., YON, D.A. i MAXWELL, J.R. (1984) Stereochemical studies of acyclic isoprenoids XII. Lipids of methanogenic bacteria and possible contributions to sediments. *Org. Geochem.* **6**, 93-104.

- ROBERTSON, L., REVILL, A.T., VOLKMAN, J.K. i SIKES, E.L. (1995) Organic geochemistry of Antarctic lakes and fjords. A *Organic Geochemistry: Developments and Applications to Energy, Climate, Environment and Human History*. 17th International Meeting on Organic Geochemistry, San Sebastián, Spain, 4-8 September, 1995. Abstracts, eds J. Grimalt i C. Dorronsoro, pp. 253-254. A.I.G.O.A., Donostia-San Sebastián, Espanya.
- ROBINSON, N., CRANWELL, P.A., FINLAY, B.J. i EGLINTON, G. (1984a) Lipids of aquatic organisms as potential contributors to lacustrine sediments. *Org. Geochem.* **6**, 143-152.
- ROBINSON, N., CRANWELL, P.A., EGLINTON, G. i JAWORSKI, G.H.M. (1987) Lipids of four species of freshwater dinoflagellates. *Phytochem.* **26**, 411-421.
- ROBINSON, N., EGLINTON, G., BRASSELL, S.C. i CRANWELL, P.A. (1984b) Dinoflagellate origin for sedimentary 4 α -methylsteroids and 5 α (H)-estanol. *Nature* **308**, 439-442.
- ROBSON, J.N. i ROWLAND, S.J. (1986) Identification of novel widely distributed sedimentary acyclic sesterpenoids. *Nature* **324**, 561-563.
- ROGERSON, J.H. i JOHNS, R.B. (1995) An organic geochemical study of organic lake, Antarctica. A *Organic Geochemistry: Developments and Applications to Energy, Climate, Environment and Human History*. 17th International Meeting on Organic Geochemistry, San Sebastián, Spain, 4-8 September, 1995. Abstracts, eds J. Grimalt i C. Dorronsoro, pp. 597-599. A.I.G.O.A., Donostia-San Sebastián, Espanya.
- ROGERSON, J.H. i JOHNS, R.B. (1996) A Geolipid Characterization of Organic Lake. A Hypersaline Meromictic Antarctic Lake. *Org. Geochem.* **25**, 1-8.
- ROHMER, M. i OURISSON, G. (1976a) Derivés du bactériohopane, variations structurales et répartition. Structures des bacteriohopanetetrols d'*Acetobacter xylinum*. *Tetrahedron Lett.* **40**, 3637-3640.
- ROHMER, M. i OURISSON, G. (1976b) Méthyl-hopanes d'*Acetobacter xylinum* et d'*Acetobacter rancens*: une nouvelle famille de composés triterpéniques. *Tetrahedron Lett.* **40**, 3641-3644.
- ROHMER, M. i OURISSON, G. (1976c) Structure des bactériohopanetetrols d'*Acetobacter xylinum*. *Tetrahedron Lett.* **40**, 3633-3636.
- ROHMER, M., BISSERET, P. i NEUNLIST, S. (1992) The hopanoids, prokaryotic triterpenoids and precursors of ubiquitous molecular markers. In *Biological Markers in Sediments and Petroleum* (Eds. J.M. Moldowan, P. Albrecht i R.P. Philp), Prentice Hall, Englewood Cliffs, 1-17.
- ROHMER, M., SUTTER, B. i SAHM, H. (1989) Bacterial sterol surrogates. Biosynthesis of the side chain of bacteriohopanetetrol and of a carbocyclic

- pseudopentose from ^{13}C labeled glucose in *Zymomonas mobilis*. *J. Chem. Soc., Chem. Commun.* **19**, 1471-1472.
- RONTANI, J.F. i ACQUAVIVA, M. (1993) The aerobic bacterial metabolism of phytol in seawater: temperature dependence of an abiotic intermediate step and its consequences. *Chemosphere* **26**, 1513-1525.
- RONTANI, J.F. i GROSSI, V. (1995) Abiotic degradation of intact and photooxidized chlorophyll phytyl chain under simulated geological conditions. *Org. Geochem.* **23**, 355-366.
- RONTANI, J.F., BEKER, B., RAPHEL, D. i BAILLET, G. (1995) Photodegradation of Chlorophyll Phytyl Chain in Dead Phytoplanktonic Cell. *J. Photochem. Photobiol., A: Chem.* **85**, 137-142.
- RONTANI, J.F., COMBE, I. i GIRAL, P.J.P. (1990) Abiotic degradation of free phytol in the water column: a new pathway for the production of acyclic isoprenoids in the marine environment. *Geochim. Cosmochim. Acta* **54**, 1307-1313.
- RONTANI, J.F., GIRAL, P.J.P., BAILLET, G. i RAPHEL, D. (1992) "Bound" 6,10,14 trimethylpentadecan-2-one: a useful marker for photodegradation chlorophylls with a phytol ester group in seawater. *Org. Geochem.* **18**, 139-142.
- RORRER, G.L., YOO, H.D., HUANG, Y.M., HAYDEN, C. i GERWICK, W.H. (1997) Production of hydroxy fatty acids by cell suspension cultures of the marine brown alga *Laminaria saccharina*. *Phytochem.* **46**, 871-877.
- ROSPONDEK, M.J., KÖSTER, J. i SININIGHE DAMSTÉ, J.S. (1997) Novel C_{26} highly branched isoprenoid thiophenes and alkane from the Menilite Formation, Outer Carpathians, SE Poland. *Org. Geochem.* **26**, 295-304.
- ROWLAND, S.J. (1990) Production of acyclic isoprenoid hydrocarbons by laboratory maturation of methanogenesis bacteria. *Org. Geochem.* **15**, 9-16.
- ROWLAND, S.J. i MAXWELL, J.W. (1990) Phytanic aldehydes in a freshwater sediment. *Org. Geochem.* **15**, 457-460.
- ROWLAND, S.J. i ROBSON, J.N. (1990) The widespread occurrence of highly branched acyclic C_{20} , C_{25} and C_{30} hydrocarbons in recent sediments and biota-A review. *Mar. Environ. Res.* **30**, 191-216.
- ROWLAND, S.J., BELT, S.T., COOKE, D.A., HIRD, S.J., NEELEY, S. i ROBERT, J.M. (1995) Structural characterisation of saturated through heptaunsaturated highly branched isoprenoids. A *Organic Geochemistry: Developments and Applications to Energy, Climate, Environment and Human History*. 17th International Meeting on Organic Geochemistry, San Sebastián, Spain, 4-8 September, 1995. Abstracts, eds J. Grimalt i C. Dorronsoro, pp. 580-582. A.I.G.O.A., Donostia-San Sebastián, Espanya.

- ROWLAND, S.J., ROCKEY, C., AL-LIHAIBI, S.S. i WOLFF, G.A. (1993) Incorporation sulphur into phytol derivatives during simulated early diagenesis. *Org. Geochem.* **20**, 1-5.
- ROWLAND, S.J., YON, D.A., LEWIS, C.A. i MAXWELL, J.R. (1985) Occurrence of 2,6,10-trimethyl-7-(3-methylbutyl)dodecane and related hydrocarbons in the green alga *Enteromorpha prolifera* and sediments. *Org. Geochem.* **8**, 207-213.
- RUBINSTEIN, I. i STRAUZ, O.P. (1979) Geochemistry of the thiourea adduct fraction from an Alberta petroleum. *Geochim. Cosmochim. Acta* **43**, 1387-1392.
- RUBINSTEIN, I., SIESKIND, O. i ALBRECHT, P. (1975) Rearranged sterenes in a shale: occurrence and simulated formation. *J. Chem. Soc. Perkin Trans. I*, 1833-1836.
- RULLKÖTTER, J. i MARZI, R. (1988) Natural i artificial maturation of biological markers i a Toarcian shale from northern Germany. *Org. Geochem.* **13**, 539-645.
- RULLKÖTTER, J., AIZENSHTAT, Z. i SPIRO, B. (1984) Biological markers in bitumens and pyrolyzates of Upper Cretaceous bituminous chalks from the Ghareb Formation (Israel). *Geochim. Cosmochim. Acta* **48**, 151-157.
- RULLKÖTTER, J., MEYERS, P.A., SCHAEFER, R.G. i DUNHAM, K.W. (1986) Oil generation in the Michigan basin: A biological marker and carbon isotope approach. *Org. Geochem.* **10**, 359-375.
- RULLKÖTTER, J., PEAKMAN, T.M. i TEN HAVEN, H.L. (1994) Early diagenesis of triterpenoids and its implications for petroleum geochemistry. *Org. Geochem.* **21**, 215-233.
- RULLKÖTTER, J., SPIRO, B. i NISSENBAUM, A. (1985) Biological marker characteristics of oil and asphalts from carbonate sources in a rapidly subsiding graben. *Geochim. Cosmochim. Acta* **49**, 1357-1370.
- RUSSELL, M., GRIMALT, J.O., HARTGERS, W.A., TABERNER, C. i ROUCHY, J.M. (1997) Bacterial and algal markers in sedimentary organic matter deposited under natural sulphurization conditions (Lorca Basin, Murcia, Spain). *Org. Geochem.* **26**, 605-625.
- RZAMA, A., BENHARREF, A., ARREGUY, B. i DUFOURC, E.J. (1995) Volatile Compounds of Green Microalgae Grown on Reused Waste Water. *Phytochem.* **38**, 1375-1379.
- SALIOT, A., GOUTX, M., FEVRIER, A., TUSSEAU, D. i ANDRIE, C. (1982) Organic sedimentation in the water column in the Arabian Sea: relationship between the lipid composition of small and large-size, surface and deep particles. *Mar. Chem.* **11**, 257-278.

- SAMPEI, Y. SUZUKI, N. MORI, K., NAKAI, T. i SEKIGUCHI, K. (1994) Methylphenanthrenes from the MITI Takada-heiya and thermally altered Kusanagi shales by dolerite intrusion in Northeast Japan. *Geochem. J.* **28**, 317-331.
- SCHAEFFER, P. (1993) Marqueurs Biologiques de milieux évaporitiques. Tesi Doctoral, Universitat Louis Pasteur, Estrasburg.
- SCHAEFFER, P., FACHE-DANY, F., TRENDEL, J.M. i ALBRECHT, P. (1993) Polar constituents of organic matter rich marls from evaporitic series of the Mulhouse basin. *Org. Geochem.* **20**, 1227-1236.
- SCHAEFFER, P., REISS, C. i ALBRECHT, P. (1995) Geochemical study of macromolecular organic matter from sulfur-rich sediments of evaporitic origin (Messinian of Sicily) by chemical degradations. *Org. Geochem.* **23**, 567-581.
- SCHEUERBRANDT, G. i BLOCH, K. (1962) Unsaturated fatty acids in microorganisms. *J. Biol. Chem.* **237**, 2064-2068.
- SCHMID, J.C. (1986) Marqueurs biologiques soufrés dans les pétroles. Tesi Doctoral, Universitat Louis Pasteur, Estrasburg.
- SCHMID, J.C., CONNAN, J. i ALBRECHT, P. (1987) Occurrence and geochemical significance of long-chain dialkylthiacyclopentanes. *Nature* **329**, 54-56.
- SCHNECKENBURGER, P., ADAM, P. i ALBRECHT, P. (1998) Thioketones as key intermediates in the reduction of ketones to thiols by HS⁻ in natural environment. *Tetrahedron Lett.* **39**, 447-450.
- SCHOELL, M., HWANG, R.J., CARLSON, R.M.K. i WELTON, J.E. (1994) Carbon isotopic composition of individual biomarkers in gilsonites (Utah). *Org. Geochem.* **21**, 673-683.
- SCHOUTEN, S. (1995) Structural and stable carbon isotope studies of lipids in immature sulphur-rich sediments. Tesi Doctoral, Universitat de Groningen.
- SCHOUTEN, S., HOEFS, J.L., DE LEEUW, J.W., KING, L.L., WAKEHAM, S.G. i SINNINGHE-DAMSTÉ, J.S. (1997a) Pelagic Archaea as Revealed by their Specific Lipids in the Marine Water Column and Sedimentary Record. A *Organic Geochemistry*. 18th International Meeting on Organic Geochemistry, Maastricht, The Netherlands, 22-26 September, 1997. Abstracts Part I, pp. 495-496. Forschungszentrum Jülich, Alemanya.
- SCHOUTEN, S., SCHOELL, M., RIJSTRA, W.I.C., DE LEEUW, J.W. i SINNINGHE DAMSTÉ, J.S. (1995a) Recognition of regional variations in the depositional environment of the Monterey Formation by compound-specific isotope analysis. A *Organic Geochemistry: Developments and Applications to Energy, Climate, Environment and Human History*. A *Organic Geochemistry: Developments and Applications to Energy, Climate, Environment and Human History*. 17th

International Meeting on Organic Geochemistry, San Sebastián, Spain, 4-8 September, 1995. Abstracts, eds J. Grimalt i C. Dorronsoro, pp. 7-9. A.I.G.O.A., Donostia-San Sebastián, Espanya.

SCHOUTEN, S., SCHOELL, M., RIJSTRA, W.I.C., SINNINGHE DAMSTÉ, J.S. i DE LEEUW, J.W. (1997b) A molecular stable carbon study of organic matter in immature Miocene sediments, Pismo basin. *Geochim. Cosmochim. Acta* **61**, 2065-2082.

SCHOUTEN, S., SEPHTON, S., BAAS, M. i SINNINGHE DAMSTÉ, J.S. (1998) Steroid carbon skeletons with unusually branched C-3 alkyl side chains in sulphur-rich sediments. *Geochim. Cosmochim. Acta* **62**, 1127-1132.

SCHOUTEN, S., SINNINGHE DAMSTÉ, J.S. i DE LEEUW, J.W. (1995b) The occurrence and distribution of low-molecular-weight sulphoxides in polar fractions of sediment extracts and petroleum. *Org. Geochem.* **23**, 129-138.

SCHOUTEN, S., VAN DRIEL, G., SINNINGHE DAMSTÉ, J.S. i DE LEEUW, J.W. (1993) Natural sulphurization of ketones and aldehydes: A key reaction in the formation of organic sulfur compounds. *Geochim. Cosmochim. Acta* **57**, 5111-5116.

SCHOUTEN, S., VAN DRIEL, G., SINNINGHE DAMSTÉ, J.S. i DE LEEUW, J.W. (1994) Laboratory simulation of natural sulphurization: II. Reaction of multifunctionalized lipids with organic polysulphides at low temperatures. *Org. Geochem.* **22**, 825-834.

SCHULTE, S., MANGELSDORF, K. i RULLKÖTTER, J (1997) Preservation of organic matter in continental margin sediments off Pakistan in relation to the oxygen minimum zone. A *Organic Geochemistry*. 18th International Meeting on Organic Geochemistry, Maastricht, The Netherlands, 22-26 September, 1997. Abstracts Part I, pp. 459-460. Forschungszentrum Jülich, Alemanya.

SCHULZE, T. i MICHAELIS, W. (1990) Structure and origin of terpenoid hydrocarbons in some German coals. *Org. Geochem.* **16**, 1051-1058.

SCHWARK, L. i PÜTTMANN, W. (1990) Aromatic hydrocarbon composition of the Permian Kupferschiefer in the Lower Rhine Basin, NW Germany. *Org. Geochem.* **16**, 749-761.

SCHWARK, L., GIESSEN, M., SPITTHOFF, B., LEYTHAEUSER, D. i WUTTKE, M. (1995) Organic geochemical investigations of Oligocene lacustrine sediments from the Enspel Oil deposit, FRG- Impact of catastrophic volcanic events on a fossil lake environment. A *Organic Geochemistry: Developments and Applications to Energy, Climate, Environment and Human History*. A *Organic Geochemistry: Developments and Applications to Energy, Climate, Environment and Human History*. 17th International Meeting on Organic Geochemistry, San Sebastián, Spain, 4-8 September, 1995. Abstracts, eds J. Grimalt i C. Dorronsoro, pp. 123-125. A.I.G.O.A., Donostia-San Sebastián, Espanya.

- SCHWARK, L., HEPPENHEIMER, H., WOLF, M. i REDECKE, P. (1993) Variations in redox potential during deposition of basal Zechstein sediments in the Lower Rhine Basin, Germany. A *Organic Geochemistry. Poster Sessions from the 16th International Meeting on Organic Geochemistry*, Stavanger, Noruega, 22-24 September, 1993 (Eds. K. Øygard), pp. 474-478. Falch Hurtigtrykk, Oslo.
- SCHWARK, L., VLIEX, M. i SCHAEFFER, P. (1998) Geochemical characterization of Malm Zeta laminated carbonates from the Franconian Alb, SW-Germany (II). *Org. Geochem.* **29**, 1921-1952.
- SCORA, R.W., MÜLLER, E. i GÜLTZ, P.G. (1986) Wax components of *Asparagus officinalis* L. (Liliacea). *J. Agric. Food Chem.* **34**, 1024-1026.
- SEIFERT, W.K. i MOLDOWAN, J.M. (1978) Applications of steranes, terpanes and monoaromatics to the maturation, migration and source of crude oils. *Geochim. Cosmochim. Acta* **42**, 77-95.
- SHANCHUN, J., O'LEARY, T., VOLKMAN, J.K., HUIZHI, Z., RONGFEN, J., SUHUA, Y., YAN, W., ZUOFENG, L., ZUOQING, S. i RONGHUA, J. (1994) Origins and simulated thermal alteration of sterols and keto-alcohols in deep-sea marine sediments of the Okinawa Trough. *Org. Geochem.* **21**, 415-422.
- SHAO, Y. BAI, N.S. i ZHOU, B.N. (1996) Kaurane Glycosides from *Inula britannica*. *Phytochem.* **42**, 783-786.
- SHAW, P.M. i JOHNS, R.B. (1985) Organic geochemical studies of a recent inner Great Barrier Reef sediment. I. Assessment of input sources. *Org. Geochem.* **8**, 147-156.
- SHAW, P.M. i JOHNS, R.B. (1986) Organic geochemical studies of a recent Inner Great Barrier Reef sediment-I. Assessment of input sources. *Org. Geochem.* **8**, 147-156.
- SHEPHERD, T., ROBERTSON, G.W., GRIFFITHS, D.W., BIRCH, A.N.E. i DUNCAN, G. (1995) Effects of environment on the composition of epicuticular wax from kale and swede. *Phytochem.* **40**, 407-417.
- SHIEA, J., BRASSELL, S.C. i WARD, D.M. (1990) Mid-chain branched mono- and dimethyl alkanes in hot spring cyanobacterial mats: a direct biogenic source for branched alkanes in ancient sediments?. *Org. Geochem.* **15**, 223-231.
- SHIOJIMA, K. i AGETA, H. (1994) Ferns constituents: triterpenoids isolated from the leaves of *Adiantum edgeworthii*. Structures of 19 α -hydroxyadiantone and fern-9(11)-en-25-oic acid. *Chem. Pharm. Bull.* **42**, 45-47.
- SHIOJIMA, K., ARAI, Y., MASUDA, K., TAKASE, Y., AGETA, T. i AGETA, H. (1992) Mass Spectra of Pentacyclic Triterpenoids. *Chem. Pharm. Bull.* **40**, 1683-1690.

- SIESKIND, O., JOLY, G. i ALBRECHT, P. (1979) Simulation of the geochemical transformations of sterols: superacid effect of the clay minerals. *Geochim. Cosmochim. Acta* **43**, 1675-1679.
- SIMONEIT, B.R.T. (1974) Complex triterpenoidal acids and hydrocarbons in DSDP core samples and their geochemical significance. In: *Init. Rep. Deep Dril. Proj.* **24**, (Eds. R.L. Fisher *et al.*), U.S. Government Printing Office, Washington, D.C., 1159-1163.
- SIMONEIT, B.R.T. (1977) Diterpenoid compound and other lipids sea sediments and their geochemical significance. *Geochim. Cosmochim. Acta* **41**, 463-476.
- SIMONEIT, B.R.T. (1985) Application of molecular marker analysis to vehicular exhaust for source reconciliations. *J. Environ. Anal. Chem.* **22**, 203-233.
- SIMONEIT, B.R.T. (1986) Cyclic terpenoids of the geosphere. A *Biological markers in the sedimentary record*, (Eds. R.B. Johns), Amsterdam pp. 43-99. Elsevier Science Publishers.
- SIMONEIT, B.R.T. (1988) Petroleum generation in submarine hydrothermal system: An update. *Can. Mineral.* **26**, 827-840.
- SIMONEIT, B.R.T. i BURLINGAME, A.L. (1973) Carboxylic acids derived from Tasmanian tasmanite by extractions and kerogen oxidations. *Geochim. Cosmochim. Acta* **37**, 595-610.
- SIMONEIT, B.R.T. i MAZUREK, M. A. (1982) Organic matter of troposphere, II. Natural background of biogenic lipid matter in aerosols over the rural western United States. *Atmos. Environ.* **16**, 2139-2159.
- SIMONEIT, B.R.T., GRIMALT, J. O., WANG, T.G., COX, R.E., HATCHER, P. G. i NISSENBAUM, A. (1986). Cyclic terpenoids of contemporary resinous plants detritus and of fossil woods, ambers and coals. *Org. Geochem.* **10**, 877-809.
- SIMONEIT, B.R.T., SHENG, G., CHEN, X., FU, J., ZHANG, J. i XU, Y. (1991) Molecular markers study of extractable organic matter in aerosols from urban areas of China. *Atmos. Environ.* **25**, 2111-2129.
- SIMONEIT, B.R.T., VUCHEV, V.T. i GRIMALT, J. O. (1984) Organic matter along the sedimentary sequences of the moroccan continental margin. Leg 79 sites 545 and 547. (Eds. Hinz *et al.*) Initial Reports of the Deep Sea Drilling Project. Vol. **79**. U. S. Government. Printing Office Washington D. C. 807-824.
- SIMONIN, P. i ROHMER, M. (1994) Structure elucidation and biosynthesis of 31-methylhopanoids from *Acetobacter europaeus*. Studies on a new series of bacterial triterpenoids. *Eur. J. Biochem.* **225**, 765-771.