

BIBLIOGRAFÍA

A

- Abdollahi A, Gruver BN, Patriotis C, Hamilton TC. Identification of epidermal growth factor-responsive genes in normal rat ovarian surface epithelial cells. *Biochem Biophys Res Commun*. 2003 Jul 18;307(1):188-97.
- Abdollahi A, Bao R, Hamilton TC. LOT1 is a growth suppressor gene down-regulated by the epidermal growth factor receptor ligands and encodes a nuclear zinc-finger protein. *Oncogene*. 1999 Nov 11;18(47):6477-87.
- Abdollahi A, Godwin AK, Miller PD, Getts LA, Schultz DC, Taguchi T, Testa JR, Hamilton TC. Identification of a gene containing zinc-finger motifs based on lost expression in malignantly transformed rat ovarian surface epithelial cells. *Cancer Res*. 1997b May 15;57(10):2029-34.
- Abdollahi A, Roberts D, Godwin AK, Schultz DC, Sonoda G, Testa JR, Hamilton TC. Identification of a zinc-finger gene at 6q25: a chromosomal region implicated in development of many solid tumors. *Oncogene*. 1997a Apr 24;14(16):1973-9.
- Aberg MA, Aberg ND, Hedbacker H, Oscarsson J, Eriksson PS. Peripheral infusion of IGF-I selectively induces neurogenesis in the adult rat hippocampus. *J Neurosci*. 2000 Apr 15;20(8):2896-903.
- Allendoerfer, K.L., Durairaj, A., Matthews, G.A., Patterson, P.H., 1999. Morphological domains of Lewis-X/FORSE-1 immunolabeling in the embryonic neural tube are due to developmental regulation of cell surface carbohydrate expression. *Dev. Biol.* 211, 208-219.
- Altar C.A. & Baudry M. (1990) Systemic injection of kainic acid: gliosis in olfactory and limbic brain regions quantified with [3H]PK11195 binding autoradiography. *Exp. Neurol.* 109(3), 333-341.
- Altman J. Autoradiographic and histological studies of postnatal neurogenesis. IV. Cell proliferation and migration in the anterior forebrain, with special reference to persisting neurogenesis in the olfactory bulb. *J Comp Neurol*. 1969a Dec;137(4):433-57.
- Altman J. Autoradiographic and histological studies of postnatal neurogenesis. 3. Dating the time of production and onset of differentiation of cerebellar microneurons in rats. *J Comp Neurol*. 1969b Jul;136(3):269-93.
- Altman J. Proliferation and migration of undifferentiated precursor cells in the rat during postnatal gliogenesis. *Exp Neurol*. 1966 Nov;16(3):263-78.
- Altman J. Autoradiographic investigation of cell proliferation in the brains of rats and cats. *Anat Rec*. 1963 Apr;145:573-91.
- Altman J. Are new neurons formed in the brains of adult mammals? *Science*. 1962 Mar 30;135:1127-8.
- Altman J, Das GD. Postnatal neurogenesis in the guinea-pig. *Nature*. 1967 Jun 10;214(93):1098-101.
- Altman J, Das GD. Autoradiographic and histological studies of postnatal neurogenesis. I. A longitudinal investigation of the kinetics, migration and transformation of cells incorporating tritiated thymidine in neonate rats, with special reference to postnatal neurogenesis in some brain regions. *J Comp Neurol*. 1966 Mar;126(3):337-89.
- Altman J, Das GD. Autoradiographic and histological evidence of postnatal hippocampal neurogenesis in rats. *J Comp Neurol*. 1965 Jun;124(3):319-35.
- Altman j, das gd. autoradiographic examination of the effects of enriched environment on the rate of glial multiplication in the adult rat brain. *Nature*. 1964 Dec 19;204:1161-3.
- Altman J, Bayer S. A. Development of the rat hypothalamus. *Adv. Anat. Embriol. Cell Biol* 1986, 85.
- Altman J, Bayer SA. Migration and distribution of two populations of hippocampal granule cell precursors during the perinatal and postnatal periods. *J Comp Neurol*. 1990 Nov 15;301(3):365-81.
- Alvarez-Buylla A, Lim DA. For the long run: maintaining germinal niches in the adult brain. *Neuron*. 2004 Mar 4;41(5):683-6.
- Alvarez-Buylla A, Garcia-Verdugo JM. Neurogenesis in adult subventricular zone. *J Neurosci*. 2002 Feb 1;22(3):629-34.
- Alvarez-Buylla A, Garcia-Verdugo JM, Tramontin AD. A unified hypothesis on the lineage of neural stem cells. *Nat Rev Neurosci*. 2001 Apr;2(4):287-93.

Alvarez-Buylla A, Theelen M, Nottebohm F. Proliferation "hot spots" in adult avian ventricular zone reveal radial cell division. *Neuron*. 1990 Jul;5(1):101-9.

Amaral DG. A Golgi study of cell types in the hilar region of the hippocampus in the rat. *J Comp Neurol*. 1978 Dec 15;182(4 Pt 2):851-914.

Amaral DG. Synaptic extensions from the mossy fibers of the fascia dentata. *Anat Embryol (Berl)*. 1979 Apr 6;155(3):241-51.

Amaral DG, Witter MP. The three-dimensional organization of the hippocampal formation: a review of anatomical data. *Neuroscience*. 1989;31(3):571-91.

Amaral DG, Witter MP. The rat nervous system. Cap: Hippocampal formation. Academic Press, Inc. 2° edition. 443-493.

Araki T., Simon R.P., Taki W., Lan J.-Q., Henshall D.C. Characterization of neuronal death induced by focally evoked limbic seizures in the C57BL/6 mouse. *J. Neurosci. Res*. 2002, 69, 614-621.

Arima T, Drewell RA, Arney KL, Inoue J, Makita Y, Hata A, Oshimura M, Wake N, Surani MA. A conserved imprinting control region at the HYMAI/ZAC domain is implicated in transient neonatal diabetes mellitus. *Hum Mol Genet*. 2001 Jul 1;10(14):1475-83.

Arima T, Drewell RA, Oshimura M, Wake N, Surani MA. A novel imprinted gene, HYMAI, is located within an imprinted domain on human chromosome 6 containing ZAC. *Genomics*. 2000 Aug 1;67(3):248-55.

Arimura A. Perspectives on pituitary adenylate cyclase activating polypeptide (PACAP) in the neuroendocrine, endocrine, and nervous systems. *Jpn J Physiol*. 1998 Oct;48(5):301-31.

Arimura A, Shioda S. Pituitary adenylate cyclase activating polypeptide (PACAP) and its receptors: neuroendocrine and endocrine interaction. *Front Neuroendocrinol*. 1995 Jan;16(1):53-88.

Astic L, Saucier D. Anatomical mapping of the neuroepithelial projection to the olfactory bulb in the rat. *Brain Res Bull*. 1986 Apr;16(4):445-54.

Auladell C, Martinez A, Alcantara S, Super H, Soriano E. Migrating neurons in the developing cerebral cortex of the mouse send callosal axons. *Neuroscience*. 1995 Feb;64(4):1091-103.

B

Bally-Cuif L, Hammerschmidt M. Induction and patterning of neuronal development, and its connection to cell cycle control. *Curr Opin Neurobiol*. 2003 Feb;13(1):16-25.

Banasr M, Hery M, Brezun JM, Daszuta A. Serotonin mediates oestrogen stimulation of cell proliferation in the adult dentate gyrus. *Eur J Neurosci*. 2001 Nov;14(9):1417-24.

Barde YA. Trophic factors and neuronal survival. *Neuron*. 1989 Jun;2(6):1525-34.

Barnea A, Nottebohm F. Recruitment and replacement of hippocampal neurons in young and adult chickadees: an addition to the theory of hippocampal learning. *Proc Natl Acad Sci U S A*. 1996 Jan 23;93(2):714-8.

Barnea A, Nottebohm F. Seasonal recruitment of hippocampal neurons in adult free-ranging black-capped chickadees. *Proc Natl Acad Sci U S A*. 1994 Nov 8;91(23):11217-21.

Baskin DG, Figlewicz DP, Woods SC, Porte D Jr, Dorsa DM. Insulin in the brain. *Annu Rev Physiol*. 1987;49:335-47.

Bedard A, Parent A. Evidence of newly generated neurons in the human olfactory bulb. *Brain Res Dev Brain Res*. 2004 Jul 19;151(1-2):159-68.

Bedard A, Cossette M, Levesque M, Parent A. Proliferating cells can differentiate into neurons in the striatum of normal adult monkey. *Neurosci Lett*. 2002 Aug 16;328(3):213-6.

Ben-Ari Y. Limbic seizure and brain damage produced by kainic acid: mechanisms and relevance to human temporal lobe epilepsy. *Neurosci*. 1985, 14, 375-403.

Bernier PJ, Bedard A, Vinet J, Levesque M, Parent A. Newly generated neurons in the amygdala and adjoining cortex of adult primates. *Proc Natl Acad Sci U S A*. 2002 Aug 20;99(17):11464-9. Epub 2002 Aug 12.

Bernier PJ, Parent A. Bcl-2 protein as a marker of neuronal immaturity in postnatal primate brain. *J Neurosci*. 1998 Apr 1;18(7):2486-97.

Bilanges B, Varrault A, Mazumdar A, Pantaloni C, Hoffmann A, Bockaert J, Spengler D, Journot L. Alternative splicing of the imprinted candidate tumor suppressor gene ZAC regulates its antiproliferative and DNA binding activities. *Oncogene*. 2001 Mar 8;20(10):1246-53.

Bilanges B, Varrault A, Basyuk E, Rodriguez C, Mazumdar A, Pantaloni C, Bockaert J, Theillet C, Spengler D, Journot L. Loss of expression of the candidate tumor suppressor gene ZAC in breast cancer cell lines and primary tumors. *Oncogene*. 1999 Jul 8;18(27):3979-88.

Bizon JL, Gallagher M. Production of new cells in the rat dentate gyrus over the lifespan: relation to cognitive decline. *Eur J Neurosci*. 2003 Jul;18(1):215-9.

Blackstad TW, Kjaerheim A. Special axo-dendritic synapses in the hippocampal cortex: electron and light microscopic studies on the layer of mossy fibers. *J Comp Neurol*. 1961 Oct;117:133-59.

Bondolfi L, Ermini F, Long JM, Ingram DK, Jucker M. Impact of age and caloric restriction on neurogenesis in the dentate gyrus of C57BL/6 mice. *Neurobiol Aging*. 2004 Mar;25(3):333-40.

Bonfanti L, Peretto P, Merighi A, Fasolo A. Newly-generated cells from the rostral migratory stream in the accessory olfactory bulb of the adult rat. *Neuroscience*. 1997 Nov;81(2):489-502.

Bonfanti L, Theodosis DT. Expression of polysialylated neural cell adhesion molecule by proliferating cells in the subependymal layer of the adult rat, in its rostral extension and in the olfactory bulb. *Neuroscience*. 1994 Sep;62(1):291-305.

Borycki, A.G., Emerson, C.P. Jr., 2000. Multiple tissue interactions and signal transduction pathways control somite myogenesis. *Curr. Top. Dev. Biol.* 48, 165-224.

Boschert U., Muda M., Camps M., Dickinson R., Arkinstall S. Induction of the dual specificity phosphatase PAC1 in rat brain following seizure activity. *Neuroreport*. 1997, 8(14), 3077-3080.

Bradford F. *Fundamentos de neuroquímica*. Editorial Labor, S.A. 1988, Barcelona, España.

Broadwell RD, Bleier R. A cytoarchitectonic atlas of the mouse hypothalamus. *J Comp Neurol*. 1976 Jun 1;167(3):315-39.

Buckingham, M., Bajard, L., Chang, T., Daubas, P., Hadchouel, J., Meilhac, S., Montarras, D., Rocancourt, D., Relaix, F., 2003. The formation of skeletal muscle: from somite to limb. *J. Anat.* 202, 59-68.

Buttery PC, French-Constant C. Process extension and myelin sheet formation in maturing oligodendrocytes. *Prog Brain Res*. 2001;132:115-30.

C

Cameron RS, Rakic P. Glial cell lineage in the cerebral cortex: a review and synthesis. *Glia*. 1991;4(2):124-37.

Cameron HA, McKay RD. Adult neurogenesis produces a large pool of new granule cells in the dentate gyrus. *J Comp Neurol*. 2001 Jul 9;435(4):406-17.

Carbajo-Perez E, Carbajo S, Orfao A, Vicente-Villardón JL, Vazquez R. Circadian variation in the distribution of cells throughout the different phases of the cell cycle in the anterior pituitary gland of adult male rats as analysed by flow cytometry. *J Endocrinol*. 1991 Jun;129(3):329-33.

Carleton A, Petreanu LT, Lansford R, Alvarez-Buylla A, Lledo PM. Becoming a new neuron in the adult olfactory bulb. *Nat Neurosci*. 2003 May;6(5):507-18.

Carlsen J. New perspectives on the functional anatomical organization of the basolateral amygdala. *Acta Neurol Scand Suppl*. 1989;122:1-27.

Caviness VS Jr, Takahashi T, Nowakowski RS. Neuronogenesis and the early events of neocortical histogenesis. *Results Probl Cell Differ*. 2000;30:107-43.

- Caviness VS Jr, Takahashi T, Nowakowski RS. Numbers, time and neocortical neuronogenesis: a general developmental and evolutionary model. *Trends Neurosci.* 1995 Sep;18(9):379-83.
- Caviness, V.S., Jr., Misson, J.-P., and Gadisseux, J.-F. 1989. Abnormal neuronal patterns and disorders of neocortical development. Pages 405–442 in Galaburda, A.M., Ed., *From Reading to Neurons*. M.I.T. Press/Bradford Books, Cambridge, Mass.
- Cecconi F, Alvarez-Bolado G, Meyer BI, Roth KA, Gruss P. Apaf1 (CED-4 homolog) regulates programmed cell death in mammalian development. *Cell.* 1998 Sep 18;94(6):727-37.
- Chen XH, Iwata A, Nonaka M, Browne KD, Smith DH. Neurogenesis and glial proliferation persist for at least one year in the subventricular zone following brain trauma in rats. *J Neurotrauma.* 2003 Jul;20(7):623-31.
- Chiasson BJ, Tropepe V, Morshead CM, van der Kooy D. Adult mammalian forebrain ependymal and subependymal cells demonstrate proliferative potential, but only subependymal cells have neural stem cell characteristics. *J Neurosci.* 1999 Jun 1;19(11):4462-71.
- Chicurel ME, Harris KM. Three-dimensional analysis of the structure and composition of CA3 branched dendritic spines and their synaptic relationships with mossy fiber boutons in the rat hippocampus. *J Comp Neurol.* 1992 Nov 8;325(2):169-82.
- Chowdrey HS, Lightman SL. Role of central amino acids and peptide-mediated pathways in neurohypophysial hormone release. *Ann N Y Acad Sci* 1993, 689:183-193.
- Christ, B., Brand-Saber, B., 2002. Limb muscle development. *Int. J. Dev. Biol.* 46, 905-914.
- Christ, B., Ordahl, C.P., 1995. Early stages of chick somite development. *Anat. Embryol. (Berl).* 191, 381-396.
- Chun J, Schatz DG. Developmental neurobiology: Alternative ends for a familiar story? *Curr Biol.* 1999 Apr 8;9(7):R251-3.
- Ciani E, Hoffmann A, Schmidt P, Journot L, Spengler D. Induction of the PAC1-R (PACAP-type I receptor) gene by p53 and Zac. *Brain Res Mol Brain Res.* 1999 Jun 8;69(2):290-4.
- Ciaroni S, Cecchini T, Ferri P, Cuppini R, Ambrogini P, Santi S, Benedetti S, Del Grande P, Papa S. Neural precursor proliferation and newborn cell survival in the adult rat dentate gyrus are affected by vitamin E deficiency. *Neurosci Res.* 2002 Dec;44(4):369-77.
- Ciaroni S, Cuppini R, Cecchini T, Ferri P, Ambrogini P, Cuppini C, Del Grande P. Neurogenesis in the adult rat dentate gyrus is enhanced by vitamin E deficiency. *J Comp Neurol.* 1999 Aug 30;411(3):495-502.
- Clifford D.B., Olney J.W., Benz A.M., Fuller T.A., Zorumski C.F. Ketamine, phencyclidine, and MK-801 protect against kainic acid-induced seizure-related brain damage. *Epilepsia.* 1990, 31(4), 382-390.
- Coggeshall RE. A study of diencephalic development in the albino rat. *J Comp Neurol.* 1964 Apr;122:241-69.
- Conlon RA. Retinoic acid and pattern formation in vertebrates. *Trends Genet.* 1995 Aug;11(8):314-9.
- Corotto FS, Henegar JA, Maruniak JA. Neurogenesis persists in the subependymal layer of the adult mouse brain. *Neurosci Lett.* 1993 Jan 12;149(2):111-4.
- Corti S, Locatelli F, Donadoni C, Strazzer S, Salani S, Del Bo R, Caccialanza M, Bresolin N, Scarlato G, Comi GP. Neuroectodermal and microglial differentiation of bone marrow cells in the mouse spinal cord and sensory ganglia. *J Neurosci Res.* 2002 Dec 15;70(6):721-33.
- Cowan WM. Organización del cerebro. *Investigación y Ciencia*, 1987, 68-82.
- Crane WA, Loomes RS. Effect of age, sex, and hormonal state on tritiated thymidine uptake by rat pituitary. *Br J Cancer.* 1967 Dec;21(4):787-92.
- Cremer H, Lange R, Christoph A, Plomann M, Vopper G, Roes J, Brown R, Baldwin S, Kraemer P, Scheff S, et al. Inactivation of the N-CAM gene in mice results in size reduction of the olfactory bulb and deficits in spatial learning. *Nature.* 1994 Feb 3;367(6462):455-9.
- Cremisi F, Philpott A, Ohnuma S. Cell cycle and cell fate interactions in neural development. *Curr Opin Neurobiol.* 2003 Feb;13(1):26-33.

Cvetkovic D, Pisarcik D, Lee C, Hamilton TC, Abdollahi A. Altered expression and loss of heterozygosity of the LOT1 gene in ovarian cancer. *Gynecol Oncol.* 2004 Dec;95(3):449-55.

D

Dash PK, Mach SA, Moore AN. Enhanced neurogenesis in the rodent hippocampus following traumatic brain injury. *J Neurosci Res.* 2001 Feb 15;63(4):313-9.

da Silva L.F., Pereira P., Elisabetsky E. A neuropharmacological analysis of PTZ-induced kindling in mice. *Gen Pharmacol.* 1998, 31(1), 47-50.

de la Rosa EJ, de Pablo F. Cell death in early neural development: beyond the neurotrophic theory. *Trends Neurosci.* 2000 Oct;23(10):454-8.

Deiner, M.S., Sretavan, D.W., 1999. Altered midline axon pathways and ectopic neurons in the developing hypothalamus of netrin-1- and DCC-deficient mice. *J. Neurosci.* 19, 9900-9912.

DeLise, A.M., Fischer, L., Tuan, R.S., 2000. Cellular interactions and signaling in cartilage development. *Osteoarthritis Cartilage.* 8, 309-334.

Deng C, Zhang P, Harper JW, Elledge SJ, Leder P Mice lacking p21CIP1/WAF1 undergo normal development, but are defective in G1 checkpoint control. *Cell.* 1995 Aug 25;82(4):675-84.

Djebaili M., Lerner-Natoli M., Pascale M., Baille V., Bockaert J., Rondouin G. Molecular events involved in neuronal death induced in the mouse hippocampus by in-vivo injection of kainic acid. *Mol. Brain Res.* 2001, 93(2), 190-198.

Deutsch PJ, Sun Y. The 38-amino acid form of pituitary adenylate cyclase-activating polypeptide stimulates dual signaling cascades in PC12 cells and promotes neurite outgrowth. *J Biol Chem.* 1992 Mar 15;267(8):5108-13.

Diaz B, Serna J, De Pablo F, de la Rosa EJ. In vivo regulation of cell death by embryonic (pro)insulin and the insulin receptor during early retinal neurogenesis. *Development.* 2000 Apr;127(8):1641-9.

Doetsch F. The glial identity of neural stem cells. *Nat Neurosci.* 2003 Nov;6(11):1127-34. Epub 2003 Oct 28.

Doetsch F, Caille I, Lim DA, Garcia-Verdugo JM, Alvarez-Buylla A. Subventricular zone astrocytes are neural stem cells in the adult mammalian brain. *Cell.* 1999 Jun 11;97(6):703-16.

Doetsch F, Garcia-Verdugo JM, Alvarez-Buylla A. Cellular composition and three-dimensional organization of the subventricular germinal zone in the adult mammalian brain. *J Neurosci.* 1997 Jul 1;17(13):5046-61.

Domínguez M.I., Blasco-Ibáñez J.M., Crespo C., Marqués-Marí A.I., Martínez-Guijarro F.J. Zinc chelation during non-lesioning overexcitation results in neuronal death in the mouse hippocampus. *Neurosci.*, 2003 116, 791-806.
Dorton, A.M., 2000. The pituitary gland: embryology, physiology, and pathophysiology. *Neonatal Netw.* 19, 9-17.

D'Sa-Eipper C, Leonard JR, Putcha G, Zheng TS, Flavell RA, Rakic P, Kuida K, Roth KA. DNA damage-induced neural precursor cell apoptosis requires p53 and caspase 9 but neither Bax nor caspase 3. *Development.* 2001 Jan;128(1):137-46.

D'Sa-Eipper, C., Roth, K.A., 2000. Caspase regulation of neuronal progenitor cell apoptosis. *Dev. Neurosci.* 22, 116-124.

E

Eckenhoff MF, Rakic P. Nature and fate of proliferative cells in the hippocampal dentate gyrus during the life span of the rhesus monkey. *J Neurosci.* 1988 Aug;8(8):2729-47.

Edelman GM. Cell adhesion molecules. *Science.* 1983 Feb 4;219(4584):450-7.

el-Deiry WS, Kern SE, Pietenpol JA, Kinzler KW, Vogelstein B. (1992). *Nat. Genet.*, 1: 45-49.

El Kharroubi A, Piras G, Stewart CL. DNA demethylation reactivates a subset of imprinted genes in uniparental mouse embryonic fibroblasts. *J Biol Chem.* 2001 Mar 23;276(12):8674-80. Epub 2000 Dec 21.

Erlebacher, A., Filvaroff, E.H., Gitelman, S.E., Derynck, R., 1995. Toward a molecular understanding of skeletal development. *Cell*. 80, 371-378.

F

Falls JG, Pulford DJ, Wylie AA, Jirtle RL. Genomic imprinting: implications for human disease. *Am J Pathol*. 1999 Mar;154(3):635-47.

Feng R, Rampon C, Tang YP, Shrom D, Jin J, Kyin M, Sopher B, Miller MW, Ware CB, Martin GM, Kim SH, Langdon RB, Sisodia SS, Tsien JZ. Deficient neurogenesis in forebrain-specific presenilin-1 knockout mice is associated with reduced clearance of hippocampal memory traces. *Neuron*. 2001 Dec 6;32(5):911-26.

Ferguson AW, Milner RD. Transient neonatal diabetes mellitus in sibs. *Arch Dis Child*. 1970 Feb;45(239):80-3.

Filipkowski R.K., Hetman M., Kaminska B., Kaczmarek L. DNA fragmentation in rat brain after intraperitoneal administration of kainate. *Neuroreport*. 1994, 5(12), 1538-1540.

Filippov V, Kronenberg G, Pivneva T, Reuter K, Steiner B, Wang LP, Yamaguchi M, Kettenmann H, Kempermann G. Subpopulation of nestin-expressing progenitor cells in the adult murine hippocampus shows electrophysiological and morphological characteristics of astrocytes. *Mol Cell Neurosci*. 2003 Jul;23(3):373-82.

Finucane DM, Bossy-Wetzel E, Waterhouse NJ, Cotter TG, Green DR. Bax-induced caspase activation and apoptosis via cytochrome c release from mitochondria is inhibitable by Bcl-xL. *J Biol Chem*. 1999 Jan 22;274(4):2225-33.

Frade JM, Bovolenta P, Martinez-Morales JR, Arribas A, Barbas JA, Rodriguez-Tebar A. Control of early cell death by BDNF in the chick retina. *Development*. 1997 Sep;124(17):3313-20.

Frederiksen K, McKay RD. Proliferation and differentiation of rat neuroepithelial precursor cells in vivo. *J Neurosci*. 1988 Apr;8(4):1144-51.

Frotscher M, Leranth C, Lubbers K, Oertel WH. Commissural afferents innervate glutamate decarboxylase immunoreactive non-pyramidal neurons in the guinea pig hippocampus. *Neurosci Lett*. 1984 May 4;46(2):137-43.

Fujii H, Szumel R, Marsh C, Zhou W, Gabrielson E. Genetic progression, histological grade, and allelic loss in ductal carcinoma in situ of the breast. *Cancer Res*. 1996 Nov 15;56(22):5260-5.

Fukushima N, Yokouchi K, Kawagishi K, Moriizumi T. Differential neurogenesis and gliogenesis by local and migrating neural stem cells in the olfactory bulb. *Neurosci Res*. 2002 Dec;44(4):467-73.

G

Gage FH. Mammalian neural stem cells. *Science*. 2000 Feb 25;287(5457):1433-8.

Gardner RJ, Mackay DJ, Mungall AJ, Polychronakos C, Siebert R, Shield JP, Temple IK, Robinson DO. An imprinted locus associated with transient neonatal diabetes mellitus. *Hum Mol Genet*. 2000 Mar 1;9(4):589-96.

Gerber, H.P., Vu, T.H., Ryan, A.M., Kowalski, J., Werb, Z., Ferrara, N., 1999. VEGF couples hypertrophic cartilage remodeling, ossification and angiogenesis during endochondral bone formation. *Nat. Med.* 5, 623-628.

Gheusi G, Cremer H, McLean H, Chazal G, Vincent JD, Lledo PM. Importance of newly generated neurons in the adult olfactory bulb for odor discrimination. *Proc Natl Acad Sci U S A*. 2000 Feb 15;97(4):1823-8.

Gillardot F, Hata R, Hossmann KA: Delayed up-regulation of *Zac1* and PACAP type I receptor after transient focal cerebral ischemia in mice. *Brain Res Mol Brain Res* 1998;61:207-210.

Gomez FM. [Early experiences and environment: their impact on neurodevelopment and the creation of mental processes] *Vertex*. 2004 Jun-Aug;15(56):105-14.

Gonzalez, H.A., Kedzierski, W., Aguila-Mansilla, N., Porter, J.C., 1989. Hormonal control of tyrosine hydroxylase in the median eminence: demonstration of a central role for the pituitary gland. *Endocrinology*. 124, 2122-2127.

Gonzalez AM, Logan A, Ying W, Lappi DA, Berry M, Baird A. Fibroblast growth factor in the hypothalamic-pituitary axis: Differential expression of fibroblast growth factor-2 and a high affinity receptor. *Endocrinology* 1994, 134:2289-2297.

Gonzalez-Garcia M, Perez-Ballesteros R, Ding L, Duan L, Boise LH, Thompson CB, Nunez G. bcl-XL is the major bcl-x mRNA form expressed during murine development and its product localizes to mitochondria. *Development*. 1994 Oct;120(10):3033-42.

Goodenough S., Davidson M., Chen W., Beckmann A., Pujic Z., Otsuki M., Matsumoto I., Wilce P. Immediate early gene expression and delayed cell death in limbic areas of the rat brain after kainic acid treatment and recovery in the cold. *Exp. Neurol*. 1997. 145(2 Pt 1), 451-461.

Goodman CS, Shatz CJ. Developmental mechanisms that generate precise patterns of neuronal connectivity. *Cell*. 1993 Jan;72 Suppl:77-98.

Gould E, Tanapat P, Rydel T, Hastings N. Regulation of hippocampal neurogenesis in adulthood. *Biol Psychiatry*. 2000 Oct 15;48(8):715-20.

Gould E, Tanapat P, Hastings NB, Shors TJ. Neurogenesis in adulthood: a possible role in learning. *Trends Cogn Sci*. 1999 May;3(5):186-192.

Gould E, Tanapat P, McEwen BS, Flugge G, Fuchs E. Proliferation of granule cell precursors in the dentate gyrus of adult monkeys is diminished by stress. *Proc Natl Acad Sci U S A*. 1998 Mar 17;95(6):3168-71.

Gould E, McEwen BS, Tanapat P, Galea LA, Fuchs E. Neurogenesis in the dentate gyrus of the adult tree shrew is regulated by psychosocial stress and NMDA receptor activation. *J Neurosci*. 1997 Apr 1;17(7):2492-8.

Gould E. The effects of adrenal steroids and excitatory input on neuronal birth and survival. *Ann N Y Acad Sci*. 1994 Nov 14;743:73-92; discussion 92-3.

Gould E, Cameron HA, McEwen BS. Blockade of NMDA receptors increases cell death and birth in the developing rat dentate gyrus. *J Comp Neurol*. 1994 Feb 22;340(4):551-65.

Gould E, Cameron HA, Daniels DC, Woolley CS, McEwen BS. Adrenal hormones suppress cell division in the adult rat dentate gyrus. *J Neurosci*. 1992 Sep;12(9):3642-50.

Greenberg M.E., Thompson M.A., Sheng M. Calcium regulation of immediate early gene transcription. *J. Physiol. Paris*. 1992, 86, 99-108.

H

Hall JG. Genomic imprinting: nature and clinical relevance. *Annu Rev Med*. 1997;48:35-44.

Hall, B.K., Miyake, T., 2000. All for one and one for all: condensations and the initiation of skeletal development. *Bioessays*. 22, 138-147.

Hallbergson AF, Gnatenco C, Peterson DA. Neurogenesis and brain injury: managing a renewable resource for repair. *J Clin Invest*. 2003 Oct;112(8):1128-33.

Hastings NB, Gould E. Rapid extension of axons into the CA3 region by adult-generated granule cells. *J Comp Neurol*. 1999 Oct 11;413(1):146-54.

Hartfuss E, Galli R, Heins N, Gotz M. Characterization of CNS precursor subtypes and radial glia. *Dev Biol*. 2001 Jan 1;229(1):15-30.

Hatten ME. New directions in neuronal migration. *Science*. 2002 Sep 6;297(5587):1660-3.

Hatten ME, Mason CA. Mechanisms of glial-guided neuronal migration in vitro and in vivo. *Experientia*. 1990 Sep 15;46(9):907-16.

Haydar TF, Kuan CY, Flavell RA, Rakic P. The role of cell death in regulating the size and shape of the mammalian forebrain. *Cereb Cortex*. 1999 Sep;9(6):621-6.

Hensen K, Van Valckenborgh IC, Kas K, Van de Ven WJ, Voz ML. The tumorigenic diversity of the three PLAG family members is associated with different DNA binding capacities. *Cancer Res*. 2002 Mar 1;62(5):1510-7.

Hensen K, Braem C, Declercq J, Van Dyck F, Dewerchin M, Fiette L, Deneef C, Van de Ven WJ. Targeted disruption of the murine *Plagl1* proto-oncogene causes growth retardation and reduced fertility. *Dev Growth Differ*. 2004 Oct;46(5):459-70.

Hernandez-Sanchez C, Lopez-Carranza A, Alarcon C, de La Rosa EJ, de Pablo F. Autocrine/paracrine role of insulin-related growth factors in neurogenesis: local expression and effects on cell proliferation and differentiation in retina. *Proc Natl Acad Sci U S A*. 1995 Oct 10;92(21):9834-8.

Herschkowitz N. Brain development in the fetus, neonate and infant. *Biol Neonate*. 1988;54(1):1-19.

Ho A, Dowdy SF. Regulation of G(1) cell-cycle progression by oncogenes and tumor suppressor genes. *Curr Opin Genet Dev*. 2002 Feb;12(1):47-52.

Hoffmann A, Ciani E, Boeckardt J, Holsboer F, Journot L, Spengler D. Transcriptional activities of the zinc finger protein Zac are differentially controlled by DNA binding. *Mol Cell Biol*. 2003 Feb;23(3):988-1003.

Hoffmann A, Ciani E, Houssami S, Brabet P, Journot L, Spengler D. Induction of type I PACAP receptor expression by the new zinc finger protein Zac1 and p53. *Ann N Y Acad Sci*. 1998 Dec 11;865:49-58.

Horton, W.A., 2003. Skeletal development: insights from targeting the mouse genome. *Lancet*. 362, 560-569.

Huang SM, Schonthal AH, Stallcup MR. Enhancement of p53-dependent gene activation by the transcriptional coactivator Zac1. *Oncogene*. 2001 Apr 19;20(17):2134-43.

Huang SM, Stallcup MR. Mouse Zac1, a transcriptional coactivator and repressor for nuclear receptors. *Mol Cell Biol*. 2000 Mar;20(5):1855-67.

I

Ishizuka N, Weber J, Amaral DG. Organization of intrahippocampal projections originating from CA3 pyramidal cells in the rat. *J Comp Neurol*. 1990 May 22;295(4):580-623.

Ivins JK, Pittman RN. Growth cone-growth cone interactions in cultures of rat sympathetic neurons. *Dev Biol*. 1989 Sep;135(1):147-57.

J

Jacques TS, Relvas JB, Nishimura S, Pytela R, Edwards GM, Streuli CH, ffrench-Constant C. Neural precursor cell chain migration and division are regulated through different beta1 integrins. *Development*. 1998 Aug;125(16):3167-77.

Jay TM, Glowinski J, Thierry AM. Selectivity of the hippocampal projection to the prelimbic area of the prefrontal cortex in the rat. *Brain Res*. 1989 Dec 29;505(2):337-40.

Jin K, Mao XO, Sun Y, Xie L, Greenberg DA. Stem cell factor stimulates neurogenesis in vitro and in vivo. *J Clin Invest*. 2002 Aug;110(3):311-9.

Johansson CB, Momma S, Clarke DL, Risling M, Lendahl U, Frisen J. Identification of a neural stem cell in the adult mammalian central nervous system. *Cell*. 1999 Jan 8;96(1):25-34.

Jones KR, Reichardt LF. Molecular cloning of a human gene that is a member of the nerve growth factor family. *Proc Natl Acad Sci U S A*. 1990 Oct;87(20):8060-4.

Jonker, L., Kist, R., Aw, A., Wappler, I., Peters, H., 2004. Pax9 is required for filiform papilla development and suppresses skin-specific differentiation of the mammalian tongue epithelium. *Mech. Dev.* 121, 1313-1322.

Joseph R. The limbic system: emotion, laterality, and unconscious mind. *Psychoanalytic Review*. 1992, 3, 406-456.

Joseph R. *The Naked neuron*. N.Y.: Plenum Press. 1993.

Joza N, Susin SA, Daugas E, Stanford WL, Cho SK, Li CY, Sasaki T, Elia AJ, Cheng HY, Ravagnan L, Ferri KF, Zamzami N, Wakeham A, Hakem R, Yoshida H, Kong YY, Mak TW, Zuniga-Pflucker JC, Kroemer G, Penninger JM. Essential role of the mitochondrial apoptosis-inducing factor in programmed cell death. *Nature*. 2001 Mar 29;410(6828):549-54.

K

Kalil RE. The influence of action potentials on the development of the central visual pathway in mammals. *J Exp Biol*. 1990 Oct;153:261-76.

- Kaminska B., Filipkowski R.K., Biedermann I.W., Konopka D., Nowicka D., Hetman M., Dabrowski M., Gorecki D.C., Lukasiuk K., Szklarczyk A.W., Kaczmarek L. Kainate-evoked modulation of gene expression in rat brain. *Acta Biochim. Pol.* 1997, 44(4), 781-789.
- Kamiya M, Judson H, Okazaki Y, Kusakabe M, Muramatsu M, Takada S, Takagi N, Arima T, Wake N, Kamimura K, Satomura K, Hermann R, Bonthron DT, Hayashizaki Y. The cell cycle control gene ZAC/PLAGL1 is imprinted--a strong candidate gene for transient neonatal diabetes. *Hum Mol Genet.* 2000 Feb 12;9(3):453-60.
- Kandel ER, Schwartz JH, Jessell TM. *Principles of Neural Science.* Fourth Edition. 2000. McGraw Hill.
- Kannan K, Kaminski N, Rechavi G, Jakob-Hirsch J, Amariglio N, Givol D. (2001). *Oncogene*, 20: 3449-3455.
- Kaplan MS, McNelly NA, Hinds JW. Population dynamics of adult-formed granule neurons of the rat olfactory bulb. *J Comp Neurol.* 1985 Sep 1;239(1):117-25.
- Kaplan MS, Bell DH. Mitotic neuroblasts in the 9-day-old and 11-month-old rodent hippocampus. *J Neurosci.* 1984 Jun;4(6):1429-41.
- Kas K, Voz ML, Hensen K, Meyen E, Van de Ven WJ. Transcriptional activation capacity of the novel PLAG family of zinc finger proteins. *J Biol Chem.* 1998 Sep 4;273(36):23026-32.
- Kas K, Voz ML, Roijer E, Astrom AK, Meyen E, Stenman G, Van de Ven WJ. Promoter swapping between the genes for a novel zinc finger protein and beta-catenin in pleiomorphic adenomas with t(3;8)(p21;q12) translocations. *Nat Genet.* 1997 Feb;15(2):170-4.
- Katarova, Z., Sekerkova, G., Prodan, S., Mugnaini, E., Szabo, G., 2000. Domain-restricted expression of two glutamic acid decarboxylase genes in midgestation mouse embryos. *J. Comp. Neurol.* 424, 607-627.
- Kawano H, Tsuruo Y, Bando H, Daikoku S. Hypophysiotrophic TRH-producing neurons identified by combining immunohistochemistry for pro-TRH and retrograde tracing. 1991 *J Comp Neurol* 307:531-538.
- Kee NJ, Preston E, Wojtowicz JM. Enhanced neurogenesis after transient global ischemia in the dentate gyrus of the rat. *Exp Brain Res.* 2001 Feb;136(3):313-20.
- Kempermann G, Wiskott L, Gage FH. Functional significance of adult neurogenesis. *Curr Opin Neurobiol.* 2004 Apr;14(2):186-91.
- Kempermann G, Kuhn HG, Gage FH. More hippocampal neurons in adult mice living in an enriched environment. *Nature.* 1997 Apr 3;386(6624):493-5.
- Kintner C. Neurogenesis in embryos and in adult neural stem cells. *J Neurosci.* 2002 Feb 1;22(3):639-43.
- Kishi K. Golgi studies on the development of granule cells of the rat olfactory bulb with reference to migration in the subependymal layer. *J Comp Neurol.* 1987 Apr 1;258(1):112-24.
- Klioueva I.A., van Luijtelea E.L., Chepurnova N.E., Chepurnov S.A. PTZ-induced seizures in rats: effects of age and strain. *Physiol. Behav.* 2001, 72(3), 421-426.
- Klug A, Schwabe JW. Protein motifs 5. Zinc fingers. *FASEB J.* 1995 May;9(8):597-604.
- Knecht AK, Bronner-Fraser M. Induction of the neural crest: a multigene process. *Nat Rev Genet.* 2002 Jun;3(6):453-61.
- Knudson AG Jr. Pediatric molecular oncology. Past as prologue to the future. *Cancer.* 1993 May 15;71(10 Suppl):3320-4.
- Knudson AG Jr. Hereditary cancer, oncogenes, and antioncogenes. *Cancer Res.* 1985 Apr;45(4):1437-43.
- Knudson AG Jr. Mutation and cancer: statistical study of retinoblastoma. *Proc Natl Acad Sci U S A.* 1971 Apr;68(4):820-3.
- Ko C, Park-Sarge OK. Progesterone receptor activation mediates LH-induced type-I pituitary adenylate cyclase activating polypeptide receptor (PAC(1)) gene expression in rat granulosa cells. *Biochem Biophys Res Commun.* 2000 Oct 14;277(1):270-9.
- Korf HW. Neuronal organization of the avian paraventricular nucleus: intrinsic, afferent, and efferent connections. *J Exp Zool.* 1984 Dec;232(3):387-95.

Kornack DR, Rakic P. Cell proliferation without neurogenesis in adult primate neocortex. *Science*. 2001 Dec 7;294(5549):2127-30.

Korsmeyer SJ. BCL-2 gene family and the regulation of programmed cell death. *Cancer Res*. 1999 Apr 1;59(7 Suppl):1693s-1700s.

Koy S, Hauses M, Appelt H, Friedrich K, Schackert HK, Eckelt U. Loss of expression of ZAC/LOT1 in squamous cell carcinomas of head and neck. *Head Neck*. 2004 Apr;26(4):338-44.

Kozorovitskiy Y, Gould E. Adult neurogenesis: a mechanism for brain repair? *J Clin Exp Neuropsychol*. 2003 Aug;25(5):721-32.

Krajewski S, Krajewska M, Shabaik A, Wang HG, Irie S, Fong L, Reed JC. Immunohistochemical analysis of in vivo patterns of Bcl-X expression. *Cancer Res*. 1994 Nov 1;54(21):5501-7.

Krupp G, Klapper W, Parwaresch R. Cell proliferation, carcinogenesis and diverse mechanisms of telomerase regulation. *Cell Mol Life Sci*. 2000 Mar;57(3):464-86.

Kuan CY, Roth KA, Flavell RA, Rakic P. Mechanisms of programmed cell death in the developing brain. *Trends Neurosci*. 2000 Jul;23(7):291-7.

Kuhn HG, Palmer TD, Fuchs E. Adult neurogenesis: a compensatory mechanism for neuronal damage. *Eur Arch Psychiatry Clin Neurosci*. 2001 Aug;251(4):152-8.

Kuhn HG, Winkler J, Kempermann G, Thal LJ, Gage FH. Epidermal growth factor and fibroblast growth factor-2 have different effects on neural progenitors in the adult rat brain. *J Neurosci*. 1997 Aug 1;17(15):5820-9.

Kuhn HG, Dickinson-Anson H, Gage FH. Neurogenesis in the dentate gyrus of the adult rat: age-related decrease of neuronal progenitor proliferation. *J Neurosci*. 1996 Mar 15;16(6):2027-33.

Kurki, P., Ogata, K., Tan, E.M., 1988. Monoclonal antibodies to proliferating cell nuclear antigen (PCNA)/cyclin as probes for proliferating cells by immunofluorescence microscopy and flow cytometry. *J. Immunol. Methods*. 109, 49-59.

L

Lang B, Liu HL, Liu R, Feng GD, Jiao XY, Ju G. Astrocytes in injured adult rat spinal cord may acquire the potential of neural stem cells. *Neuroscience*. 2004;128(4):775-83.

Laurberg S, Sorensen KE. Associational and commissural collaterals of neurons in the hippocampal formation (hilus fasciae dentatae and subfield CA3). *Brain Res*. 1981 May 18;212(2):287-300.

Laywell ED, Kukekov VG, Steindler DA. Multipotent neurospheres can be derived from forebrain subependymal zone and spinal cord of adult mice after protracted postmortem intervals. *Exp Neurol*. 1999 Apr;156(2):430-3.

Laywell ED, Rakic P, Kukekov VG, Holland EC, Steindler DA. Identification of a multipotent astrocytic stem cell in the immature and adult mouse brain. *Proc Natl Acad Sci U S A*. 2000 Dec 5;97(25):13883-8.

Lee J.K., Choi S.S., Lee H.K., Han K.J., Han E.J., Suh H.W. Effects of MK-801 and CNQX on various neurotoxic responses induced by kainic acid in mice. *Mol. Cells*. 2002, 14(3), 339-47.

Lefstin JA, Yamamoto KR. Allosteric effects of DNA on transcriptional regulators. *Nature*. 1998 Apr 30;392(6679):885-8.

Lemaire V, Koehl M, Le Moal M, Abrous DN. Prenatal stress produces learning deficits associated with an inhibition of neurogenesis in the hippocampus. *Proc Natl Acad Sci U S A*. 2000 Sep 26;97(20):11032-7.

Lenington JB, Yang Z, Conover JC. Neural stem cells and the regulation of adult neurogenesis. *Reprod Biol Endocrinol*. 2003 Nov 13;1(1):99.

LeRoith D, Werner H, Neuenschwander S, Kalebic T, Helman LJ. The role of the insulin-like growth factor-I receptor in cancer. *Ann N Y Acad Sci*. 1995 Sep 7;766:402-8.

Li R, Bernd P. Neurotrophin-3 increases neurite outgrowth and apoptosis in explants of the chicken neural plate. *Dev Neurosci*. 1999;21(1):12-21.

- Lim DA, Alvarez-Buylla A. Interaction between astrocytes and adult subventricular zone precursors stimulates neurogenesis. *Proc Natl Acad Sci U S A*. 1999 Jun 22;96(13):7526-31.
- Ling EA, Wong WC. The origin and nature of ramified and amoeboid microglia: a historical review and current concepts. *Glia*. 1993 Jan;7(1):9-18.
- Lipton SA, Bossy-Wetzel E. Dueling activities of AIF in cell death versus survival: DNA binding and redox activity. *Cell*. 2002 Oct 18;111(2):147-50.
- Liu H, Kaur J, Dashtipour K, Kinyamu R, Ribak CE, Friedman LK. Suppression of hippocampal neurogenesis is associated with developmental stage, number of perinatal seizure episodes, and glucocorticosteroid level. *Exp Neurol*. 2003 Nov;184(1):196-213.
- Locascio A, Nieto MA. Cell movements during vertebrate development: integrated tissue behaviour versus individual cell migration. *Curr Opin Genet Dev*. 2001 Aug;11(4):464-9.
- Lois C, Alvarez-Buylla A. Proliferating subventricular zone cells in the adult mammalian forebrain can differentiate into neurons and glia. *Proc Natl Acad Sci U S A*. 1993 Mar 1;90(5):2074-7.
- Lois C, Alvarez-Buylla A. Long-distance neuronal migration in the adult mammalian brain. *Science*. 1994 May 20;264(5162):1145-8.
- Lois C, Garcia-Verdugo JM, Alvarez-Buylla A. Chain migration of neuronal precursors. *Science*. 1996 Feb 16;271(5251):978-81.
- Lorente de N6 R. Studies on the structure of the cerebral cortex. I. The area entorhinalis. *J Psychol Neurol* 45: 381-438.
- Lorente de N6 R. Studies on the structure of the cerebral cortex. II. Continuation of the study of the ammonic system. *J Psychol Neurol* 46: 113-177.
- Lothman E.W., Collins R.C., Ferrendelli, J.A. Kainic acid-induced limbic seizures: electrophysiologic studies. *Neurology*. 1981, 31(7), 806-812.
- Lu N, DiCicco-Bloom E: Pituitary adenylate cyclase-activating polypeptide is an autocrine inhibitor of mitosis in cultured cortical precursor cells. *Proc Natl Acad Sci USA* 1997;94:3357-3362.
- Luskin MB. Restricted proliferation and migration of postnatally generated neurons derived from the forebrain subventricular zone. *Neuron*. 1993 Jul;11(1):173-89.

M

- Ma D, Shield JP, Dean W, Leclerc I, Knauf C, Burcelin R R, Rutter GA, Kelsey G. Impaired glucose homeostasis in transgenic mice expressing the human transient neonatal diabetes mellitus locus, TNDM. *J Clin Invest*. 2004 Aug;114(3):339-48.
- Mackay DJ, Coupe AM, Shield JP, Storr JN, Temple IK, Robinson DO. Relaxation of imprinted expression of ZAC and HYMAI in a patient with transient neonatal diabetes mellitus. *Hum Genet*. 2002 Feb;110(2):139-44. Epub 2002 Jan 24.
- Mahoney MJ. Human change processes – the scientific foundations of Psychotherapy. 1991. N.Y.: Basic Books.
- Malatesta P, Hartfuss E, Gotz M. Isolation of radial glial cells by fluorescent-activated cell sorting reveals a neuronal lineage. *Development*. 2000 Dec;127(24):5253-63.
- Markakis EA, Gage FH. Adult-generated neurons in the dentate gyrus send axonal projections to field CA3 and are surrounded by synaptic vesicles. *J Comp Neurol*. 1999 Apr 19;406(4):449-60.
- Marty S, Dusart I, Peschanski M. Glial changes following an excitotoxic lesion in the CNS--I. Microglia/macrophages. *Neuroscience*. 1991;45(3):529-39.
- Mason HA, Ito S, Corfas G. Extracellular signals that regulate the tangential migration of olfactory bulb neuronal precursors: inducers, inhibitors, and repellents. *J Neurosci*. 2001 Oct 1;21(19):7654-63.
- Massague J. G1 cell-cycle control and cancer. *Nature*. 2004 Nov 18;432(7015):298-306.

- Menezes JR, Marins M, Alves JA, Froes MM, Hedin-Pereira C. Cell migration in the postnatal subventricular zone. *Braz J Med Biol Res.* 2002 Dec;35(12):1411-21.
- Merchenthaler I, Lennard DE. The hypophysiotropic neurotensin-immunoreactive neuronal system of the rat brain. *Endocrinology* 1991, 129:2875-2880.
- Merkle FT, Tramontin AD, Garcia-Verdugo JM, Alvarez-Buylla A. Radial glia give rise to adult neural stem cells in the subventricular zone. *Proc Natl Acad Sci U S A.* 2004 Dec 14;101(50):17528-32. Epub 2004 Dec 01.
- Meshberger FL. An interpretation of Michelangelo's Creation of Adam based on neuroanatomy. *JAMA.* 1990 Oct 10;264(14):1837-41.
- Mikati M.A., Abi-Habib R.J., El Sabban M.E., Dbaibo G.S., Kurdi R.M., Kobeissi M., Farhat F., Asaad, W. Hippocampal programmed cell death after status epilepticus: evidence for NMDA-receptor and ceramide-mediated mechanisms. *Epilepsia.* 2003, 44(3), 282-91.
- Mikkelsen JD, Schmidt P, Sheikh SP, Larsen PJ. Non-vasopressinergic, non-oxytocinergic neuropeptides in the rat hypothalamo-neurohypophyseal tract: Experimental immunohistochemical studies. *Progress in Brain Res* 1992, 91:367-371
- Mirescu C, Peters JD, Gould E. Early life experience alters response of adult neurogenesis to stress. *Nat Neurosci.* 2004 Aug;7(8):841-6. Epub 2004 Jul 25.
- Misson JP, Austin CP, Takahashi T, Cepko CL, Caviness VS Jr. The alignment of migrating neural cells in relation to the murine neopallial radial glial fiber system. *Cereb Cortex.* 1991 May-Jun;1(3):221-9.
- Miyata T, Kawaguchi A, Okano H, Ogawa M. Asymmetric inheritance of radial glial fibers by cortical neurons. *Neuron.* 2001 Sep 13;31(5):727-41.
- Moore J. Neurobehavioral sciences and their relationship to rehabilitation. Rockville: The American Occupational Therapy Association. 1982.
- Moran, J.L., Li, Y., Hill, A.A., Mounts, W.M., Miller, C.P., 2002. Gene expression changes during mouse skeletal myoblast differentiation revealed by transcriptional profiling. *Physiol. Genomics.* 10, 103-111.
- Morshead CM, van der Kooy D. Postmitotic death is the fate of constitutively proliferating cells in the subependymal layer of the adult mouse brain. *J Neurosci.* 1992 Jan;12(1):249-56.
- Morshead CM, Reynolds BA, Craig CG, McBurney MW, Staines WA, Morassutti D, Weiss S, van der Kooy D. Neural stem cells in the adult mammalian forebrain: a relatively quiescent subpopulation of subependymal cells. *Neuron.* 1994 Nov;13(5):1071-82.
- Morest DK, Silver J. Precursors of neurons, neuroglia, and ependymal cells in the CNS: what are they? Where are they from? How do they get where they are going? *Glia.* 2003 Jul;43(1):6-18.
- Morgan J.I. & Curran T. Role of ion flux in the control of c-fos expression. *Nature.* 1986, 322, 552-555.
- Morgan J.I. & Curran T. Calcium and proto-oncogene involvement in the immediate-early response in the nervous system. *Ann. N. Y. Acad. Sci.* 1989, 568, 283-290.
- Moroni MC, Hickman ES, Denchi EL, Caprara G, Colli E, Cecconi F, Muller H, Helin K. (2001). *Nat. Cell. Biol.*, 3: 552-558.
- Morris JF, Pow DV. New anatomical insights into the inputs and outputs from hypothalamic magnocellular neurons. *Ann N Y Acad Sci* 1993, 689:16-33.
- Motoyama N, Wang F, Roth KA, Sawa H, Nakayama K, Nakayama K, Negishi I, Senju S, Zhang Q, Fujii S, et al. Massive cell death of immature hematopoietic cells and neurons in Bcl-x-deficient mice. *Science.* 1995 Mar 10;267(5203):1506-10.
- Munno DW, Syed NI. Synaptogenesis in the CNS: an odyssey from wiring together to firing together. *J Physiol.* 2003 Oct 1;552(Pt 1):1-11. Epub 2003 Aug 01.
- Murabe Y, Ibata Y, Sano Y. Morphological studies on neuroglia. IV. Proliferative response of non-neuronal elements in the hippocampus of the rat to kainic acid-induced lesions. *Cell Tissue Res.* 1982;222(1):223-6.

N

Nagase T, Seki N, Ishikawa K, Ohira M, Kawarabayasi Y, Ohara O, Tanaka A, Kotani H, Miyajima N, Nomura N. Prediction of the coding sequences of unidentified human genes. VI. The coding sequences of 80 new genes (KIAA0201-KIAA0280) deduced by analysis of cDNA clones from cell line KG-1 and brain. *DNA Res.* 1996 Oct 31;3(5):321-9, 341-54.

Nakamura S, Naruse M, Naruse K, Shioda S, Nakai Y, Uemura H. Colocalization of immunoreactive endothelin-1 and neurohypophysial hormones in the axons of the neural lobe of the rat pituitary. *Endocrinology* 1993, 32:530-533.

Nakata M, Yada T. Physiological and therapeutic roles of PACAP in glucose metabolism and diabetes. *Nippon Yakurigaku Zasshi.* 2004 Apr;123(4):267-73.

Niederreither K, Subbarayan V, Dolle P, Chambon P. Embryonic retinoic acid synthesis is essential for early mouse post-implantation development. *Nat Genet.* 1999 Apr;21(4):444-8.

Nicholson DW. Caspase structure, proteolytic substrates, and function during apoptotic cell death. *Cell Death Differ.* 1999 Nov;6(11):1028-42.

Nicot A, DiCicco-Bloom E. Regulation of neuroblast mitosis is determined by PACAP receptor isoform expression. *Proc Natl Acad Sci U S A.* 2001 Apr 10;98(8):4758-63.

Niimi M, Takahara J, Sato M, Kawanishi K. Identification of dopamine and growth hormone-releasing factor-containing neurons projecting to the median eminence of the rat by combined retrograde tracing and immunohistochemistry. *Neuroendocrinology* 1992, 55:92-96.

Niimi M, Takahara J, Sato M, Kawanishi K. Immunohistochemical identification of galanin and growth hormone-releasing factor-containing neurons projecting to the median eminence of the rat. *Neuroendocrinology.* 1990, 51:572-575.

Niimi M, Takahara J, Sato M, Kawanishi K. Sites of origin of growth hormone-releasing factor-containing neurons projecting to the stalk-median eminence of the rat. *Peptides.* 1989, 10:605-608.

Nilsson M, Perfilieva E, Johansson U, Orwar O, Eriksson PS. Enriched environment increases neurogenesis in the adult rat dentate gyrus and improves spatial memory. *J Neurobiol.* 1999 Jun 15;39(4):569-78.

Niquet J., Ben-Ari Y., Represa A. Glial reaction after seizure induced hippocampal lesion: immunohistochemical characterization of proliferating glial cells. *J. Neurocytol.* 1994a, 23, 641-656.

Niquet J., Jorquera I., Ben-Ari Y., Represa A. Proliferative astrocytes may express fibronectin-like protein in the hippocampus of epileptic rats. *Neurosci. Lett.* 1994b, 180, 13-16.

Noctor SC, Flint AC, Weissman TA, Dammenman RS, Kriegstein AR. Neurons derived from radial glial cells establish radial units in neocortex. *Nature.* 2001 Feb 8;409(6821):714-20.

Nolan LA, Kavanagh E, Lightman SL, Levy A. Anterior pituitary cell population control: basal cell turnover and the effects of adrenalectomy and dexamethasone treatment. *J Neuroendocrinol.* 1998 Mar;10(3):207-15.

O

Ohnuma S, Harris WA. Neurogenesis and the cell cycle. *Neuron.* 2003 Oct 9;40(2):199-208.

Oishi Y, Okuda M, Takahashi H, Fujii T, Morii S. Cellular proliferation in the anterior pituitary gland of normal adult rats: influences of sex, estrous cycle, and circadian change. *Anat Rec.* 1993 Jan;235(1):111-20.

Oldfield BJ, McKinley MJ. Circumventricular organs in Paxinos G (ed) *The Rat Nervous System*, Academic Press, 1995, pp 391-403.

Olsen, B.R., Reginato, A.M., Wang, W., 2000. Bone development. *Annu. Rev. Cell Dev. Biol.* 16, 191-220.

Olson JM, Asakura A, Snider L, Hawkes R, Strand A, Stoeck J, Hallahan A, Pritchard J, Tapscott SJ. NeuroD2 is necessary for development and survival of central nervous system neurons. *Dev Biol.* 2001 Jun 1;234(1):174-87.

Olsson M, Bjorklund A, Campbell K. Early specification of striatal projection neurons and interneuronal subtypes in the lateral and medial ganglionic eminence. *Neuroscience.* 1998 Jun;84(3):867-76.

Oltvai ZN, Milliman CL, Korsmeyer SJ. Bcl-2 heterodimerizes in vivo with a conserved homolog, Bax, that accelerates programmed cell death. *Cell*. 1993 Aug 27;74(4):609-19.

Oppenheim RW, Maderdrut JL, Wells DJ. Cell death of motoneurons in the chick embryo spinal cord. VI. Reduction of naturally occurring cell death in the thoracolumbar column of Terni by nerve growth factor. *J Comp Neurol*. 1982 Sep 10;210(2):174-89.

Oppenheim RW. Cyclic GMP and neurone death. *Nature*. 1985 Jan 17-23;313(5999):248.

Oppenheim RW. Cell death during development of the nervous system. *Annu Rev Neurosci*. 1991;14:453-501.

Ono T, Luiten PG, Nishijo H, Fukuda M, Nishino H. Topographic organization of projections from the amygdala to the hypothalamus of the rat. *Neurosci Res*. 1985 Apr;2(4):221-38.

Ormerod BK, Galea LA. Reproductive status influences cell proliferation and cell survival in the dentate gyrus of adult female meadow voles: a possible regulatory role for estradiol. *Neuroscience*. 2001;102(2):369-79.

O'Rourke NA, Chenn A, McConnell SK. Postmitotic neurons migrate tangentially in the cortical ventricular zone. *Development*. 1997 Mar;124(5):997-1005.

P

Pagotto U, Arzberger T, Theodoropoulou M, Grubler Y, Pantaloni C, Saeger W, Losa M, Journot L, Stalla GK, Spengler D. The expression of the antiproliferative gene ZAC is lost or highly reduced in nonfunctioning pituitary adenomas. *Cancer Res*. 2000 Dec 15;60(24):6794-9.

Pagotto U, Arzberger T, Ciani E, Lezoualc'h F, Pilon C, Journot L, Spengler D, Stalla GK. Inhibition of Zac1, a new gene differentially expressed in the anterior pituitary, increases cell proliferation. *Endocrinology*. 1999 Feb;140(2):987-96.

Palmer TD, Schwartz PH, Taupin P, Kaspar B, Stein SA, Gage FH. Cell culture. Progenitor cells from human brain after death. *Nature*. 2001 May 3;411(6833):42-3.

Patel D, Huang S-M, Baglia LA, McCance DJ. (1999). *EMBO J*. 18, 5061-5072.

Pencea V, Bingaman KD, Wiegand SJ, Luskin MB. Infusion of brain-derived neurotrophic factor into the lateral ventricle of the adult rat leads to new neurons in the parenchyma of the striatum, septum, thalamus, and hypothalamus. *J Neurosci*. 2001 Sep 1;21(17):6706-17.

Peterson DA. Stem cells in brain plasticity and repair.

Piras G, El Kharroubi A, Kozlov S, Escalante-Alcalde D, Hernandez L, Copeland NG, Gilbert DJ, Jenkins NA, Stewart CL. Zac1 (Lot1), a potential tumor suppressor gene, and the gene for epsilon-sarcoglycan are maternally imprinted genes: identification by a subtractive screen of novel uniparental fibroblast lines. *Mol Cell Biol*. 2000 May;20(9):3308-15.

Planas A.M., Soriano M.A., Ferrer I., Rodriguez F. Regional expression of inducible heat shock protein-70 mRNA in the rat brain following administration of convulsant drugs. *Mol. Brain Res*. 1994, 27, 127-137.

Planas A.M., Soriano M.A., Ferrer I., Rodriguez F. Kainic acid-induced heat shock protein-70, mRNA and protein expression is inhibited by MK-801 in certain rat brain regions. *Eur. J. Neurosci*. 1995, 7(2), 293-304.

Pollard H., Cantagrel S., Charriaut-Marlangue C., Moreau J., Ben-Ari Y. Apoptosis associated DNA fragmentation in epileptic brain damage. *Neuroreport*. 1994a, 5(9), 1053-1055.

Pollard H., Charriaut-Marlangue C., Cantagrel S., Represa A., Robain O., Moreau J., Ben-Ari Y. Kainate-induced apoptotic cell death in hippocampal neurons. *Neuroscience*. 1994b, 63(1), 7-18.

Portera-Cailliau C., Price D.L., Martin L.J. Non-NMDA and NMDA receptor-mediated excitotoxic neuronal deaths in the adult brain are morphologically distinct: further evidence for an apoptosis-necrosis continuum. *J. Comp. Neurol*. 1997, 378, 88-104.

Prakash N, Wurst W. Specification of midbrain territory. *Cell Tissue Res*. 2004 Oct;318(1):5-14. Epub 2004 Aug 19.

Price J, Williams BP. Neural stem cells. *Curr Opin Neurobiol*. 2001 Oct;11(5):564-7.

Punzel M, Ho AD. Divisional history and pluripotency of human hematopoietic stem cells. *Ann N Y Acad Sci*. 2001 Jun;938:72-81; discussion 81-2.

Purves D, George J. Augustine, David Fitzpatrick, William C. Hall, Anthony-Samuel LaMantia, James O. McNamara, and S. Mark Williams. *Neuroscience*, Third edition, 2004. Sinauer Associates, Inc, Publishers.

R

Rakic P. Radial versus tangential migration of neuronal clones in the developing cerebral cortex. *Proc Natl Acad Sci U S A*. 1995 Dec 5;92(25):11323-7.

Rakic P, Sidman RL. Weaver mutant mouse cerebellum: defective neuronal migration secondary to abnormality of Bergmann glia. *Proc Natl Acad Sci U S A*. 1973 Jan;70(1):240-4.

Rakic P. Guidance of neurons migrating to the fetal monkey neocortex. *Brain Res*. 1971 Oct 29;33(2):471-6.

Rakic P. Specification of cerebral cortical areas. *Science*. 1988 Jul 8;241(4862):170-6.

Rakic S, Zecevic N. Early oligodendrocyte progenitor cells in the human fetal telencephalon. *Glia*. 2003 Jan 15;41(2):117-27.

Ramón y Cajal S. Estructura del asta de Ammon y fascia dentata. *Ann Soc Esp Hist Nat* 22: 53-114.

Rani CS, Wang F, Fuior E, Berger A, Wu J, Sturgill TW, Beitner-Johnson D, LeRoith D, Varticovski L, Spiegel S. Divergence in signal transduction pathways of platelet-derived growth factor (PDGF) and epidermal growth factor (EGF) receptors. Involvement of sphingosine 1-phosphate in PDGF but not EGF signaling. *J Biol Chem*. 1997 Apr 18;272(16):10777-83.

Rawlings SR, Hezareh M. Pituitary adenylate cyclase-activating polypeptide (PACAP) and PACAP/vasoactive intestinal polypeptide receptors: actions on the anterior pituitary gland. *Endocr Rev*. 1996 Feb;17(1):4-29.

Reep R. Relationship between prefrontal and limbic cortex: a comparative anatomical review. *Brain Behav Evol*. 1984;25(1):5-80.

Reik W, Dean W, Walter J. Epigenetic reprogramming in mammalian development. *Science*. 2001 Aug 10;293(5532):1089-93.

Reik W, Walter J. Genomic imprinting: parental influence on the genome. *Nat Rev Genet*. 2001 Jan;2(1):21-32.

Reynolds BA, Weiss S. Generation of neurons and astrocytes from isolated cells of the adult mammalian central nervous system. *Science*. 1992 Mar 27;255(5052):1707-10.

Ribak CE, Seress L, Amaral DG. The development, ultrastructure and synaptic connections of the mossy cells of the dentate gyrus. *J Neurocytol*. 1985 Oct;14(5):835-57.

Rodriguez-Henche N, Jamen F, Leroy C, Bockaert J, Brabet P. Transcription of the mouse PAC1 receptor gene: cell-specific expression and regulation by *Zac1*. *Biochim Biophys Acta*. 2002 Jun 7;1576(1-2):157-62.

Roisén FJ, Klueber KM, Lu CL, Hatcher LM, Dozier A, Shields CB, Maguire S. Adult human olfactory stem cells. *Brain Res*. 2001 Jan 26;890(1):11-22.

Romero-Aleman Mdel M, Monzon-Mayor M, Yanes C, Arbelo-Galvan JF, Lang D, Renau-Piqueras J, Negrin-Martinez C. S100 immunoreactive glial cells in the forebrain and midbrain of the lizard *Gallotia galloti* during ontogeny. *J Neurobiol*. 2003 Oct;57(1):54-66.

Ross SA, McCaffery PJ, Drager UC, De Luca LM. Retinoids in embryonal development. *Physiol Rev*. 2000 Jul;80(3):1021-54.

Roth KA, Kuan C, Haydar TF, D'Sa-Eipper C, Shindler KS, Zheng TS, Kuida K, Flavell RA, Rakic P. Epistatic and independent functions of caspase-3 and Bcl-X(L) in developmental programmed cell death. *Proc Natl Acad Sci U S A*. 2000 Jan 4;97(1):466-71.

Roth KA, D'Sa C. Apoptosis and brain development. *Ment Retard Dev Disabil Res Rev*. 2001;7(4):261-6.

Rousselot P, Lois C, Alvarez-Buylla A. Embryonic (PSA) N-CAM reveals chains of migrating neuroblasts between the lateral ventricle and the olfactory bulb of adult mice. *J Comp Neurol*. 1995 Jan 2;351(1):51-61.

Rozenfeld-Granot G, Krishnamurthy J, Kannan K, Toren A, Amariglio N, Givol D, Rechavi G. A positive feedback mechanism in the transcriptional activation of Apaf-1 by p53 and the coactivator Zac-1. *Oncogene*. 2002 Feb 28;21(10):1469-76.

Ruppert S, Wang EW and Tjian R (1993) Cloning and expression of human TAF_{II}250: a TBP-associated factor implicated in cell-cycle regulation. *Nature*, 362, 175–179.

Rutter M, Rutter M. *Developing minds-challenge and continuity across the life span*. 1993. N.Y.: Basic Books

S

Sanders EJ, Parker E. Expression of apoptosis-inducing factor during early neural differentiation in the chick embryo. *Histochem J*. 2002 Mar-Apr;34(3-4):161-6.

Sarter M, Markowitsch HJ. Collateral innervation of the medial and lateral prefrontal cortex by amygdaloid, thalamic, and brain-stem neurons. *J Comp Neurol*. 1984 Apr 10;224(3):445-60.

Schmidt, C., Christ, B., Patel, K., Brand-Saberi, B., 1998. Experimental induction of BMP-4 expression leads to apoptosis in the paraxial and lateral plate mesoderm. *Dev. Biol.* 202, 253-263.

Schuh R et al. (1986) A conserved family of nuclear proteins containing structural elements of the finger protein encoded by Krüppel, a Drosophila segmentation gene. *Cell*, 47, 1025–1032.

Schuler M, Green DR. Mechanisms of p53-dependent apoptosis. *Biochem Soc Trans*. 2001 Nov;29(Pt 6):684-8.

Shum, L., Nuckolls, G., 2002. The life cycle of chondrocytes in the developing skeleton. *Arthritis Res*. 4, 94-106.

Schuermans C, Guillemot F. Molecular mechanisms underlying cell fate specification in the developing telencephalon. *Curr Opin Neurobiol*. 2002 Feb;12(1):26-34.

Schwab MH, Bartholomae A, Heimrich B, Feldmeyer D, Druffel-Augustin S, Goebbels S, Naya FJ, Zhao S, Frotscher M, Tsai MJ, Nave KA. Neuronal basic helix-loop-helix proteins (NEX and BETA2/Neuro D) regulate terminal granule cell differentiation in the hippocampus. *J Neurosci*. 2000 May 15;20(10):3714-24.

Scott JW, Wellis DP, Riggott MJ, Buonviso N. Functional organization of the main olfactory bulb. *Microsc Res Tech*. 1993 Feb 1;24(2):142-56.

Seaberg RM, van der Kooy D. Adult rodent neurogenic regions: the ventricular subependyma contains neural stem cells, but the dentate gyrus contains restricted progenitors. *J Neurosci*. 2002 Mar 1;22(5):1784-93.

Sedlak TW, Oltvai ZN, Yang E, Wang K, Boise LH, Thompson CB, Korsmeyer SJ. Multiple Bcl-2 family members demonstrate selective dimerizations with Bax. *Proc Natl Acad Sci U S A*. 1995 Aug 15;92(17):7834-8.

Seri B, Garcia-Verdugo JM, Collado-Morente L, McEwen BS, Alvarez-Buylla A. Cell types, lineage, and architecture of the germinal zone in the adult dentate gyrus. *J Comp Neurol*. 2004 Oct 25;478(4):359-78.

Seri B, Garcia-Verdugo JM, McEwen BS, Alvarez-Buylla A. Astrocytes give rise to new neurons in the adult mammalian hippocampus. *J Neurosci*. 2001 Sep 15;21(18):7153-60.

Shindler KS, Yunker AM, Cahn R, Zha J, Korsmeyer SJ, Roth KA. Trophic support promotes survival of bcl-x-deficient telencephalic cells in vitro. *Cell Death Differ*. 1998 Oct;5(10):901-10.

Shindler KS, Latham CB, Roth KA. Bax deficiency prevents the increased cell death of immature neurons in bcl-x-deficient mice. *J Neurosci*. 1997 May 1;17(9):3112-9.

Shingo T, Gregg C, Enwere E, Fujikawa H, Hassam R, Geary C, Cross JC, Weiss S. Pregnancy-stimulated neurogenesis in the adult female forebrain mediated by prolactin. *Science*. 2003 Jan 3;299(5603):117-20.

Shintani N, Tomimoto S, Hashimoto H, Kawaguchi C, Baba A. Functional roles of the neuropeptide PACAP in brain and pancreas. *Life Sci*. 2003 Dec 5;74(2-3):337-43.

Shors TJ, Miesegaes G, Beylin A, Zhao M, Rydel T, Gould E. Neurogenesis in the adult is involved in the formation of trace memories. *Nature*. 2001 Mar 15;410(6826):372-6.

- Shults CW, Hashimoto R, Brady RM, Gage FH. Dopaminergic cells align along radial glia in the developing mesencephalon of the rat. *Neuroscience*. 1990;38(2):427-36.
- Singhal S, Amin KM, Kruklytis R, DeLong P, Friscia ME, Litzky LA, Putt ME, Kaiser LR, Albelda SM. Alterations in cell cycle genes in early stage lung adenocarcinoma identified by expression profiling. *Cancer Biol Ther*. 2003 May-Jun;2(3):291-8.
- Sisk CL, Foster DL. The neural basis of puberty and adolescence. *Nat Neurosci*. 2004 Oct;7(10):1040-7.
- Smith MT, Pencea V, Wang Z, Luskin MB, Insel TR. Increased number of BrdU-labeled neurons in the rostral migratory stream of the estrous prairie vole. *Horm Behav*. 2001 Feb;39(1):11-21.
- Smith RJ, Arnaud P, Konfortova G, Dean WL, Beechey CV, Kelsey G. The mouse *Zac1* locus: basis for imprinting and comparison with human *ZAC*. *Gene*. 2002 Jun 12;292(1-2):101-12.
- Soengas MS, Capodieci P, Polsky D, Mora J, Esteller M, Opitz-Araya X, McCombie R, Herman JG, Gerald WL, Lazebnik YA, Cordon-Cardo C, Lowe SW. (2001). *Nature*, 409: 207-211.
- Soghomonian, J.J., Martin, D.L., 1998. Two isoforms of glutamate decarboxylase: why? *Trends Pharmacol. Sci.* 19, 500-555.
- Song HJ, Stevens CF, Gage FH. Neural stem cells from adult hippocampus develop essential properties of functional CNS neurons. *Nat Neurosci*. 2002 May;5(5):438-45.
- Song H, Poo M. The cell biology of neuronal navigation. *Nat Cell Biol*. 2001 Mar;3(3):E81-8.
- Spassky N, Merkle FT, Flames N, Tramontin AD, Garcia-Verdugo JM, Alvarez-Buylla A. Adult ependymal cells are postmitotic and are derived from radial glial cells during embryogenesis. *J Neurosci*. 2005 Jan 5;25(1):10-8.
- Specht LA, Pickel VM, Joh TH, Reis DJ. Fine structure of the nigrostriatal anlage in fetal rat brain by immunocytochemical localization of tyrosine hydroxylase. *Brain Res*. 1981 Aug 10;218(1-2):49-65.
- Spengler D, Villalba M, Hoffmann A, Pantaloni C, Houssami S, Bockaert J, Journot L. Regulation of apoptosis and cell cycle arrest by *Zac1*, a novel zinc finger protein expressed in the pituitary gland and the brain. *EMBO J*. 1997 May 15;16(10):2814-25.
- Stanfield BB, Trice JE. Evidence that granule cells generated in the dentate gyrus of adult rats extend axonal projections. *Exp Brain Res*. 1988;72(2):399-406.
- Stockdale, F.E., Nikovits, W. Jr., Christ, B., 2000. Molecular and cellular biology of avian somite development. *Develop. Dyn.* 219, 304-321.
- Storch A, Schwarz J. Neural stem cells and neurodegeneration. *Curr Opin Investig Drugs*. 2002 May;3(5):774-81.
- Strain S.M. Tasker R.A. Hippocampal damage produced by systemic injections of domoic acid in mice. *Neurosci*. 1991, 44, 343-352.
- Stroer WF. Studies on the diencephalon. I. The embryology of the diencephalon of the rat. *J Comp Neurol*. 1956 Aug;105(1):1-24.
- Susin SA, Lorenzo HK, Zamzami N, Marzo I, Snow BE, Brothers GM, Mangion J, Jacotot E, Costantini P, Loeffler M, Larochette N, Goodlett DR, Aebersold R, Siderovski DP, Penninger JM, Kroemer G. Molecular characterization of mitochondrial apoptosis-inducing factor. *Nature*. 1999 Feb 4;397(6718):441-6.
- Swanson LW. The anatomical organization of septo-hippocampal projections. *Ciba Found Symp*. 1977;(58):25-48.
- Swanson L.W. The hypothalamus, in Bjorklund A, Hokfelt T, Swanson LW (eds), *Handbook of Chemical Neuroanatomy*, vol 5, *Integrated Systems of the CNS*, part 1, Elsevier Science Publisher, 1987, pp 1-124.
- Swanson LW, Sawchenko PE. Hypothalamic integration: organization of the paraventricular and supraoptic nuclei. *Annu Rev Neurosci*. 1983;6:269-324.
- Szentagothai, J., 1969. The synaptic architecture of the hypothalamo-hypophyseal neuron systems. *Acta Neurol. Psychiatr. Belg.* 69, 453-468.

T

Takeichi M, Hatta K, Nose A, Nagafuchi A. Identification of a gene family of cadherin cell adhesion molecules. *Cell Differ Dev.* 1988 Nov;25 Suppl:91-4.

Tanapat P, Hastings NB, Gould E. Ovarian steroids influence cell proliferation in the dentate gyrus of the adult female rat in a dose- and time-dependent manner. *J Comp Neurol.* 2005 Jan 17;481(3):252-65.

Tanapat P, Hastings NB, Rydel TA, Galea LA, Gould E. Exposure to fox odor inhibits cell proliferation in the hippocampus of adult rats via an adrenal hormone-dependent mechanism. *J Comp Neurol.* 2001 Sep 3;437(4):496-504.

Tanapat P, Hastings NB, Reeves AJ, Gould E. Estrogen stimulates a transient increase in the number of new neurons in the dentate gyrus of the adult female rat. *J Neurosci.* 1999 Jul 15;19(14):5792-801.

Tamamaki N, Nakamura K, Okamoto K, Kaneko T. Radial glia is a progenitor of neocortical neurons in the developing cerebral cortex. *Neurosci Res.* 2001 Sep;41(1):51-60.

Taupin P, Gage FH. Adult neurogenesis and neural stem cells of the central nervous system in mammals. *J Neurosci Res.* 2002 Sep 15;69(6):745-9.

Temple IK, Shield JP. Transient neonatal diabetes, a disorder of imprinting. *J Med Genet.* 2002 Dec;39(12):872-5.

Thoenen H, Barde YA. Physiology of nerve growth factor. *Physiol Rev.* 1980 Oct;60(4):1284-335.

Thoenen H, Edgar D. Neurotrophic factors. *Science.* 1985 Jul 19;229(4710):238-42.

Thomas LB, Gates MA, Steindler DA. Young neurons from the adult subependymal zone proliferate and migrate along an astrocyte, extracellular matrix-rich pathway. *Glia.* 1996 May;17(1):1-14.

Thomas M, Pim D, Banks L. (1999). *Oncogene* 18, 76907700.

Tooyama I, Bellier J.P., Park M., Minnasch P., Uemura S., Hisano T., Iwami M., Aimi Y., Yasuhara O., Kimura H. Morphologic study of neuronal death, glial activation, and progenitor cell division in the hippocampus of rat models of epilepsy. *Epilepsia.* 2002, 43(9), 39-43.

Toretzky JA, Helman LJ. Involvement of IGF-II in human cancer. *J Endocrinol.* 1996 Jun;149(3):367-72.

Tramontin AD, Garcia-Verdugo JM, Lim DA, Alvarez-Buylla A. Postnatal development of radial glia and the ventricular zone (VZ): a continuum of the neural stem cell compartment. *Cereb Cortex.* 2003 Jun;13(6):580-7.

Treves A, Rolls ET. Computational analysis of the role of the hippocampus in memory. *Hippocampus.* 1994 Jun;4(3):374-91.

Tsai RY, Kittappa R, McKay RD. Plasticity, niches, and the use of stem cells. *Dev Cell.* 2002 Jun;2(6):707-12.

U

Uchida D, Arimura A, Somogyvari-Vigh A, Shioda S, Banks WA: Prevention of ischemia-induced death of hippocampal neurons by pituitary adenylate cyclase activating polypeptide. *Brain Res* 1996;736:280-286.

V

van Groen T, Wyss JM. Extrinsic projections from area CA1 of the rat hippocampus: olfactory, cortical, subcortical, and bilateral hippocampal formation projections. *J Comp Neurol.* 1990 Dec 15;302(3):515-28.

van Praag H, Schinder AF, Christie BR, Toni N, Palmer TD, Gage FH. Functional neurogenesis in the adult hippocampus. *Nature.* 2002 Feb 28;415(6875):1030-4.

van Praag H, Christie BR, Sejnowski TJ, Gage FH. Running enhances neurogenesis, learning, and long-term potentiation in mice. *Proc Natl Acad Sci U S A.* 1999 Nov 9;96(23):13427-31.

van Rossum D, Hanisch UK. Microglia. *Metab Brain Dis.* 2004 Dec;19(3-4):393-411.

Vandesande F, Dierickx K. Identification of vasopressin-producing and of the oxytocin-producing neurons in the hypothalamic magnocellular neurosecretory system of the rat. *Cell Tissue Res* 1975, 164:153-162.

Varrault A, Bilanges B, Mackay DJ, Basyuk E, Ahr B, Fernandez C, Robinson DO, Bockaert J, Journot L. Characterization of the methylation-sensitive promoter of the imprinted ZAC gene supports its role in transient neonatal diabetes mellitus. *J Biol Chem*. 2001 Jun 1;276(22):18653-6. Epub 2001 Apr 10.

Varrault A, Ciani E, Apiou F, Bilanges B, Hoffmann A, Pantaloni C, Bockaert J, Spengler D, Journot L. hZAC encodes a zinc finger protein with antiproliferative properties and maps to a chromosomal region frequently lost in cancer. *Proc Natl Acad Sci U S A*. 1998 Jul 21;95(15):8835-40.

Vaudry D, Gonzalez BJ, Basille M, Pamantung TF, Fournier A, Vaudry H. PACAP acts as a neurotrophic factor during histogenesis of the rat cerebellar cortex. *Ann N Y Acad Sci*. 2000;921:293-9.

Vernadakis A. Neuron-glia interrelations. *Int Rev Neurobiol*. 1988;30:149-224.

Vertes RP. PHA-L analysis of projections from the supramammillary nucleus in the rat. *J Comp Neurol*. 1992 Dec 22;326(4):595-622.

Vescovi A, Gritti A, Cossu G, Galli R. Neural stem cells: plasticity and their transdifferentiation potential. *Cells Tissues Organs*. 2002;171(1):64-76.

Villar MJ, Meister B, Hokfelt T. Reorganization of neural peptidergic systems in the median eminence after hypophysectomy. *J Neurosci*. 1994 Oct;14(10):5996-6012.

Vives V, Alonso G, Solal AC, Joubert D, Legraverend C. Visualization of S100B-positive neurons and glia in the central nervous system of EGFP transgenic mice. *J Comp Neurol*. 2003 Mar 17;457(4):404-19.

Voyvodic JT. Cell death in cortical development: How much? Why? So what? *Neuron*. 1996 Apr;16(4):693-6.

Voz ML, Astrom AK, Kas K, Mark J, Stenman G, Van de Ven WJ. The recurrent translocation t(5;8)(p13;q12) in pleomorphic adenomas results in upregulation of PLAG1 gene expression under control of the LIFR promoter. *Oncogene*. 1998 Mar;16(11):1409-16.

W

Walsh C, Cepko CL. Widespread dispersion of neuronal clones across functional regions of the cerebral cortex. *Science*. 1992 Jan 24;255(5043):434-40.

Walsh C, Cepko CL. Clonal dispersion in proliferative layers of developing cerebral cortex. *Nature*. 1993 Apr 15;362(6421):632-5.

Walsh C, Reid C. Cell lineage and patterns of migration in the developing cortex. *Ciba Found Symp*. 1995;193:21-40; discussion 59-70.

Waschek JA. Multiple actions of pituitary adenylyl cyclase activating peptide in nervous system development and regeneration. *Dev Neurosci*. 2002;24(1):14-23.

Weindl A. Neuroendocrine aspects of circumventricular organs, in Ganong W, Martini L (eds): *Frontiers in Neuroendocrinology*, Oxford University Press, 1973, pp 3-32.

Weiss S., Cataltepe O., Cole A.J. Anatomical studies of DNA fragmentation in rat brain after systemic kainate administration. *Neurosci*. 1996, 74(2), 541-551.

Weissman TA, Riquelme PA, Ivic L, Flint AC, Kriegstein AR. Calcium waves propagate through radial glial cells and modulate proliferation in the developing neocortex. *Neuron*. 2004 Sep 2;43(5):647-61.

Wichterle H, Garcia-Verdugo JM, Alvarez-Buylla A. Direct evidence for homotypic, glia-independent neuronal migration. *Neuron*. 1997 May;18(5):779-91.

Williamson MP (1994) The structure and function of proline-rich regions in proteins. *Biochem J*, 297, 249–260.

Wilson SI, Edlund T. Neural induction: toward a unifying mechanism. *Nat Neurosci*. 2001 Nov;4 Suppl:1161-8.

Wilson SW, Rubenstein JL. Induction and dorsoventral patterning of the telencephalon. *Neuron*. 2000 Dec;28(3):641-51.

Witter MP, Amaral DG. Entorhinal cortex of the monkey: V. Projections to the dentate gyrus, hippocampus, and subicular complex. *J Comp Neurol.* 1991 May 15;307(3):437-59.

Woo M, Hakem R, Soengas MS, Duncan GS, Shahinian A, Kagi D, Hakem A, McCurrach M, Khoo W, Kaufman SA, Senaldi G, Howard T, Lowe SW, Mak TW. Essential contribution of caspase 3/CPP32 to apoptosis and its associated nuclear changes. *Genes Dev.* 1998 Mar 15;12(6):806-19.

Wulf GG, Jackson KA, Goodell MA. Somatic stem cell plasticity: current evidence and emerging concepts. *Exp Hematol.* 2001 Dec;29(12):1361-70.

Y

Yada T, Sakurada M, Nakata M, Shioda S, Yaekura K, Kikuchi M. Autocrine action of PACAP in islets augments glucose-induced insulin secretion. *Ann N Y Acad Sci.* 1998 Dec 11;865:451-7.

Yan, Y.H., Van Brederode, J.F., Hendrickson, A.E., 1995. Transient co-localization of calretinin, parvalbumin, and calbindin-D28K in developing visual cortex of monkey. *J. Neurocytol.* 24, 825-837.

Yang, X., Karsenty, G., 2002. Transcription factors in bone: developmental and pathological aspects. *Trends Mol. Med.* 8, 340-345.

Yashiro K, Zhao X, Uehara M, Yamashita K, Nishijima M, Nishino J, Saijoh Y, Sakai Y, Hamada H. Regulation of retinoic acid distribution is required for proximodistal patterning and outgrowth of the developing mouse limb. *Dev Cell.* 2004 Mar;6(3):411-22.

Yokoyama A, Yang L, Itoh S, Mori K, Tanaka J. Microglia, a potential source of neurons, astrocytes, and oligodendrocytes. *Glia.* 2004 Jan 1;45(1):96-104.

Yu SW, Wang H, Poitras MF, Coombs C, Bowers WJ, Federoff HJ, Poirier GG, Dawson TM, Dawson VL. Mediation of poly(ADP-ribose) polymerase-1-dependent cell death by apoptosis-inducing factor. *Science.* 2002 Jul 12;297(5579):259-63.

Z

Zagulska-Szymczak S., Filipkowski R.K., Kaczmarek L. Kainate-induced genes in the hippocampus: lessons from expression patterns. *Neurochem. Int.* 2001, 38(6), 485-501.

Zaidi AU, D'Sa-Eipper C, Brenner J, Kuida K, Zheng TS, Flavell RA, Rakic P, Roth KA. Bcl-X(L)-caspase-9 interactions in the developing nervous system: evidence for multiple death pathways. *J Neurosci.* 2001 Jan 1;21(1):169-75.

Zhang W, Liu HT. MAPK signal pathways in the regulation of cell proliferation in mammalian cells. *Cell Res.* 2002 Mar;12(1):9-18.

Zhou CJ, Shioda S, Yada T, Inagaki N, Pleasure SJ, Kikuyama S. PACAP and its receptors exert pleiotropic effects in the nervous system by activating multiple signaling pathways. *Curr Protein Pept Sci.* 2002 Aug;3(4):423-39.

Zimmermann H, Degenkolbe R, Bernard HU, O'Connor MJ. (1999). *J. Virol.* 73, 6209-6219.

Zou H, Henzel WJ, Liu X, Lutschg A, Wang X. Apaf-1, a human protein homologous to *C. elegans* CED-4, participates in cytochrome c-dependent activation of caspase-3. *Cell.* 1997 Aug 8;90(3):405-13.

Zou H, Li Y, Liu X, Wang X. An APAF-1/cytochrome c multimeric complex is a functional apoptosome that activates procaspase-9. *J Biol Chem.* 1999 Apr 23;274(17):11549-56.

Zvegintseva EG. Structural organization and connections of cell ensembles of the olfactory bulb of the cat brain *Arkh Anat Gistol Embriol.* 1986 May;90(5):5-14.