

## Preface

The Ph.D. work contained in this Thesis was carried out at the group of *Física i Cristal·lografia de Materials* (FiCMA), in the Department of Physical and Inorganic Chemistry of the Rovira i Virgili University in Tarragona (Spain) between January 1998 and May 2003, directed by Professor Francesc Díaz González and Doctor Rosa M<sup>a</sup> Solé Cartañá.

Within the framework of this Thesis, we have collaborated actively with the following research groups: Dr. V.Nikolov at the Bulgarian Academy of Sciences (Sofia, Bulgaria); Dr. C. Zaldo at the *Instituto de Ciencia de Materiales de Madrid* (Cantoblanco, Spain); Prof. X. Solans at the University of Barcelona (Barcelona, Spain); Dr. J.L. García-Muñoz at the *Institut de Ciència de Materials de Barcelona* (Bellaterra, Spain) and the Institute Laue-Langevin (Grenoble, France); Prof. J. Fernández at the Basc Country University (Bilbao, Spain); Prof. B. Boulanger at the Joseph Fourier University (Grenoble, France); Prof. G. Boulon at the Claude Bernard University (Lyon, France); and Prof. C.F. Woensdregt at the University of Utrecht (Utrecht, The Netherlands).

This project was possible thanks to generous grants from the *Departament d'Universitats, Recerca i Societats de la Informació* of the *Generalitat de Catalunya* (2000FI 00633 URV APTIND, 2001BV 00195, 2002BV 00013, 2003BV 00073) and the Rovira i Virgili University (1999PSR-13, 2000M3C-36, 2001M3C-83, 2002M3C-22) and the research projects of the CICyT (TIC96-1039, MAT99-1077-C02, MAT2002-04603-C05-03, 2FD97-0912-C02, FIT-070000-2001-477, FIT-070000-2002-461) and CIRIT (1999SGR 00183, 2001SGR 317)

[Initial Page](#)

[Table of Contents](#)